

New Jersey • Pennsylvania • Arizona

EXTRUSIONS

# Ready to Ship Over 10 Million Feet In Stock

1-800-631-8375 www.outwater.com

Catalog 2401

# **TERMS AND CONDITIONS**

"Vendor":

Outwater Plastics Industries, Inc. & Architectural Products by Outwater, LLC

### **PRICES:**

All prices are subject to change without notice. No deduction will be allowed at settlement. Minimum order is \$25.00 (Merchandise only). Orders less than this minimum will be billed as \$25.00 plus shipping charges and tax, if applicable.

### NOTE:

Orders are accepted with the understanding that they will be billed at the price in effect on the day of shipment.

### **PAYMENT TERMS:**

### <u>N30</u>

To establish N30 terms, we must be supplied with your company's Dun & Bradstreet number (DUNS Number). Concerns not rated favorably with Dun & Bradstreet, not rated at all with Dun & Bradstreet or inactive accounts, are required to furnish, on company letterhead, four (4) trade references, the name of their bank and account number, their Federal I.D. number or CRA-issued business number, and the date and state/province their business was incorporated.

Please note: If supplying trade references, please allow 2-3 weeks for processing.

### Credit Card

We accept major credit cards (Visa, MasterCard, American Express and Discover.) Please note: When authorizing us to charge your card in an amount over \$500.00, we require a signed credit card authorization form, which we will fax or email to you for your signature. Order processing will not begin until this authorization is returned to us.

### <u>C.O.D.</u>

C.O.D. orders are no longer accepted.

### **Prepayment**

Customers not wishing to use a credit card or set up N30 terms, may prepay orders. Please speak with your sales representative when placing your order. We accept company checks and certified / bank checks. Order processing will not begin until we receive payment. Non-certified checks (company or personal) may take an additional five business days after receipt before order processing will begin.

### Other Terms

Large orders, Custom or Special Order items may require certified funds and/or a deposit, regardless of existing credit terms. If applicable, this will be discussed at time of order. If a deposit is required, order processing will not begin until deposit is received by us. Should deposit be sent in the form of a non-certified check, it may take an additional five business days after receipt before order processing will begin.

### WARRANTY:

All merchandise is produced to standard and commercial tolerances. Vendor warrants product to be free from defects in workmanship and material. When Vendor has determined that a product is defective, it will be replaced. At Vendor's discretion, a credit may be offered instead of replacement. Vendor liability is limited to the cost of the defective product. No other warranty is expressed or implied.

### LIABILITY:

The customer shall test and verify the suitability of the product for intended use. No warranty for intended use is made. The customer assumes all risk and liability. Vendor's only obligation is replacement or credit for product proven defective. Vendor shall not be liable for any loss or damage from the use or inability to use the product.

### **TECHNICAL ADVICE:**

Any technical advice furnished or recommended by Vendor or any representative of Vendor concerning any use or application of any product is believed to be reliable but the company makes no warranty of results obtained. The customer shall test for and verify suitability for intended use.

### FREE SAMPLE POLICY:

Reasonable sample quantities are available at no charge for many of the products within this catalog; to test their suitability for your intended use or application. Most samples are shipped free of charge via standard U.S. mail or UPS ground. Other shipping options are available, at customer's expense. Please discuss with our sales representatives.

### **MERCHANDISE RETURN POLICY:**

Merchandise may not be returned for credit without prior authorization from our Customer Service department. Please have your order number available when contacting us.

- You may return most items purchased for a partial refund within 30 days of purchase. A restocking fee will apply and shipping charges will not be refunded. Restocking fees as follows:
  - 20% restocking fee applies to most stock items. Some dropship items will be subject to a higher restocking fee. Where applicable, fees are stated within our catalog.
  - 40% restocking fee applies on items that have been cut for shipping purposes. Custom or Special order items may not be returned.
- Refund will only be issued in the original form of payment.
- Customer is responsible for the shipping cost of items returned. Be mindful of
  packaging as any damage during return shipment is the responsibility of the customer.
- Returned material must be received in original condition.
- Any products cut, altered, modified or installed by the customer may not be returned.
- We reserve the right to refuse unauthorized returns. Unauthorized returns will be returned to the customer at their expense.

### DAMAGE/LOSS:

- Upon receiving your shipment, please inspect the packages carefully for signs of damage. Check contents for damaged or missing items.
- Damage and/or loss claims <u>must</u> be reported within 48 hours from time of receipt!
- We utilize small parcel carriers [UPS and Federal Express] and many LTL freight carriers [such as YRC, New Penn and UPS Freight] when shipping our products. Specific instructions will vary depending on the carrier.
- If Damage/Loss is suspected, please do the following:
  - Inspect your shipment as soon as it arrives.
  - If your merchandise has arrived via LTL freight carrier, all damages/loss must be notated on the delivery receipt at time of delivery. Please take digital photographs and email to: customerservice@outwaterplastics.com.
  - Please keep all merchandise and packing material for possible inspection by the carrier.
  - Contact our Customer Service Department immediately! It is best to get in touch with us right away. Be advised that claims made after 48 hours of receipt will not be honored.

### **DEFECTIVE MERCHANDISE POLICY:**

Every item that we sell meets our highest standards for quality and performance. If a defect in merchandise is suspected, please proceed as follows:

- Inspect merchandise for quality before altered or installed.
- Upon the finding of parts which may be defective, contact our Customer Service Department immediately! We will request digital images, a sample of the material, or a combination of both material and images to be sent to our Customer Service Department for evaluation.
- Upon review of the samples/images we will determine if replacement or refund is appropriate. Return of the defective merchandise will also be determined at this time and if deemed necessary an RMA (Return Merchandise Authorization) will be issued.
- The responsibility of Outwater Plastics and Architectural Products ends here. Any loss incurred for labor, transportation or any other expenses are not covered.

### **PICK UP ORDERS:**

Orders placed for pick up must be picked up within 2 weeks from the date placed, or the date material becomes available. Orders not picked up within 2 weeks will be cancelled. To secure material for a longer time period; arrangements may be made for non-refundable prepayment and pick up by a specified date.

### **SHIPPING TERMS:**

Shipments are F.O.B. shipping point.

### **INTERNATIONAL SHIPPING TERMS & CONDITIONS:**

Items for shipment to countries outside of the U.S. may be subject to taxes, customs duties and fees levied by the destination country ("Import Fees"). The recipient of the shipment is the importer of record in the destination country and is responsible for all Import Fees. To obtain details regarding the Actual Import Fees, or to obtain documentation or receipts in connection with customs clearance, you may contact the Designated Carrier specified in your shipment confirmation.

\*\*\* WE RESERVE THE RIGHT TO SUBSTITUTE OR "EQUAL" \*\*\*



WEST 4720 West Van Buren Street • Phoenix, AZ 85043

# **TABLE OF CONTENTS**

Acudia Fabricatina Dua duata	75 77
Acrylic Fabricating Products	
Aluminum Framing System	
Angle Moulding	
Binning Strips & Components	
Bumper Moulding	
Cap & Divider Moulding	
Closet Rods, Systems & Hardware	
Corner Moulding	
Cove Moulding	
Double Stick Foam Tape	
Drawer Pulls	
Edgebanding & Trims	
Extruded Clear Acrylic Tubes & Rods	
Face Nosing	
Filler Moulding	
Fixture & Wall Bumper	
FOGA® System	
Foot Rail Kits	
Front Loading Aluminum Frames	54-55
Guard Moulding	31
Hinges	
Hook & Loop Velcro Fastening Tapes	17
Impact Protection System	95-101
Joiner Moulding	
Lighting	121-135
Magnetic Strips, Sheets & Clamps	
Panel/Glass Retaining Buttons & Clips	90
Picture & Art Hanging Systems	
Price Tag Moulding	42-43
Rounded Trim	
Shelf Guard	
Showcase Moulding	
Sign Holders	49-51
Sign/Banner Holders	
Slatwall Panels & Hardware	
Sliding Door Track	
Standoffs	
Tee Moulding	
Ticket & Label Holders	
Tools	
Track Systems For Tambour Doors	
U-Channel Moulding	
Vents	
Wire Management	
Z & W Bar	
Z-Panel Hangers & Clips	
2 r and riangers & cips	



Aluminum Framing System pg. 112



pg. 100



LED Aluminum Channels pg. 121



Sliding Door Track



Aluminum LED Drywall Profiles pg. 126



Flexible U-Channel Moulding pg. 23





pg. 8 Off-Set Rippled Tee Moulding





Wire Management


pg. 84














**SEE PAGE 15 FOR TEE MOULDING TOOLS & BLADES** 

# **GLOSSY BUMPER MOULDING**




### Lengths: 50 Ft. Coils Material: PVC • Use S4 or S10 Slotter




# **STANDARD BUMPER MOULDING**









# STRAIGHT EDGE METALLIC TEE MOULDING




# **OFFSET BARB RIPPLED TEE MOULDING**



# **ALUMINUM FILLERS**




# FLAT FACE BUMPER MOULDING



# FLEXIBLE METALLIC TEE MOULDING


## Streamlining Wrap Around Metallic Film



# **CARBIDE TIPPED TEE MOULDING BLADES**

2 Wing		200	4 Win <u>c</u>	g Blade	000	Arbor A1/B1	2 Wing		· & Bearing	omplete So		w/Arbor	& Bearing
Part#	No. Of Winas	Slot Thickness			Clat	A1 Arbor w/Locknut &	Part#	No. Of Winas	Slot Thickness	Filte			Clas
S055	2	.055"	Part#	No. Of Wings	Slot Thickness	B1 Bearing w/Washer	SJ-055	2	.055"	V	Part#	No. Of Winas	Slot Thickness
S065	2	.065"	<b>S7</b>	4	.075"	Di beaning w/ washer	SJ-065	2	.065"		SJ-7	4	.075"
<b>S1</b>	2	.075"	<b>S</b> 8	4	.080"		SJ-1	2	.075"		SJ-8	4	.080"
<b>S2</b>	2	.080"	<b>S9</b>	4	3/32"	6	SJ-2	2	.080"		SJ-9	4	3/32"
<b>S3</b>	2	3/32"	<b>S10</b>	4	1/8"		SJ-3	2	3/32"		SJ-10	4	1/8"
<b>S4</b>	2	1/8"	S11	4	3/16"	5/16" Bore	SJ-4	2	1/8"		SJ-11	4	3/16"
<b>S5</b>	2	3/16"	S12	4	1/4"	1/4" Shank	SJ-5	2	3/16"		SJ-12	4	1/4"
<b>S6</b>	2	1/4"	<b>S13</b>	4	.065"	1/2" Cut	SJ-6	2	1/4"		SJ-13	4	.065"

# "NO NOTCH" REAL ALUMINUM TEE MOULDING




# **PEEL & STICK EDGEBANDING**



- Just peel and stick it
- Bond increases in strength with time
- 50' & 250' rolls
- 600' rolls available (PVC Only), Please Inquire
- .020 thickness
- Custom colors and sizes up to 5" available for 1 roll minimum, please inquire

Part #	Description	Size
FESP-34-*	PVC Solid	
FEWP-34-*	PVC Wood Grain	
FESW-34-*	Unfinished Wood	3/4″
FEPW-34-*	<b>Finished Wood</b>	
FEME-34-*	Metallic PVC	
FESP-1516-*	PVC Solid	
FEWP-1516-*	PVC Wood Grain	
FESW-1516-*	Unfinished Wood	15/16"
FEPW-1516-*	<b>Finished Wood</b>	
FEME-1516-*	Metallic PVC	





For more Unfinished and Pre-finished colors, please inquire.


# **POLYESTER EDGEBANDING**

### PEEL & STICK POLYESTER EDGE BANDING IN COLOR Lengths: 250 Ft. Coils

Works With Most Foam Board Edges

Stocked Colors Available \*WH - White \*BK - Black





# **PRE-GLUED IRON ON TAPES**

# Colors Available

VH - Frost White	*BK - Black
Part #	Size
IOC625-BK	5/8″
IOC750-*	3/4″
IOC812-*	13/16″
IOC875-*	7/8″
IOC100-BK	1″
IOC1125-BK	1-1/8″
IOC1250-BK	1-1/4″
IOC150-BK	1-1/2"



# Real Wood Veneer Fleece Edge Available \*RD - Red Oak \*WO - White Oak \*WB - White Birch \*CH - Cherry

Part #	Size
IOV750-*	3/4″
IOV812-*	13/16″
IOV875-WB	7/8″
IOV100-RO	1″
IOV1250-*	1-1/4″

# **METAL LIKE TRIMS**

Edgebanding and profile wrapping comes in a diverse range of finishes with a clear protective film on the front, and a standard .020" thickness.



### Peel & Stick Finishes Available









\*BRU/C \*BRU/SS Brushed Chrome Brushed Stainless Steel \*BK I Gloss Black

### DESIGNED FOR ALL TRIM APPLICATIONS

- MATERIAL: Deposits of metallized plastic with a durable lacquered finish, laminated to a THERMOPLASTIC BACKER.
- PROTECTIVE COVER
- Can be sawed, cut or routed without delamination.

Size

1/4"

1/2″ 3/4″

7/8"

1″ 1-1/4″

1-1/2"

2"

3″

6″ 24″-

50 ft. coil

• CLEAN, FINISHED EDGES WITHOUT FILING

250 FT. COIL NTP TRIM (With Adhesive) .020 Thickness

Part #

NTP-25-\*

NTP-50-\*

NTP-75-\* NTP-875-\*

NTP-1-\*

NTP-1-25-\* NTP-1-50-\*

NTP-2-\*

NTP-3-\*

NTP-6-\*

NTP-24-\*

Scratch resistant

500 FT. COIL NTP TRIM					
(Primed/No Adhesive) .020 Thickness					
	Part #	Size			
	ET-50-*	1/2″			
	ET-75-*	3/4″			
	ET-875-*	7/8″			
	ET-1-*	1″			
	ET-1-125-POL/C	1-1/8″			
	ET-1-25-*	1-1/4″			
	ET-1-50-*	1-1/2″			
	ET-2-*	2″			
	ET-3-*	3″			
	ET-6-*	6″			
	ET-24-*	24″-			
	E1-24-"	50 ft. coil			
NOTE: ET TRIMS ARE PRIMED FOR USE WITH					
AUTOMATIC EDGEBANDING EXCEPT GLOSS BLACK					

### Matching 4' x 8' sheets are available. Please inquire.

Additional Widths are available - please call with your inquiry








# **DECORATIVE TRIMS**

### Half Round Trim



TOOLS



## **Edge Trimmer**



Double edge trimmer. Cuts both sides simultaneously, finishing operations. For edges up to 40mm. For larger edges it can be used as two independent edge trimmers. Top quality long life blades which are easy to replace once worn.

Replacement Blade: EBS-930-RB

# Utility Knife

### DIECAST UTILITY KNIFE

- High quality pewter diecast handle
- 10-steps positioning lock
- Lock blade compatible, each
  - furnished with one blade DCB-219K

### WITH LARGE BREAKAWAY BLADE

- Blue plastic casing
- Includes one blade with 7-point segments
- Replacement blades available ,(BBK-80B)



Cut Program Available

# **PNEUMATIC TOOLS**

### HAND HELD AIR HAMMERS



### DANAIR HAND HELD HAMMER **AH15** (Supplied w/standard blue tip)

IMPORTED HAND HELD HAMMER **AH25** (Supplied w/standard blue tip)

NO SWINGING. Can be used anywhere the smallest hand can reach. Replaces wide variety of cumbersome hammers and mallets. No skilled personnel. CONTROL. A single hammer blow or excess of 1000 blows per minute. Adjustable from slightest hammer tap to heavy impact blows. • VERSATILE. Easily interchangeable hammer tips of super soft hard plastic, steel and aluminum. PALM SIZE-LIGHTWEIGHT-SAFE. LEATHER TOOL GLOVE FOR AH15 OR AH25 HAMMER

Part # Description T-1555 Hammer Tip T-15S Hammer Tip T-15M Hammer Tip T-15H Hammer Tip **T-15AL** Hammer Tip T-15ST Hammer Tip Stem 159 4-212 "O" Ring 163 **Bumper** "O" Rina 3-127 158 Valve 3-114 "O" Ring 4-218 "O" Ring 157 Cap 2-031 "O" Ring Exhaust Seat 161 162 Plug Housing 156

**REPLACEMENT PARTS** 

HAMMER TIP T-15SS (Super Soft Plastic) Red T-155 (Soft Plastic) Blue T-15M (Medium Plastic) Black T-15H (Hard Plastic) Yellow

T-15AL (Aluminum)

T-15ST (Steel)

AS-OK-15 REPAIR KIT INCLUDES: 1 - ALL-O-RINGS 1 - AS-ORL-O-RINGS LUBE 1 - 163 BUMPER

AS-319 STROKE CONTROL SPACER (available as optional accessory) SHORTENS STROKE BY 1/4" REDUCES HAMMERING FORCE

# **CARBIDE TIPPED TEE MOULDING BLADES**

AS-706

2 Wing Blade	D	No. Of	Slot	Complete Set	Part#	No. Of Wings	Slot Thickness
1	Part#	Wings	Thickness		SJ-055	2	.055"
	S055	2	.055"			_	
	S065	2	.065"	LA	SJ-065	2	.065"
4	S1	2	.075"	600	SJ-1	2	.075"
$\left( \right)$	<b>S2</b>	2	.080"	And and a second	SJ-2	2	.080"
R	<b>S</b> 3	2	3/32"	2 Wing w/Arbor	SJ-3	2	3/32"
	<b>S4</b>	2	1/8"	& Bearing	SJ-4	2	1/8"
	<b>S5</b>	2	3/16"	Gebeuring	SJ-5	2	3/16"
	<b>S6</b>	2	1/4"		SJ-6	2	1/4"
4 Wing Blade		No. Of	Slot	Complete Set		No. Of	Slot
4 Wing Blade	Part#	No. Of Wings	Slot Thickness	Complete Set	Part#	No. Of Wings	Slot Thickness
4 Wing Blade	Part#			Complete Set	Part#		
4 Wing Blade		Wings	Thickness	Complete Set		Wings	Thickness
4 Wing Blade	<b>S7</b>	Wings 4	Thickness .075"	Complete Set	SJ-7	Wings 4	Thickness .075"
4 Wing Blade	S7 S8	<b>Wings</b> 4 4 4	Thickness .075" .080"	Complete Set	SJ-7 SJ-8	<b>Wings</b> 4 4	Thickness .075" .080"
4 Wing Blade	57 58 59	<b>Wings</b> 4 4 4 4	Thickness           .075"           .080"           3/32"		SJ-7 SJ-8 SJ-9	<b>Wings</b> 4 4 4 4	Thickness .075" .080" 3/32"
4 Wing Blade	\$7 \$8 \$9 \$10	<b>Wings</b> 4 4 4 4 4 4	Thickness           .075"           .080"           3/32"           1/8"	4 Wing w/Arbor	SJ-7 SJ-8 SJ-9 SJ-10	<b>Wings</b> 4 4 4 4 4 4	Thickness           .075"           .080"           3/32"           1/8"
4 Wing Blade	\$7 \$8 \$9 \$10 \$11	<b>Wings</b> 4 4 4 4 4 4 4 4 4	Thickness           .075"           .080"           3/32"           1/8"           3/16"		SJ-7 SJ-8 SJ-9 SJ-10 SJ-11	<b>Wings</b> 4 4 4 4 4 4 4 4 4 4	Thickness           .075"           .080"           3/32"           1/8"           3/16"

A1/B1

• 5/16" Bore 1/4" Shank

1/2" Cut

A1 Arbor w/Locknut & B1 Bearing w/Washer

E M		INC	TO	

### **EDGE TRIMMER 101**

THE QUALITY HSS BLADE (3mm thick, 18% tungsten) has two cutting edges and, therefore, operates both forwards and backwards and effortlessly cuts off all projecting lippings neatly and completely flush-when the additional jaws are used with a chamfer of 30° or 45°. The chamfer is adjustable according to the spacing between the additional jaws.



Supplied with a built-in blade and additional jaws 45° mounted, a pair of additional jaws 30° and on fence for plane parallel cutting--the latter for PVC and veneer edges.

## **FLUSH TRIMMER**

This all metal hand tool features a precise high carbon steel cutting blade that trims excess material from the edge of the tee moulding face, creating a smooth flush table or counter surface. The unique circular blade can be rotated to expose a new sharp cutting surface. This feature eliminates the need for frequent sharpening. Heavy cast aluminum

housing with ball bearing roller guides facilitates easy operation.

992006-000-0000 992007-000-0000

# **NOTCHING TOOLS**

The most important "quarter inch" in mitering is that small portion of the barb which is removed by the notching tool. This special "V" cut enables the moulding to negotiate small radii and sharp corners for a clean, smooth installation.

Part#	Description	Punch Thickness
P900R	Vinyl Tee Moulding Notcher - cuts 1/4" radius	0.156"
1870A	Replacement Blade	-
P900A	Aluminum & Vinyl Notcher with 1/16" opening	0.050"
1840A	Replacement Blade (A-Notch)	-
P900V	Channel and Angle Notcher with 3/32" opening	0.090"
848A	Replacement Blade	-

# **3RD HAND HD**

The 3rd Hand HD is the help you have been looking for. If you ever wished you had an extra hand, look no further. It is rugged, built to last a lifetime and it's never late for work!



Brace, jack or support whatever you need.

- 360° articulating foot Pump jack for precision height adjustment
- Telescoping pole, 5' to 12' with ball detents for positive locking
- Great for hanging cabinets, drywall & crown moulding



3-H-HAND-HD-5 3-H-2PK-3-HAND-5



Description

15

Part#

3rd Hand single pack 3rd Hand twin pack

# **MAGNETIC STRIP**

### WITH ADHESIVE BACKING\*



\*The adhesive is rubber-based with a protective peel coat resistant to water, detergent and alcohol. It is not recommended for use in contact with solvent such as aliphatic or aromatic hydrocarbons, ketones, esters or chlorinated hydrocarbons.

### .030 THICK - 200 FT. ROLLS WITH ADHESIVE

		Ft. Per
Part #	Width	Case
MSA-1-0500	1/2″	1600 ft.
MSA-1-0750	3/4″	1200 ft.
MSA-1-1000	1″	800 ft.

### .060 THICK - 100 FT. ROLLS WITH ADHESIVE

		Ft. Per
Part #	Width	Case
MSA-2-0500	1/2″	800 ft.
MSA-2-0750	3/4″	600 ft.
MSA-2-1000	1″	400 ft.

### .120 THICK - 100 FT. ROLLS WITH ADHESIVE

		Ft. Per
Part #	Width	Case
MSA-3-0500	1/2″	600 ft.
MSA-3-0750	3/4″	400 ft.
MSA-3-1000	1″	300 ft.

Other Thicknesses & Widths Available. Special Die Cutting Available - Minimums Apply - Please Inquire.

# **DIGIMAG<sup>®</sup> MAGNETIC SHEET**

### .030" THICK - WITH GLOSS WHITE VINYL COVER

2 FT. x 50 FT. ROLLS

Part #

MAG2450

12" x 24" SHEETS

Part #

MAG1202

Magnaclamp II<sup>®</sup>

- Flexible
- Die cut shear cut or punch
- Available in sheet or rolls
- Works with solvent inkjet printers, including Roland, Mutch, Epson, Oce, HP, AGFA, and Minaki - (all registered)
- Screen printable
- Indoor/outdoor use
- Available in matte finish (Please Inquire)




## **Magnaclamp**<sup>®</sup>

### THE EFFICIENT WAY OF HANGING SIGNS, **BANNERS AND DISPLAY MATERIAL**

- Unaffected by frost
- Wash over, squeegee over
- Neat appearance no unsightly residue
- · Leaves no residue if removed
- LASTS FOR YEARS!




ADHESIVE BACK				
Part # Length				
MC-03-WH	3"			
MC-06-WH	6"			
MC-24-WH	24"			
MC-36-WH	36"			



Remove tape to expose adhesive. Place on ANY clean surface

- THE HARD-SHELL MAGNACLAMP<sup>®</sup> FOR THE UPSCALE LOOK
- Attaches to a flat surface with permanent adhesive
- · Integrated hinge opens to accept signage and clamp shut for a secure hold.
- · Black or White, 24" long with adhesive




Part #	Length
MCHS-24-BK	24"
MCHS-24-WH	24"

# HOOK & LOOP



**VELCRO**<sup>\*</sup> brand woven nylon hook and loop tapes are manufactured by a precise and refined weaving process which ensures uniformity of dimensions and construction.



• STOCK COLORS: BLACK (\*BK) & WHITE (\*WH)
 • SOLD IN FULL ROLLS ONLY

# Standard Grade Fastening Tapes

# FOR INDOOR USE ONLY RUBBER BASED ADHESIVE

Part #	Description	Roll Length
HK-58-*	5/8" Hook	75'
LP-58-*	5/8" Loop	75'
HK-34-*	3/4" Hook	75'
LP-34-*	3/4" Loop	75'
HK-100-*	1" Hook	75'
LP-100-*	1" Loop	75'
HK-150-*	1-1/2" Hook	75'
LP-150-*	1-1/2" Loop	75'
HK-200-*	2" Hook	75'
LP-200-*	2" Loop	75'

# Premium Grade Fastening Tapes

# FOR INDOOR / OUTDOOR USE ACRYLIC BASED ADHESIVE

Part #	Description	Roll Length
VH-625-*	5/8" Velcro Hook	75'
VL-625-*	5/8" Velcro Loop	75'
VH-750-*	3/4" Velcro Hook	75'
VL-750-*	3/4" Velcro Loop	75'
VH-1000-*	1" Velcro Hook	75'
VL-1000-*	1" Velcro Loop	75'
VH-2000-*	2" Velcro Hook	75'
VL-2000-*	2" Velcro Loop	75'

NOTE: OTHER SIZES/LENGTHS & DIE-CUTTING AVAILABLE - PLEASE INQUIRE

# **DOUBLE STICK FOAM TAPE**

### WITH PROTECTIVE COVER

Our rubber-based Double Stick Foam Tape works well on most surfaces including: glass, metals, painted metal, paper, finished wood and plastics (including low surface energy polyethylene and polypropylene). It is not recommended for plasticized vinyl, materials contaminated with internal or surface lubricants and surfaces that are not clean and dry. Removing the tape is best accomplished by "thumbing" it off gradually. Solvents such as MEK, lacquer thinner and turpentine will degrade the adhesive, but are hazardous to work with and can damage the surface being cleaned as well.

## Polyethylene Foam Tape Rolls




vailable 1/32" or 1/16" thick	1/32" THICK		1/16" THICK	
/2", 3/4" or 1" Widths	Part #	Width	Part #	Width
'hite ( <b>*WH</b> ) or Black (* <mark>BK</mark> )	RFT1-0500-*	1/2″	RFT2-0500-*	1/2″
16 Ft. Rolls	RFT1-0750-*	3/4″	RFT2-0750-*	3/4″
	RFT1-1000-*	1″	RFT2-1000-*	1″

## **Clear Film Tape Rolls**

.5mil polyester film with 2mil adhesive		
<ul> <li>Rubber based adhesive not recommended for direct UV exposure applications.</li> </ul>	Part # <b>DK-0500</b>	Width 1/2"
<ul> <li>Application temperature: 65°F-100°F</li> </ul>	DK-0750	3/4″
Service temperature: -20°F-150°F	DK-1000	1″
• Roll core: 3″ Diameter -180 Ft.		


# **COLOR U-CHANNEL MOULDING**




**PROTOTYPE SAMPLES** 

We are happy to provide samples for prototypes & design builds - Please Inquire.


# **COLOR U-CHANNEL MOULDING**



# **UV STABILIZED U-CHANNEL MOULDING**



# **CLEAR U-CHANNEL MOULDING**




# NYLA-GLIDE<sup>™</sup> U-CHANNEL

### Material: MDS Modified Nylon • Lengths: 100 Ft. Coils • Color: Dark Gray

unless otherwise noted

By adding Molybdenum Disulphide to Nylon 6, our profiles feature advanced mechanical and thermal properties over plain nylon including:



Part # **PE-0125SB** PE-0250SB

.265

.231'

295

Part #

.090

280″

350

Part #

PE-0375SB

.075


.129

.062'

104″-

Flexible

# **FLEXIBLE U-CHANNEL MOULDING**





# **SHOWER ENCLOSURE EXTRUSIONS**

- Aluminum Material
- Supports 1/2" & 3/8" frameless shower glass panels
- Available in multiple lengths
- Includes Header and choice of Channel...

### **Header**

- Provides support for glass panels that don't reach the ceiling. • Rounded outside edges
- Available in 2 stock finishes: Brite Clear, Brushed Stainless Steel

### **C-Channels**

- Flat outside edges
- Finishes: Anodized, Brite Clear, Brite Black, Brass, Bronze, Brushed Stainless Steel


CALL FOR UPDATED

INFORMATION

### **U-Channels**

- Rounded outside edges
- Finishes: Anodized, Brite Clear, Satin Black, Brushed Stainless Steel

Million.



# **ALUMINUM "NO BOW" SHELF CHANNEL**

Lengths: 8 Ft. - For 1/2", 5/8" & 3/4" Shelves

\*S - Clear Anodized - Dull, Matte Finish 🔹 \*BK - Black Powder Coated Gloss Finish 🔹 \*WH - White Powder Coated Gloss Finish







Part #	Α	В	с
SHF-A500-*	43/64″	3/4″	1/2″
SHF-A625-*	51/64″	3/4″	5/8″
SHF-A750-*	15/16″	3/4″	3/4″
		-	_


Available in Black, other finishes made-to-order

# **COLOR PLASTIC CAPPING**




# **COLOR PLASTIC DIVIDER**







# **ALUMINUM DIVIDER**



# **STAINLESS STEEL CAP & CORNER DIVIDER**




# **CLEAR PLASTIC CAPPING**



Outwater Industries, Inc. • www.outwater.com


# **GUARD MOULDING**




# **ALUMINUM SHOWCASE MOULDING**

### Lengths: 12 Ft.

Finishes Available \*M - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines \*P, PH (w/holes) - Polished/Mechanical - Shiny/Mirror Finish or Brite Dip Anodize \*S - Satin/Clear Anodized - Dull Matte Finish





# **ALUMINUM OVERLAP FACE NOSING**

Lengths: 12 Ft. w/Countersunk Holes Finishes Available \*M (w/holes) - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines \*P (w/holes) - Polished/Mechanical - Shiny/Mirror Finish or Brite Dip Anodize \*BS (w/holes) - Brushed Satin - Lightly Brushed (Shows Grain) Satin Finish




	Hole	Underlip	Overall	Lip
Part #	Spacing	Α	В	С
ALU968-*	6″	5/8″	11/16″	1/4″
ALU228-*	7″	3/4″	13/16"	1/4″
ALU128-*	7″	7/8″	15/16″	1/4″
ALU328-*	6″	1-1/4″	1-5/16"	1/4″
ALU428-*	7″	1-5/8"	1-11/16"	1/4″

# **ALUMINUM ROUNDED TRIM**

Lengths: 12 Ft. w/Holes - 6" on Center Finishes Available

\*M (w/holes) - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines \*S (w/holes) - Satin/Clear Anodized - Dull Matte Finish




# **ALUMINUM ROUNDED EDGE TRIM**

Lengths: 12 Ft. w/Holes - 6" on Center Finishes Available


\*M (w/holes) - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines \*S (w/holes) - Satin/Clear Anodized - Dull Matte Finish




# PLASTIC CORNER CHANNEL MOULDING



# **ALUMINUM OUTSIDE CORNERS**




# ALUMINUM EVEN ANGLE MOULDING



# **ALUMINUM EVEN ANGLE MOULDING**



# PLASTIC CLEAR RIGHT ANGLE MOULDING



SS801A-P

SS806-P

25/32"


Part #

ALU669-\*


Part #

ALU441-PH

# PLASTIC COLOR RIGHT ANGLE MOULDING



# **TRACK SYSTEMS FOR TAMBOUR DOORS**




### **Flexible Tambour Track**

Brown tambour door track for 1/8"-3/16" thick doors

Black tambour door track for 1/8"-3/16" thick doors

FOR 1/4" DOOR THICKNESS • 8 FT. LONG (Check Your Door Thickness For Proper Track System)




4T5C-BR-\*


4T5C-BK-\*


# **ALUMINUM SLIDING DOOR TRACK**

Lengths: 12 Ft. <u>Finishes Available</u> M - Mill - Dull Finish: As Extruded - May or May Not Have "Scratches"/Die Lines



# PLASTIC SLIDING DOOR TRACK






# **PLASTIC MIRACLE TRACK II**

### **SLIDING DOOR TRACK SYSTEM WITH WHEELS**

Lengths: 12 Ft. • Material: PVC • Silver Gray

#### For 1/4" Doors


- Lower track has sidewalls to prevent rollers from slipping off track
- 1" (25.4mm) shoe allows superior gripping of glass or plywood doors
- Deep upper track to allow extra clearance and easy installation
- Zinc plated rollers with plastic wheel
- Track & shoe material is rigid PVC






**NOTE: ALL TRACK CAN BE MADE AVAILABLE WITH PRESSURE SENSITIVE TAPE. PLEASE INQUIRE.** 


## PLASTIC FLAT BACK PRICE TAG COLOR MOULDINGS



## PLASTIC FLAT BACK PRICE TAG CLEAR MOULDINGS



### For Shelves & C Channels




### **Flatback Tickets**

#### With Clear Rubber Based Polyester Adhesive Tape for Permanent Installation (unless otherwise noted)

- Butyrate Tickets: Provides most clarity
- Styrolux Tickets: Provides more clarity than PVC, but more economical
- PVC Tickets: Most Economical



### **Tube Tickets**



\*Please Inquire for more information.

### **Snap-On Channel Mount Tickets**





### Price Tag Holders For Wire



### All Purpose Adhesive Clip





Material: White Styrene

- Easily works with wire up to 1/4" with its inside diameter of .300"
- Holds signage up to .187 thick
- Can work two ways: (1) over wire and apply signage to adhesive pad or (2) apply adhesive pad to flat surface
- Overall dimensions: 1"W x 1"L

Part #
APA-105

### Label Holders For Wire



Material: Clear PVC
Easily attaches to wire/grids up to 1/4"

**UPC LOCKING STRAP LABEL HOLDER** 

diameter

• Label area is 1-1/4" x 3" and is equipped with label setting guide rail



Part #

LH-3



#### SECURE-LOK LABEL HOLDER

- Material: Clear Polypropylene
- Easily attaches and locks on wire up to 3/8" diameter
   Label area: 1-1/4" x 3-1/2"





### Sign Holders For Wire

#### **GRIP-TITE WIRE BASKET SIGN HOLDER**



Material: Clear PVC
 Fits wire up to 3/8"
 diameter

 Dual durometer ribs holds material up to 0.080" thick in flush mount position
 Overall dimensions: 1/2" x 1"L





ITUT DEALS!

#### **GRIP-TITE WIRE FLAG SIGN HOLDER**

- Material: Clear PVC
- Fits wire up to approximately .200"
- (3/16") and has gripper ribs to hold securely Dual durometer ribs securely holds signage up to .080" thick
- Overall dimensions: 1"L x 11/16"W





# Bendable Sign Holders For Small Light Weight Signage

### **SPRING WOBBLER**

- Material: White Styrene bases (3/4" x 3/4")
- Metal Spring 1" longWith adhesive on both vase sides this can
- With addesive on both vase sides this can be used virtually anywhere you can imagine
- Metal spring creates attention grabbing action



#### **TAPERED WOBBLERS**

- Material: Clear PVC
- With adhesive on both ends, this works on a variety of in store fixtures or displays
- Tapered body produces extra motion



 Part #
 Length

 TW-60
 6"

 TW-80
 8"

### FLEXIBLE ALUMINUM SIGN HOLDERS

- Material: Aluminum
- With adhesive on both ends, this too can be just about anywhere you need
- Easily bends and adjusts to any shape you need



### Power Panel Clip For Cardboard

- Material: White PVC
- Works with wire up to 1/4" diameter
- Holds 1/8" "B" Flute corrugated signage material
- Overall dimensions: 1"W x 2" H






### Free Standing & Wall Mount Sign Holders



### Free Standing & Wall Mount Sign Holders




# **SIGN / BANNER HOLDERS**

An easy & affordable way to emphasize brands & your marketing message.
Channels can easily be cut-to-size to accommodate a variety of banner widths.
All channels can be used as a top & bottom rail.



# **SIGN / BANNER HOLDERS**

An easy & affordable way to emphasize brands & your marketing message.
Channels can easily be cut-to-size to accommodate a variety of banner widths.
All channels can be used as a top & bottom rail.



### BH-788-H- "Universal Hanger"



Fits into channels up to 1/4" wide





Part # Color BH-788-H Clear

### FULLY ASSEMBLED, FRONT LOADING ALUMINUM FRAMES


36″ x 48′

#### ATTRACTIVE AND EASY-TO-USE!

Built-in spring loaded hinge enables you to change graphics in a snap without disassembling the frame.



### 1" Frame With Clear Anodized Or Black Powder Coat Finish



Part #	Size	Dimensions	Dimensions	Finish
FRM-8511-SIL	8-1/2" x 11"	7-5/8" x 10-1/8"	9-11/16" x 12-3/16"	Clear Anodized
FRM-8511-BK	8-1/2" x 11"	7-5/8" x 10-1/8"	9-11/16" x 12-3/16"	Black Powder Coat
FRM-1117-SIL	11" x 17"	10-1/4" x 16-3/16"	12-1/4" x 18-3/16"	Clear Anodized
FRM-1117-BK	11″ x 17″	10-1/4" x 16-3/16"	12-1/4" x 18-3/16"	Black Powder Coat
FRM-1620-SIL	16" x 20"	15-1/8" x 19-1/8"	17-3/16" x 21-3/16"	Clear Anodized
FRM-1620-BK	16" x 20"	15-1/8" x 19-1/8"	17-3/16" x 21-3/16"	Black Powder Coat
FRM-2228-SIL	22" x 28"	21-5/8" x 27-11/16"	24-1/8" x 30-1/8"	Clear Anodized
FRM-2436-SIL	24" x 36"	23-1/2" x 35-5/8"	26-1/8" x 38-1/8"	Clear Anodized

#### Custom sizes & finishes can be produced. Please Inquire.


To view our full line of Fully Assembled, Front Loading Aluminum Frames, visit www.outwater.com

# **ALUMINUM FRAME PROFILES**



To view our full line of "Snap-Ease" Front Loading Frames, visit www.outwater.com

### **SIGN / BANNER HOLDERS**




### **Components To Complete Your Customization**

96″

SNAP-96





# **EASY FASTEN STANDOFFS**



## for indoor 8 outdoor use

FINISH = Brushed Stainless (BSS)

- 2 Part Assembly
- Lightweight construction
- #6 flat head screws and drywall anchors included





Thread

Length

3/4"

3/4" 3/4"

3/4"

3/4"

3/4"

3/4″

3/4"

3/4" 3/4"

3/4"

3/4"

3/4"

3/4"

3/4"

3/4"

3/4″

3/4"

3/4"

3/4"

3/4"

3/4"

3/4"

3″

4″

6″

Diameter

1" 1″

1″ 1″

1″ 1″

1″

1″

1″

1-1/4"

1-1/4"

1-1/4"

1-1/4"

1-1/4"

1-1/4"

1-1/4"

1-1/2"

1-1/2"

1-1/2"

1-1/2"

1-1/2"

1-1/2″

1-1/2"

Part #	Panel Thickness	Barrel Length	Thread Length	Diameter
STDE-1313-BSS	Up to 1/4"	1/2″	1/2″	1/2″
STDE-1324-BSS	Up to 1/2"	3/4″	3/4″	1/2″
STDE-1332-BSS	Up to 1/2"	1″	3/4″	1/2″
STDE-1348-BSS	Up to 1/2"	1-1/2"	3/4″	1/2″
STDE-1364-BSS	Up to 1/2"	2″	3/4″	1/2″
STDE-1396-BSS	Up to 1/2"	3″	3/4″	1/2″
<b>STDE-13128-BSS</b>	Up to 1/2"	4″	3/4″	1/2″
STDE-2024-BSS	Up to 1/2"	3/4″	3/4″	5/8″
STDE-2032-BSS	Up to 1/2"	1″	3/4″	5/8″
STDE-2048-BSS	Up to 1/2"	1-1/2"	3/4″	5/8″
STDE-2064-BSS	Up to 1/2"	2″	3/4″	5/8″
STDE-2096-BSS	Up to 1/2"	3″	3/4″	5/8″
STDE-20128-BSS	Up to 1/2"	4″	3/4″	5/8″
STDE-2424-BSS	Up to 1/2"	3/4″	3/4″	3/4″
STDE-2432-BSS	Up to 1/2"	1″	3/4″	3/4″
STDE-2448-BSS	Up to 1/2"	1-1/2″	3/4″	3/4″
STDE-2464-BSS	Up to 1/2"	2″	3/4″	3/4″
STDE-2496-BSS	Up to 1/2"	3″	3/4″	3/4″
STDE-24128-BSS	Up to 1/2"	4″	3/4″	3/4″

Easy mounting

design

### **Clear Acrylic Transparent Standoffs**

**MATERIAL** = Acrylic FINISH = Clear (CL)

• 2 Part Assembly

- Lightweight, durable construction
- Transparent acrylic
- #6 flat head screws and drywall anchors included



Please inquire about our wall anchor selections!

	ap: 15/64"
⊢ → Thread: M10	7/16" Panel Hole Diameter
Bar Ler	





Part #	Panel Thickness		Thread Length	Diameter
STDY-2424-CL	Up to 5/16"	3/4″	5/8″	3/4″
STDY-2432-CL	Up to 1/2"	1″	7/8″	3/4″
STDY-3232-CL	Up to 1/2"	1″	7/8″	1″

Up to 1/2"

Up to 1/2"

Up to 1/2"

Part #	Panel Thickness	Barrel Length
STDE-3224-BSS	Up to 1/2"	3/4″
STDE-3232-BSS	Up to 1/2"	1″
STDE-3248-BSS	Up to 1/2"	1-1/2″
STDE-3264-BSS	Up to 1/2"	2″
STDE-3280-BSS	Up to 1/2"	2-1/2″
STDE-3296-BSS	Up to 1/2"	3″
STDE-32112-BSS	Up to 1/2"	3-1/2″
STDE-32128-BSS	Up to 1/2"	4″
STDE-32192-BSS	Up to 1/2"	6″
STDE-4024-BSS	Up to 1/2"	3/4″
STDE-4032-BSS	Up to 1/2"	1″
STDE-4048-BSS	Up to 1/2"	1-1/2″
STDE-4064-BSS	Up to 1/2"	2″
STDE-4096-BSS	Up to 1/2"	3″
STDE-40128-BSS	Up to 1/2"	4″
STDE-40192-BSS	Up to 1/2"	6″
STDE-4824-BSS	Up to 1/2"	3/4″
STDE-4832-BSS	Up to 1/2"	1″
STDE-4848-BSS	Up to 1/2"	1-1/2″
STDE-4864-BSS	Up to 1/2"	2″

STDE-4896-BSS

STDE-48128-BSS

**STDE-48192-BSS** 

Phone: 1-800-631-8375 Fax: 1-800-888-3315

# Picture & Art Hanging Systems

Our hanging systems allows you to easily add, reposition/remove art or wall objects without wall damage.

- Hanging & display solutions for residential & commercial use
- Easy to adjust and change artwork
- Eliminates wall repairs and repainting
- No tools needed
- Aluminum track load capacity: 110 lbs. per length
- Nylon cable load capacity: 33 lbs. per length
- Stainless cable load capacity: 44 lbs. per length





1 Select Your Channel



2 Select Your Vertical Cables



**3** Select Your Picture Hooks



# WALL TRACK IN 2MM CABLE FOR ART




# TRACKLESS 2MM CABLE HANGING SYSTEM FOR WALL & CEILING


1. Adjustable	2. Standoff		Cable		Ctn.
Hinged 🛛 🚛 🚽	End Cable	Part #	Material	Length	Qty.
Fitting Cable	Mounts on	1 GPX-ADJ48-N	Nuleie	48″	50
Mounts on	Walls	1 GPX-ADJ120-N	Nylon	120″	50
Walls & Ceilings		1 GPX-ADJ48-SS	Chaimless Chaol	48″	50
······	( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( ) ( )	1 GPX-ADJ120-SS	Stainless Steel	120″	50
	2	2 GPX-STD48-N	Nuleie	48″	50
	0	2 GPX-STD120-N	Nylon	120″	50
	2	2 GPX-STD48-SS	Chainless Charl	48″	50
	2	2 GPX-STD120-SS	Stainless Steel	120″	50



#### Option 3: Premade Single Loop 2mm Cable with Ferrule Ctn. Part # Material Length Qty. GPX-L48-N 48″ 50 Nylon GPX-L120-N 120″ 50 GPX-L48-SS 48″ 50 Stainless Steel GPX-L120-SS 120″ 50 Stainless Nylon Steel

# TRACKLESS 2MM CABLE HANGING SYSTEM FOR WALL & CEILING





## **ACCESSORIES FOR ALL CABLES**



### **Apartment Hanger**

#### **HGHB-APT-\***

- Material: Aluminum
- No drill, easy to install
- Foam liner, so no damage to walls
- Wall bracket holes drilled every inch
- Patented/Made in USA

The Hangman Apartment Hanger consists of two aluminum interlocking brackets modeled after the French Cleat featuring a built-in level which ensures an accurate installation. The aircraft grade aluminum brackets will not corrode and can be used indoors or outdoors. The system uses small nails which leave pin size holes and a foam back to protect walls from scuffs and marks. Once installed it can be adjusted left or right.



HANGMAN




		Load	Hardware Includes: (1) Wall Bracket, (1) Mounting Bracket, (1) Bubble Level,		
Part #	Size	Rating	#8 x 5/8" Screws	Nails	
HGHB-APT-6	6" Long	50 lbs.	2	5	
HGHB-APT-12	12" Long	100 lbs.	3	14	
HGHB-APT-18	18" Long	150 lbs.	5	20	

### Heavy Duty Mirror & Picture Hanger

#### HGHB-HM-\*

- Material: Aluminum
- Wall bracket holes drilled every inch
- Brackets are angled to ensure a flush mount
- Patented/Made in USA

The Hangman Heavy Duty Mirror & Picture Hanger is our classic and best selling product. It consists of two aluminum interlocking brackets modeled after the French Cleat featuring a built-in level which ensures an accurate installation. The aircraft grade aluminum brackets will not corrode and can be used indoors or outdoors on all surfaces. The system includes walldog anchorless fasteners.





		Load	Hardware Includes: (1) Wall Bracket, (1) Mounting Bracket, (1) Bubble Level,		
Part #	Size	Rating	#8 x 5/8" Screws	Walldog Screws	
HGHB-HM-6	6" Long	75 lbs.	2	2	
HGHB-HM-10	10" Long	100 lbs.	3	3	
HGHB-HM-12	12" Long	100 lbs.	3	3	
HGHB-HM-18	18" Long	200 lbs.	5	5	
HGHB-HM-30	30" Long	300 lbs.	8	8	
HGHB-HM-42	42" Long	300 lbs.	10	10	

### **Professional French Cleat Hanger**

#### **HGHB-CBH-\***

- Material: Aluminum
- Two piece system includes inset mounting bracket for a flush fit
- Aircraft grade aluminum
- Patented/Made in USA

The Hangman Professional French Cleat Hanger is a variation of the Heavy Duty Hangman and has several unique features. The overlapping design of the mounting bracket provides high torque leverage for use in hanging cantilevered shelves. The wall track is punched every inch making it easy to hit at least one stud. In addition to hanging shelves, it works great on cabinets, mirrors, and other heavy wall déco.



		Load	Hardware Includes: (1) Wall Bracket, (1) Mounting Bracket, (1) Bubble Level,		
Part #	Size	Rating	#8 x 5/8" Screws	Walldog Screws	
HGHB-CBH-18	18" Long	200 lbs.	5	5	
HGHB-CBH-30	30" Long	300 lbs.	8	8	
HGHB-CBH-42	42" Long	300 lbs.	10	10	

### Self Leveling Flushmount Hanger

#### **HGHB-SCH-2**

- Material: Aluminum
- Inset for a flush fit

Hardware Includes: • (2) #4 x 5/8" Screws

- Aircraft grade aluminum
- Patented
- Works well with open back canvas

The Hangman Self Leveling Flushmount Hanger is a single piece hanger that attaches to the back of your canvas and hangs on the provided Bear Claw Hanger. The inset created allows the canvas to hang flush

against the wall. Ideal for unframed canvas art. Also works on wooden frames.







# Canvas Hanger

#### HGHB-CH-5

• (2) Sawtooths

- Material: Aluminum
- · Brackets are angled to ensure a flush mount
- Patented/Made in USA

#### Hardware Includes:

- (2) #4 x 5/8" Screws
- (2) #8 x 1" Screws
- (1) Bubble Level
- (1) Mounting Bracket
- (1) Wall Bracket



The wall track includes a bubble level for an accurate installation.





Part #	Size	Load Rating
HGHB-CH-5	5" Long	20 lbs.






### Aluminum Frame Hanger

#### **HGHB-ALH-5**


- Material: Aluminum
- Offset almost flush
- Single piece wall hanger

#### Hardware Includes:

- (2) Walldog Screws
- (1) Bubble Level
- (1) Frame Hanger



The track includes a bubble level and anchorless Walldog fasteners for a fast and accurate installation.



punched every inch.



The Hangman Z-Hanger consists of two aluminum interlocking brackets modeled after

the French Cleat. The aircraft grade aluminum brackets will not corrode and can be used

indoors or outdoors on all surfaces. The system is compatible with various fasteners, and

can be adjusted left or right. Hangman's unique Z-Hanger comes with alternating holes

		Load
Part #	Size	Rating
HGHB-ALH-5	5″ Long	60 lbs.

### **Z-Hanger**

#### HGZ-6948-\* Z-Hanaer HGZL-6986-\* Z-Lite Hanger

• Material: Aluminum

- Load Rating: 100 lbs. per ft. (HGZ-6948-\*) 60 lbs. per ft. (HGZL-6986-\*)
- Offset .22" (5.6 mm)
- Alternating holes every 1" (3/16" dia. & 1/4" dia.)
- Sold as pairs, including: 1" walldog screws & 5/8" bear claw screws
- HGZL-6986-\*: Slight flexibility allows for easier engagement on non-plumb walls
- Sold in full cases only, where indicated (



HANGMAN

WHOLESALER

		Load	<u>Hardware Includes</u> : (1) Wall Bracket, (1) Mounting Bracket,		Case
Part #	Size	Rating	#8 x 5/8" Screws	Walldog Screws	Quantity
HGZ-6948-18	18" Long	120 lbs./ft.	5	5	-
HGZ-6948-30	30" Long	120 lbs./ft.	8	8	-
HGZ-6948-18-12	18" Long	120 lbs./ft.	Hardware Not Included		6 sets
HGZ-6948-30-12	30" Long	120 lbs./ft.	Hardware Not Included		6 sets
<b>HGZL-6986-18-12</b>	18" Long	60 lbs./ft.	Hardware Not Included		6 sets
HGZL-6986-30-12	30" Long	60 lbs./ft.	Hardware N	lot Included	6 sets

### Z-Man Mounting Bracket

#### HGZM-6318-\*

- Material: Aluminum
- · Slight flexibility allows for easier engagement on non-plumb walls
- Aircraft grade aluminum
- Alternating holes every 1" (3/16" dia. & 1/4" dia.)
- · Easily cuttable with a carbide tip saw
- Load Rating: 60 lbs. per ft.
- Sold in full cases only, 6 sets/case



Part #	Size	Load Rating
HGZM-6318-18-12	18" Long	60 lbs./ft.
HGZM-6318-30-12	30" Long	60 lbs./ft.

### Walldog Safety Hanger

#### **HGSH-WDH-\***

- Material: Aluminum
- Aircraft grade aluminum
- Security lip prevents wire from slipping out
- 8 wide pivot point prevents frames from slipping
- Patented/Made in USA

The Hangman Walldog Safety Hanger is an extruded aluminum track that has a security lip to prevent picture hanging wire from slipping out. The wire is easy to insert and won't come out if bumped. The brackets are installed using anchorless Walldog fasteners that require no drilling and no stud. Friction bumpers included to keep walls clean and keep art from shifting.

Part #	Length	Rating	Hardware Includes:
HGSH-WDH-40	1-1/2″	40 lbs.	(1) Walldog, (1) Pair Bumper, (1) Hanger
HGSH-WDH-80	3″	80 lbs.	(2) Walldogs, (1) Pair Bumper, (1) Hanger

Load

WHOLESALER




HANGMAN

### **Bear Claw Hanger**


#### **HGSCR-\***

- Material: Steel
- Self-drilling tip, no pilot hole required
- · Works with D-rings, wire, keyhole & sawtooths
- Load Rating: 30 lbs. drywall, 100 lbs. stud
- Sold in full cases only

The Hangman Black Bear Claw Hangers work with D-rings, wire, sawtooths and keyholes for simple mirror and picture hanging solutions. Installs with a hand-held Phillips screwdriver. Self-drilling tip for easy installation.







### Furniture Anti-Tip Kit

#### HGA-TK-400

- Material: Steel
- Aircraft grade steel cables
- Secures dressers, curio cabinet, chests
   and entertainment centers
- Load Rating: 400 lbs.
- Also available for leaner mirrors

#### Hardware Includes:

- (2) #8 x 5/8" Screws
- (2) #8 x 1-1/2" Screws
- (2) Steel Brackets
- (2) Clevis Pins
- (2) Hair Pins
- (1) 6" Stainless Steel Cable

The Hangman Furniture Anti-Tip Kit consists of an aircraft grade steel cable that connects on one end to your furniture with a bracket installed into a stud on the wall. The cable prevents the furniture from tipping over. This kit is a leader in furniture safety.







### Gallery Track

#### **HGGS-GT-\***

- Material: Aluminum
- Paintable

The Hangman Gallery Track is a part of Hangman's new gallery track system. They are a professional system that can be used at home or the office. Enjoy the ease of changing frames whenever you desire without damaging your walls. Available in 2', 3', 4', 6' and 8' lengths.



		Hardware Includes:	
Part #	Length	(1) Connector, (1) Pair of End Caps, +	
HGGS-GT-24	24″	(2) #8 x 1-1/2" Screws, (2) Anchors, (2) Sliders	
HGGS-GT-36	36″	(2) #8 x 1-1/2" Screws, (2) Anchors, (3) Sliders	
HGGS-GT-48	48″	(3) #8 x 1-1/2" Screws, (3) Anchors, (4) Sliders	
HGGS-GT-72	72″	(3) #8 x 1-1/2" Screws, (3) Anchors, (6) Sliders	
HGGS-GT-96	96″	(3) #8 x 1-1/2" Screws, (3) Anchors, (8) Sliders	

# Accessories for Gallery Track

#### **GALLERY HOOKS**

**HGGS-GT-**

- Material: Chrome Plated Zinc
- Tension hooks grip when pulled down
- Push button to move upwards



#### **GALLERY WIRE**


- Material: Chrome Plated Zinc
- High Grade Wire
- Works only with our gallery track
- Can be coiled to control length
- Available in 8' lengths



HGGS-GT-8W 8 ft. Length

#### GALLERY HANGING BRACKET

- Material: Chrome Plated Zinc
- Works only with our gallery track
- Slides left or right for positioning
- Holds our gallery track cables



#### GALLERY TRACK CONNECTOR

- Material: Chrome Plated Zinc
- Makes aligning tracks easy



#### **GALLERY TRACK END CAPS**

- Material: Plastic
- Gives a finished look







### **Christmas Light Hangers**

#### **HGSH-QH-\***

- Material: Stainless Steel
- Screws have an open loop (5/32" opening)
- Load Rating: 100 lbs. in wood beam or stud
- Sold in full cases only

The Hangman Christmas Light Hangers are an all year outdoor stainless steel wire holder. A simple way to hang holiday lights, bird feeders, bird houses, wind chimes, etc. Installs easily and is wind and weather resistant with a lifetime warranty. These are made to last.

Case Quantity

12 pcs.

20 pcs.

Size

38 x 22 mm





HANGMAN

### **Elephant Hook Ceiling Hook**

Part #

HGSH-QH-12

HGSH-QH-20

- Material: Steel
- Weather resistant coating
- Swivels & locks
- Load Rating: Holds 20 lbs. in drywall, 100 lbs. in wood

#### Hardware Includes:

- (1) Elephant hook
- (1) #8 x 1-1/4" Double-headed screw
- (1) Snap screw

Part #	Finish
HGH-EH-B	Bronze
HGH-EH-N	Nickel
HGH-EH-W	White

Elegant and easy, the Elephant Hook ceiling hook installs in under a minute. No drilling or pilot hole necessary. Simply screw in the self-drilling doubleheaded Bear Claw Hanger. Snap the Elephant Hook in place over the exposed collar. Swivel to desired angle and allow the weight of your item to lock into place. Comes in three finishes to match decor. For use indoor or outdoors, holds 100 lbs. in wood, 20 lbs. in drywall.



HGH-EHO-B Bronze



HGH-EHO-N Nickel



HGH-EHO-W White

### **Push and Hang**

#### **HGSH-PSH-\***


- Material: Steel Plating
- Pushed directly into drywall
- Creates an easy hanging surface
- Sold in full cases only

Push and hang. Absolutely the simplest and easiest to use picture hanger on the planet! Simply push into drywall, no tools needed.

Part #	Size	Load Rating	Case Quantity
HGSH-PSH-S-100	9 x 26 mm	10 lbs.	100 pcs.
HGSH-PSH-S-1000	9 X 20 MM	TU IDS.	1000 pcs.
HGSH-PSH-L-100	16 x 35.5 mm	20 lbs.	100 pcs.
HGSH-PSH-L-1000	10 x 33.5 mm	20105.	1000 pcs.



### Shelf Guard



**Material: Clear Butyrate** 



1/4"

1/4″

**Table Skirting Clips** 

3/4"

3/4'

Part # SE-316-4

**SE/248** 

SE/260

SE-14-4

SE-14-5

SE-14-6


Α

В

С

D Е

F.



		D, L G I		
Fits Glass:	Height	Top Leg	Bottom Leg	Length
3/16″	7/16″	13/32"L	11/32″L	48″
7/32″-1/4″	2″	3/8″ L	5/16″L	48″
7/32"-1/4"	2″	3/8″ L	5/16" L	60″
1/4″	3/4″	29/64" L	27/64" L	48″

29/64" L

29/64" L

27/64" L

27/64" L

60″


72"

### **Plastic Tubing & Accessories For Sign Holders**

#### WHITE ROUND PLASTIC TUBING Material: Rigid PVC Length: 3" Long Material: PVC **NOTE: White Styrene & Please Inquire for** White PVC color may not End Caps & Glides Fits be identical 3/4" Part # 0.D. I.D. Length Board PD125-WH 1-1/4" 1-1/8" 8 ft. **POLE SIGN CLAMP** All clips come with strip of **Material: Styrene** velcro<sup>®</sup> to attach fabric. Color: White • For use with 1" tubing Adhesive · Excellent for use on cut case display Backina Part # Description Fits: **TSC-0750** Without Hook 3/4" **TSC-0750H** With Hook 3/4" Tube O.D. Part # **PSC-10** S-Hooks **POLE TOP SIGN HOLDERS Material: Zinc Plated Steel** Material: Styrene •.080" •1-3/4" Long Color: White • Hang from shelf edge or wire fixtures • For use with 1" & 1-1/4" tubing Strip Hooks available in "Open Ended" & "Pinched" • Holds signs up to .080" thick - Open ended for use with all merchandising strips - Pinched style assures strip stays on hook Part # Туре SH-50 SH-75 SH-50 Open OPEN PINCHED SH-75 Pinched Part # Tube O.D. **PSH-125** 1-1/4"

### **Z-PANEL HANGERS & CLIPS**


### "A FAST, EASY & COST EFFECTIVE METHOD OF HANGING CABINETS, WALL PANELS, PARTITIONS & SIGNAGE!"



# LIGHT DUTY PVC SLATWALL PANELS



# **DOUBLE SIDED ALUMINUM SLATWALL PANELS**



# **GREAT WALL PVC & ALUMINUM SLATWALL SYSTEM**

# UNIQUE INTERLOCKING DESIGN SECURELY FITS TOGETHER



# **SLATWALL ACCESSORIES**


### **Ticket Holder**

**Clear Butyrate** 12 ft. Lenaths Fits 1-1/4" Ticket




Shown: Clear Anodized

Load Rating:



### Aluminum Slatwall 3/4" Thick Shelf Support Bracket



HANGMAN

# **PLASTIC VENT GRILLES**

#### **Material: Styrene**



### Available in \*White (WH), \*Black (BK)

\*Silver Gray (SG) or \*Tan (TN)

Designed to provide air circulation where needed

G-1971-\* Screw Mount

G-1970-\* Shown in White, Black, Silver Gray and Tan

Part # **Overall Size Hole Size** Mounting Type G-1970-\* 2-5/8" x 8-7/8" 2-3/8" x 8-5/8" Glue On **G-1971-\*** 3-9/16" x 9-11/16" Screw Mount 2-5/8" x 8-31/32" Glue On G-1972-\* 3-9/16" x 9-11/16" 2-5/8" x 8-31/32" G-1975-\* 2-7/8" x 8-3/4" 2-7/16" x 8-3/8" Glue On

# **ROUND PLASTIC VENTS**

#### **Material: Styrene**

#### Available in \*White (WH), \*Black (BK), or \*Silver (SG)

Part #	Overall Dia.	Drill Hole Dia.	Height	Designed to provide air	Corr.
G-200-*	2-3/8"	2"	5/8"	circulation where needed	
G-250-*	2-11/16"	2-1/2"	3/4"		
G-300-*	3-3/8"	3"	3/4"		

# VENTS





В

LOCKING

art #	0.D.	I.D.	Thickness
M-45	1.8125	1.641"	.2047"
M-60	2.359	2.109"	.2362"
M-85	3-344	3.062"	0.2441"

### Material: 304 Stainless Steel Satin finish

0.4 fine mesh wire diameter Screws included

Part # SAD-150 SAD-200

C		Oval
O.D.	I.D.	Thickness
5.906" x 1.578"	5.65" x 1.339"	0.2441"
7.891" x 1.969"	7.638" x 1.732"	0.2441"

NSF

cness 41" 0.2441"

RoHS

Elongated



				ITC
	JST	AL	EIN	
			_	

#### Material: 316 Stainless Steel Satin finish Screws not included





Part # Length Width Thickness 1-1122 4-1/8" Α .2362" 8-15/32" В 1-1212 4-17/32" 4-17/32" .2362" С 1-2211 8-15/32 4-1/8" .2362" D 1-2222

8-15/32"	8-15/32"	.2362"	
VENT	ED HO	LE PLUGS	5



Α

Part #	Hole Dia.	Maximum Thickness	A Head Dia.	B Thickness	
MP-0750V	0.750"	0.125"	0.906"	0.406"	
MP-0875V	0.875"	0.125"	1.1016"	0.453"	
REMOVABLE VENTED NYLON PLUGS AVAILABLE, PLEASE INQUIRE!					

All available in Black, or add a "W" for White.

REACH & ROHS COMPLIANT

Outwater Industries, Inc. • www.outwater.com


### **BINNING STRIPS**

#### OUR BINNING STRIP MAKES IT EASY TO ADJUST SPACING & ACCOMMODATE YOUR NEEDS

**STANDARD BINNING STRIP** 


FOR 1/4" DIVIDER

Material: Ivory, White, Black & Clear Styrene



#### **STANDARD BABY BINNING STRIP** FOR 1/4" DIVIDER

Works independently of standard binning strip




-26" 1/8" + - + +1/4" + -1/4" 3/8" 2" 2" 3/8" 
Part # Description

NO ADHESIVE		
282-CL-48	48"-Clear	
282-CL-60	60"-Clear	
282-IV-48	48"-lvory	
282-IV-60	60"-lvory	
282-WH-48	48"-White	
282-WH-60	60"-White	
282-BK-60	60"-Black	
WITH ADHESIVE		
282A-CL-48	48"-Clear	
282A-CL-60	60"-Clear	
282A-IV-48	48"-lvory	
282A-IV-60	60"-Ivory	
282A-WH-48	48"-White	
282A-BK-48	48"-Black	
282A-WH-60	60"-White	
282A-BK-60	60"-Black	



**STANDARD BINNING STRIP** FOR 1/8" DIVIDER



Part #	Description		
NO ADHESIVE			
182-CL-60	60"-Clear		
182-IV-60	60"-lvory		
182-WH-60	60"-White		
182-BK-60	60"-Black		
WITH ADHESIVE			
182A-CL-60	60"-Clear		
182A-IV-60	60"-lvory		
182A-WH-60	60"-White		
182A-BK-60	60"-Black		

### **BIN COMPONENTS**



#### A. Ratchet/Binning Strip Ivory • 30" Lengths Tether Recess For Material: PE Routed Slot Allows north & south division 5/32 3/16"b 5/8 Part #

6510-30



Flush

Mount

On Flat

Shelf

#### **B. End Splicer** For Ratchet Strip

Holds 1/4" Material Material: Steel Nickel Plated Allows north & south division

Part # 2123-30

#### C. Ratchet Splicer For 1/4"Glass Shelf

Part #

2191-01

ABC CLIP Use at top or bottom of glass **Material: Steel Zinc Plated** Allows east to west division



### **EXTRUDED CLEAR ACRYLIC TUBES & RODS**

#### Length: 6 Ft.

Round Tubes	Round Rods	Half Round Rods
Part # O.D. I.D. Wall Thick.	Part # Diameter	Part # Diameter
<b>10702</b> 5/16" 3/16" 1/16"	<b>10102</b> 1/8″	<b>10201</b> 1/2″
<b>10703</b> 3/8" 1/4" 1/16"	<b>10103</b> 3/16"	<b>10202</b> 5/8″
<b>10704</b> 3/8" 1/8" 1/8"	<b>10104</b> 1/4"	<b>10203</b> 3/4"
<b>10705</b> 1/2" 3/8" 1/16"	<b>10105</b> 5/16″	<b>10204</b> 1″
<b>10706</b> 1/2" 1/4" 1/8"	10106 3/8"	
<b>10708</b> 5/8" 1/2" 1/16"	<b>10108</b> 1/2"	Rectangular Rods
<b>10709</b> 5/8" 3/8" 1/8"	10110 5/8″	Rectangular Rous
<b>10710</b> 3/4" 5/8" 1/16"	<b>10111</b> 3/4″	
<b>10711</b> 3/4" 1/2" 1/8"	<b>10112</b> 7/8″	
<b>10712</b> 7/8" 3/4" 1/16"	<b>10113</b> 1'	
<b>10713</b> 7/8" 5/8" 1/8"	<b>10114</b> 1-1/8″	
<b>10714</b> 1" 7/8" 1/16"	<b>10115</b> 1-1/4"	
<b>10715</b> 1" 3/4" 1/8"	<b>10116</b> 1-1/2"	
<b>10716</b> 1-1/4" 1" 1/8"	<b>10117</b> 1-3/4"	
<b>10717</b> 1-1/4" 1-1/8" 1/16"	<b>10118</b> 2"	Part # Size
<b>10718</b> 1-1/2" 1-1/4" 1/8"		<b>10801</b> 1/8" x 3/8"
<b>10719</b> 1-5/8" 1-3/8" 1/8"		<b>10802</b> 1/8" x 5/8"
<b>10720</b> 1-3/4" 1-1/2" 1/8"	Square Rods	<b>10805</b> 1/4" x 1/2"
<b>10721</b> 2" 1-3/4" 1/8"		<b>10806</b> 1/4" x 1"
<b>10723</b> 2-1/4" 2" 1/8"		<b>10807</b> 5/8" x 1"
<b>10724</b> 2-1/2" 2-1/4" 1/8"		<b>10808</b> 3/4" x 1"
<b>10725</b> 2-3/4" 2-1/2" 1/8"		
<b>10726</b> 3" 2-3/4" 1/8"		
<b>10727</b> 4" 3-3/4" 1/8"		Square Spiral Rods
<b>10728</b> 4 1/2" 4-1/4" 1/8"		
<b>10729</b> 5" 4-3/4" 1/8"		
<b>10730</b> 6" 5-3/4" 1/8"	Part # Square	
	<b>10301</b> 1/8" <b>10302</b> 3/16"	
	<b>10302</b> 3/16"	

10303

10304

10305

10307

10308

1/4″

3/8"

1/2″

3/4″

1″

Point

To Point

1/2″

5/8″

3/4″

Part #


10502

10503

10504

### **SLATWALL HARDWARE / ACRYLIC FABRICATING PRODUCTS**

#### "Z" & "W" Bar




### **ACRYLIC FABRICATING PRODUCTS**

#### Locks

#### **DECO-HASP**

Material: Acrylic DR101 (Clear), ABS (Black)




Innovative locking hasp designed for corner or flat applications. No moving parts reduce breakage in the field. Solvent bonds to acrylic, polycarbonate, ABS and styrene.

Part #	Description
DECO-HASP-LCL	Clear Acrylic
DECO-HASP-LCL	7/8" L x 3/4" W x 3/4 H Flat Mount Hasp
DECO-HASP-LBK	Black ABS
DECO-HASP-LDK	7/8" L x 3/4" W x 3/4 H Flat Mount Hasp
DECO-HASP-ZCL	Clear Acrylic
DECO-HASP-ZCL	1-3/8" L x 3/4" W x 7/16" H Corner Mount Hasp
DECO-HASP-ZBK	Black ABS
DECO-MASP-ZDK	1-3/8" L x 3/4" W x 7/16" H Corner Mount Hasp

#### Catches

#### MAG-CATCH<sup>™</sup> with Strike Plate



- Material: Acrylic DR101
  Pull Force: 1 lb.
- Size: 7/8" L x 1/2" H x 3/8" W
- Adhesive mount

Adhesive mount solvent bonds to acrylic, polycarbonate, ABS and styrene. Eliminates unsightly screws or hardware.

 Part #
 Description

 MC-SM-CL
 Clear Acrylic Magnetic Door Catch

### Door Catch

#### with Strike Plate

- Material: Clear Acrylic
  - Size: 5/8" L x 1-5/16" W
  - Adhesive mount



#### ACRYLIC HASP


Color: Clear or Black

• 2-3/8" Long x 1-1/16" Wide x 1/8" Thick


Bottom section of hasp is reversible for either corner or flat mounting. **Pre-determine assembly before inserting pin completely!** 

Part #	Color
HSP-110-CL	Clear
HSP-110-BK	Black

#### Shelf Pilasters




### **Business Card Holder**




### **ACRYLIC FABRICATING PRODUCTS**

#### Hinges



### **PLASTIC PANEL HINGE**





### **CONTINUOUS STEEL PIANO HINGE**

#### AVAILABLE FINISHES:

Nickel, Brite Brass, \*304 Grade Stainless Steel, Statuary Bronze, Electro Black Lacquered

*3 SIZES:* 1-1/4"x 72", 1-1/2" x 72", 2" x 72"





_	DIMENSIONS				
		А	В	с	D
	1	1-1/4"	2"	1/2"	.750"
_	2	1-1/2"	2"	1/2"	.876"
	3	2"	2"	1/2"	1.13"

NOTE: All measurements are approximate;
please refrain from drilling your holes
until product is received.

If you are interested in aluminum hinges or custom lengths, please inquire.

### PIANO HINGE FLAT PHILLIPS SCREWS

Part #	Finish	Works With	Head Size
SCR-5625FHZ	Zinc	all piano hinges	#5 x 5/8"
SCR-5625FHB	Black	except PH-*-72SS	#5 x 5/8"
SCR-6625FHZ	Zinc	only PH-*-72SS (stainless steel hole is larger)	#6 x 5/8"

For Our Complete Line Of Screws Please Inquire

#### 72 screws are required per piece.

### **CABINET HARDWARE**

#### Aluminum Drawer Pulls

#### Lengths: 12 ft. or Pre-Cut Pieces Finishes: S - Satin/Clear Anodized-Matte Finish P - Polished, Shiny/Mirror Finish-Mechanical Polish



#### **Continuous Aluminum Pull Handles Plastic Pull Handles** Lengths: 8 ft. Lengths: 12 ft. • Material: PVC Fits: 3/4" Fits: 5/8" 13/16" Thickness: 0.077 Thickness: 0.12 11/16 113/16" Stapled Finish Part # PULL-A750U-S **Clear Anodized** Part # PULL-A750U-WH White Powder Coat **P3-BK P3-SG**


Color

Black

Silver Gray


### **CABINET HARDWARE**

#### **Aluminum Drawer Pulls**



### **CABINET HARDWARE**

### **Modern Style Pulls**



#### Outwater Industries, Inc. • www.outwater.com

### **FOOT RAIL KITS**





Steel

Steel

### 4 FT. Kits (Nominal Lengths)

#### **METAL KITS Include:**

- One 4 ft. tube
- (Nominal) 2" O.D. (.050 Wall Thickness)
- Two combination brackets
- Two end caps



#### **SOLID WOOD KITS Include:**

- One 8 ft. tube 2" O.D. (.050 Wall Thickness)
- Three combination brackets

Part #	Rail
S83-200-K4-OK-*	Solid Oak
S83-200-K4-MP-*	Solid Maple

## Distinctivel Exclusivel Beautifull

- High guality, commercial grade solid brass, 304 stainless steel, or perfectly doweled wood railing & components that will provide a professional and classic look!
- The railing is extremely durable, with a .050 wall thickness. The wood dowel has a solid core.
- The Combination Brackets can be attached to the face of the wall and rest on the floor for added support and stability.
- An Internal Splicer is included to joins the rails; simply space the combination bracket over the seam for a sleek look. (6 ft. & 8 ft. Metal kits only)
- End Caps included to complete the job! (Metal kits only)
- Screws supplied.



#### **METAL KITS Includes:**

- Two 3 ft. tubes 2" O.D. (.050 Wall Thickness)
- Three combination brackets
- Two end caps
- One tube splicer

Part #	Rail
S83-200-KIT6-*	Metal



**NOW AVAILABLE!** 

12', 16', 20', 24' LENGTH METAL KITS

(Unfinished)

#### 8 FT. Kits (Nominal Lengths)

#### **METAL KITS Include:**

- Two 4 ft. tubes (Nominal) 2" O.D. (.050 Wall Thickness)
- Three combination brackets
- Two end caps
- One tube splicer

Part #	Rail
S83-200-KIT8-*	Metal

#### **SOLID WOOD KITS Include:**

- One 8 ft. tube 2" O.D. (.050 Wall Thickness)
- Three combination brackets

Part #	Rail
S83-200-K8-OK-*	Solid Oak
S83-200-K8-MP-*	Solid Maple






number	i ui t #	COIOI	~		<u> </u>
1	26* Black (*BK), White (*WH)		1-1/8″	1/2″	1″
2	27* Brown (*BR), Black (*BK), White (*WH)		1.23″	.295″	1.125″
3	31* Dove Gray (*DG), Brown (*BR), Black (*BK), Putty (*PT), White (*WH)		2-1/4″	1″	2″
4	35*	Dove Gray ( <b>*DG</b> ), Brown ( <b>*BR</b> ), Black ( <b>*BK</b> ), Putty ( <b>*PT</b> ), White ( <b>*WH</b> )	3″	1-1/8″	2-3/4″
	35BK-LIN	Black Liner (for 35* only)	2-3/4″	1-1/8″	2-3/4″
5	36*	Black (*BK), White (*WH)	3-1/4″	1″	3″
	T31-BK	Black	2-1/4″	1″	2″
6	T35-BK	Black	3″	1″	2-3/4″



### WIRE MANAGEMENT GROMMETS

**Executive Edge Grommets** 


### SPG Series: Spring Loaded Grommet Sets



### **CABLE CLAMPS**



#### **NATURAL NYLON**



These nylon cable clamps are perfect for applications in electronics, automotive, air craft, appliance and many other industries. The Standard Series has a 3/8" wide contact area and is designed for medium to lightweight applications.

\* USE #10 PANHEAD FOR ALL

#### STANDARD

**P**Us

REACH & ROHS

COMPLIANT

Part #	D	w	н	Е		
CC-0187	3/16"	3/8"	.140 (#6)	.430		
CC-0250	1/4"	3/8"	.167 (#8)	.410		
CC-0312	5/16"	3/8"	.167 (#8)	.495		
CC-0375	3/8"	3/8"	.167 (#8)	.595		
CC-0500	1/2"	3/8"	.167 (#8)	.605		
Larger Sizes Available up to 1-1/2"						


### HEAVY DUTY

Part #	D	W	Η*	E
HDCC-018	3/16"	1/2"	.203	.425
HDCC-025	1/4"	1/2"	.203	.410
HDCC-031	5/16"	1/2"	.203	.500
HDCC-037	3/8"	1/2"	.203	.530
HDCC-050	1/2"	1/2"	.203	.595
HDCC-062	5/8"	1/2"	.203	.655

#### NATURAL NYLON WITH ADHESIVE

**QUICK RELEASE CABLE CLAMPS** 


These adhesive backed nylon wire & cable clips are used to route wire & cables. The parts are backed with polyurethane foam tape & feature a releasable clip so wires can be removed after assembly if desired.



### **NYLON CABLE TIES**

	Part #	Color	Length	Bundle Dia. Min – Max	Tensile Strength
	NCT-400	Natural	4"	1/16" – 7/8"	18 lbs.
	NCT-400BK	Black	4"	1/16" – 7/8"	18 lbs.
	NCT-550	Natural	5-1/2"	1/16" – 1-1/4"	40 lbs.
	NCT-550BK	Black	5-1/2"	1/16" – 1-1/4"	40 lbs.
	NCT-800	Natural	8"	1/16" – 2-1/8"	40 lbs.
	<b>NCT-800BK</b>	Black	8"	1/16" – 2-1/8"	40 lbs.
	NCT-1500	Natural	15"	1/16" – 4"	50 lbs.
	NCT-1500BK	Black	15"	1/16" – 4"	50 lbs.

### **RACEWAY ON-A ROLL**



- Folds into a rigid PVC channel for wire or cable installations
- Easy for storage for up to 50 ft. and 100 ft. of raceway
- High quality
- Perfect for around windows and doors
- Adhesive backing for fast-easy installation

	Part #	Description	Inside Dimension
	FWF-25511	1/4" White	.255" x .125"
	FWF-25521	1/4" Beige	.255" x .125"
	FWF-14511	3/8" White	.375" x .375"
50 FT.	FWF-14521	3/8" Beige	.375" x .375"
COIL	FWF-05511	1/2" White	.475" x .475"
	FWF-05521	1/2" Beige	.475" x .475"
	FWF-10511	1"White	1.085" x .545"
	FWF-10521	1" Beige	1.085" x .545"
100 FT.	FWF-14111	3/8" White	.375" x .375"
COIL	FWF-14121	3/8" Beige	.375" x .375"




### WIRE MANAGEMENT / TRUNKING CABLE SYSTEM

#### Wire Hider / Cover Lid

#### Material: White (\*WH) or Clear (\*CL) PVC • Lengths: 6 Ft.

Flexible vinyl flap design that keeps wire in place during installation, ideal for ceiling application
 Solid cover lids (can be latex painted to match decor)
 UL94VO rated
 Adhesive back for easy installation
 Clear color (for visual cable identification)
 Can be used with or without cover lid (sold separately)



#### **Accessories**

#### **Material: White ABS**

Accessories are compatible, fits both Wire Hider and Snap Latching
 UL94VO/5A fire retardant ABS material with a UV stabilizer to prevent color fading

Ceiling Drop	End Cap	Inside Corner
Part #         Size           CD-50-WH         1/2"           CD-1-WH         1"           CD-15-WH         1-1/2"	Part #         Size           EC-50-WH         1/2"           EC-1-WH         1"           EC-15-WH         1-1/2"	Part #         Size           IC-50-WH         1/2"           IC-1-WH         1"           IC-15-WH         1-1/2"
Outside Corner	Right Angle	Tee Connector
Part #         Size           OC-50-WH         1/2"           OC-1-WH         1"           OC-15-WH         1-1/2"	Part #         Size           RA-50-WH         1/2"           RA-1-WH         1"           RA-15-WH         1-1/2"	Part #         Size           T-50-WH         1/2"           T-1-WH         1"           T-15-WH         1-1/2"
Coupler (Wire Hider Only)	Coupler (Latching Only)	CWM-FSMEX-WH
Part #         Size           COU-50-WHW         1/2"           COU-1-WHW         1"           COU-15-WHW         1-1/2"	Part #         Size           COU-50-LDW         1/2"           COU-1-LDW         1"           COU-15-LDW         1-1/2"	Part #SizeCWM-FSMEX-WH1" deep box extender for CWM-FSMCWM-FSM-WH1.6" deep single gang surface mount

### WIRE MANAGEMENT EXTRUSIONS

Material: Black PVC • Lengths: 8 Ft.



#### WIRE MANAGEMENT FOR 2-3/8"(60mm) ROUND TABLE LEGS

Material: Black PVC

Lengths: 5 Ft. w/Adhesive Back





PART # CWM-1575-BK



#### WIRE & CABLE ORGANIZATION CHANNEL Material: Black Virgin Vinyl • Lengths: 8 Ft.


Channels are supplied with self adhesive tape. This product is used to store and organize wire, computer cable, phone/fax lines, electrical cords and other wiring devices on such items as entertainment centers, computer work stations, desks & home theater systems.

#### **OPEN CHANNEL**


Part #	Α	В	с	D	Е	F
CWM15-BK	1.410″	.925″	.753″	1.061″	2.344″	.500″

#### LOCK CLOSE CHANNEL

Part #	Α	В	с	D	Е	F
CWM30-BK	.365″	.650″	.143″	.770″	.410″	.625″
CWM50-BK	.474″	.900″	.194″	1.01″	.550″	.750″
CWM10-BK	.750″	1.335″	.242″	1.510″	.770″	1.250″



#### Lock Close Channel



### **HIDEACORD®**



- Material: Rigid ABS Plastic
- Lengths : 8 Ft.
- Available In White & Black
- (Can Be Painted To Match Wall Colors)

  Accommodates standard household cords



Foam Tape

#### SELF ADHESIVE ELECTRICAL WIRE COVER SYSTEM

 Part#
 Description

 1300-WH
 8 Ft. Wire Cover-White w/Adhesive

 1300-BK
 8 Ft. Wire Cover-Black w/Adhesive





**SLIDE-N-HIDE** 




- Material: Polycarbonate
- Finish: White
- Lengths: 18"
- 3M Adhesive
- Conceal a low-voltage cable or wire (Up to 22 gauge wire)
- 1/4" height when assembled

Part# WM-01-WH

All Inside Dimensions Are Approximate

WE USE ONLY HIGH QUALITY, GENERAL USE ADHESIVE TAPES. EACH CUSTOMER ASSUMES RESPONSIBILITY OF TESTING THE PRODUCT FOR THEIR SPECIFIC APPLICATION. WE WILL SUPPLY SAMPLES FOR THIS PURPOSE. SPECIAL NEEDS CAN BE ACCOMMODATED ON A PER RUN BASIS.

### **ADJUSTABLE PANEL / GLASS RETAINER**



### 2" Stainless Steel Bumper

Material: 304 Stainless Steel


Finish: Brushed Stainless Steel Top/Black Poly Carbonate Base

- Clean seamless contemporary look with end caps and corners
- Installs easily with a saw to cut to size, drill and screwdriver
- Impacts are absorbed and distributed along the length and to the polycarbonate base
- Popular 2" wide x 12 ft lengths
- Easy to maintain



**Top & Base** 





2" Mounting Base

#8 x 1" Fastener


-Mounting

Surface

Corner



Part #	Description
SSE-20	SS End Cap
SSC-20	SS Corner









- Profile matches CartGuard1 for seamless transition from rigid to flexible products.
- Made from a minimum of 91% pre consumer polycarbonate waste.
- Contributes towards satisfying MR CREDIT 4-1 and MR CREDIT 4-2 under Leed.
- Exceeds Impact performance of High Impact PVC by 29% and ABS by 63%.
- 100% recyclable. Laser etched recycling symbol and resin ID code.
- 100% Chlorine free (PVC free, vinyl free)
- Does not emit hazardous dioxins if incinerated during waste disposal.



### 1" Polycarbonate Bumper [PVC Base]



### 2" Polycarbonate Bumper [PVC Base]









Part #	Description	Material	Length		
GGT-10-*	1″Top	Polycarbonate	12′		
CGB-10-BK	1" Base	PVC	12′		
Part #	Description	Material			
GGE-10-*	1" End Cap	Polycarbonate			
GGC-10-*	1" Corner	Polycarbonate			
		*зтоск с			
		JIOCKC	OLOND.		
Black	Silve	er Gra	ע	Steel	Red
PMS Black Hussmann 701,Kyso	PMS 87	7C PMS 43 Hussman		PMS 425C	PMS 1797C Hussmann 715, Kysor 16
Brown	Putt	y Light Car	ramel	Beige	White
PMS 1545C	PMS 45 Hussmann 078,		55C	PMS 4685C	PMS White Hussmann 700, Kysor71

russillarin 076, kysor 121							
Part #	Description	Material	Length				
GGT-20-*	2"Top	Polycarbonate	12'				
CGB-20-BK	2" Base	PVC	12′				

Part #	Description	Material
GGE-20-*	2" End Cap	Polycarbonate

**GGC-20-**\* 2"Corner Polycarbonate



Other colors are special order, minimums apply.

# Flexible

Cart**Guard1** 

Cart Guard 2


Made from flexible PVC

- Works with GreenGuard1 for smooth seamless transitions
- Designed to wrap around curved fixtures and cases
- Can complete a radius as small as 4"





### 1" PVC Dual Durometer Bumper [PVC Base]




### 2" PVC Dual Durometer Bumper [PVC Base]


CGT-20FLX

#8 x 1" 4" O.C. Max

CGB-20-BK

GGC-20






Other colors are special order, minimums apply.

### 2" EDGE Low Profile Bumper Guard

- New modern design
- Made from polycarbonate -Proformance is better (exceeds) PVC or ABS competitors.
- Modular design allows for easy installation.










	Part # Description		Material	Length			
G	GGT-20EDG-BK 3" Rigid Top		Polycarbonate	12′			
	CGB-20-BK	2" Universal Top PVC		12′			
	Part #	Description	Material				
G	GGE-20EDG-BK	2″ End Cap	Polycarbonate				
G	GC-20EDG-BK	2" Corner	Polycarbonate				
Color matching available, allow 4-8 weeks.							

### 3" Polycarbonate Bumper [PVC Base]

- Damage protection for fixtures, merchandisers, walls and vestibules.
- · Decorative ribbing helps hide scuff marks



#### Other colors are special order, minimums apply.

Impact Protection can be found in a variety of settings, from hospitals and nursing homes, to colleges, offices, casinos, hotels and warehouses. Handrails, wall guards, corner guards and door/ frame protection come in a multitude of colors, profiles and materials. Choose from stainless steel, aluminum, wood, PVC or combinations of materials to match the protection level your environment requires while at the same time complementing décor.



#### Handrails

#### FOR COLORS SEE PAGE 95


**MATERIAL:** Textured Vinyl with Aluminum Retainer **CLASS A FIRE RATED** 

#### BR-500-




A universal handrail for all applications, provides medium to heavy duty protection. Available in full color pallet and is a prompt primary color.

Protection Level: Medium-Heavy Part # Handrail: BR-500-Bracket: BR-107-Return: BRL-527-(Left/Right) BRR-527-







Bracket does not include hardware. Returns, corners & splicers include hardware.


#### BR-1200-



Traditionally Designed 1-1/2" handrail for a good power grip. Provides function, durability and affordability with medium duty protection. Available in full color pallet and is a prompt primary color.



Handrail:	BR-1200-
Bracket:	BR-1206-
Return:	BRL-1225-
(Left/Right)	BRR-1225-
Corner: (In/Out)	IOC-1250-
Splice:	SPL-1200-



Bracket does not include hardware. Returns, corners & splicers include hardware.

#### Wall Guards

MATERIAL: Textured Vinyl with Aluminum Retainer LENGTHS: 12 Ft.

#### **CLASS A FIRE RATED**

Accessories: Molded PVC end caps and outside corners are available.

Select profiles offer an accent strip, continuous cushioned bumper and inside corner. Please inquire.


#### WG-3-




Versatile wall guard can be used as a wainscot cap, chair rail or crash rail. Provides medium duty protection. Available in full color pallet.

#### Protection Level: Medium

	Part #
Wall Guard:	WG-3-
End Cap:	ETC-3-
Corner:	OTC-3-



#### WG-4-




#### Wall Guards

#### FOR COLORS SEE PAGE 95

MATERIAL: Textured Vinyl with Aluminum Retainer LENGTHS: 12 Ft.

#### **CLASS A FIRE RATED**

Accessories: Molded PVC end caps and outside corners are available. Select profiles offer an accent strip, continuous cushioned bumper and inside corner. Please inquire.



#### Wall Guards: Accent Rails

MATERIAL: High Impact PVC Cover with Aluminum Retainer LENGTHS: 12 Ft.


#### **CLASS A FIRE RATED**

Molded PVC end caps and outside corners are available. Suggested to mount to every other stud, approximately 32".


#### EB-25-



stands or nurse stations. Provides medium duty protection. Available in full color pallet.



#### EBR-30-



#### Wall Guards

#### **MATERIAL: Clear Polycarbonate** LENGTHS: 8 Ft.

#### **UL 94 V-2 FLAMMABILITY**

Suggested to mount to every other stud, approximately 32".


#### CR-3-, CR-4-



Clear polycarbonate rub rail melds with decor while offering complete protection. Provides medium duty protection.

Protection Level: Medium

Part #	Size
CR-3-132	3" x 8 ft.
CR-4-132	4" x 8 ft.




#### **Molded Corner Bumper**

MATERIAL: Molded Flexible Vinyl • 8" Corner **CLASS A FIRE RATED** 

Good for low temperature environments. Excellent abrasion resistance. Not to be used where temperatures exceed 150°F.

Available in Black & Tan Only

#### **EB-8**




#### Wall Coverings

#### CRU-44-, CRU-46- (0.040" Thickness) CRU-64-, CRU-66- (0.060" Thickness)



Part #	Thickness	Size	Part #	Thickness	Size
CRU-44-	0.040″	4" W x 8 ft.	CRU-64-	0.060″	4" W x 8 ft.
CRU-46-	0.040″	6" W x 8 ft.	CRU-66-	0.060	6" W x 8 ft.

#### WC-40-



### Accessory Mouldings for Wall Covering



FOR COLORS SEE PAGE 95

FOR COLORS SEE PAGE 95

#### **Corner Guards**

MATERIAL: Textured Vinyl Cover with Aluminum Retainer CLASS A FIRE RATING

#### CG-10-


Part # CG-10-\*\*-4

CG-10-\*\*-8

CG-10-\*\*-9



90° surface mounted corner guard with 3" wings, is the widest protection of our vinyl covered aluminum corner guards giving maximum protection. Comes in 4 ft., 8 ft. or 9 ft. lengths. Tops caps are available for a finished look. Provides medium to heavy duty protection. Available in full color pallet and is a **prompt primary color**.




#### CG-20-



in easily with your decor. Comes in 4 ft., 8 ft. or 9 ft. lengths. Tops caps are available for a finished look. Provides medium to heavy duty protection. Available in full color pallet and is a **prompt primary color**.

90° surface mounted corner guard with 2"

wings, is for areas with less traffic or to blend



Protection Level: Medium-Heavy

Part #	Length ^	Тор Сар
CG-20-**-4	4 ft.	
CG-20-**-8	8 ft.	TC-20-**
CG-20-**-9	9 ft.	

^ 10 Ft. & 12 Ft. lengths are available - please inquire

# CG-12-, CG-13-, CG-14-, CG-34-

Length ^ Top Cap

^ 10 Ft. & 12 Ft. lengths are available - please inquire

TC-10-\*\*

4 ft.

8 ft.

9 ft.

 MATERIAL: Textured Vinyl Cover, Available with or without Peel & Stick Adhesive

 Drilled options available, please inquire


 CLASS A FIRE RATING

 WITH ADHESIVE

Vinvl Cover Overall Protection Level: Medium-Heavy Thickness Wing Radius Projection Dimension Dimension Dimension Dimension Angle: 90° Length "A" "B" "C" "D" Part # Rigid vinyl 90° corner guards CGT-34-\*\*-4 4 ft. come in wing widths from CGT-34-\*\*-8 8 ft. 3/4" .080" 1/8" .080" CGT-34-\*\*-12 12 ft. 3/4" to 4". Installed with either CGT-12-\*\*-4 4 ft. applied double sided adhesive CGT-12-\*\*-8 8 ft. 1-1/2" .080" 1/8" .080" tape, construction adhesive or CGT-12-\*\*-12 12 ft. mechanical fasteners. Very cost CGT-13-\*\*-4 4 ft. effective. Comes in 4 ft., 8 ft. or CGT-13-\*\*-8 8 ft. 3" .093" 3/16" .093" 12 ft. lengths. Provides medium CGT-13-\*\*-12 12 ft. duty protection. Available in full CGT-14-\*\*-4 4 ft. color pallet. CG\*-12 is a prompt CGT-14-\*\*-8 8 ft. 4" .093" 3/16" .093" primary color. CGT-14-\*\*-12 12 ft.

#### WITHOUT ADHESIVE

Part #	Length	Wing Dimension "A"	Vinyl Cover Thickness Dimension "B"	Radius Dimension "C"	Overall Projection Dimension "D"
CGU-34-**-4	4 ft.		.080"		.080"
CGU-34-**-8	8 ft.	3/4"		1/8"	
CGU-34-**-12	12 ft.				
CGU-12-**-4	4 ft.		.080"	1/8"	.080"
CGU-12-**-8	8 ft.	1-1/2"			
CGU-12-**-12	12 ft.				
CGU-13-**-4	4 ft.			3/16"	.093"
CGU-13-**-8	8 ft.	3"	.093"		
CGU-13-**-12	12 ft.				
CGU-14-**-4	4 ft.			3/16"	
CGU-14-**-8	8 ft.	4"	.093"		.093"
CGU-14-**-12	12 ft.				




### Clear Polycarbonate Corner Guard


## MATERIAL: Clear Polycarbonate UL 94 V-2 FLAMMABILITY

The CG-16 is un-drilled and comes with brad nails. All other profiles are drilled with countersunk holes and include #6 x 1" oval head sheet metal screws.

#### Protection Level: Medium

Clear polycarbonate corner guards come in wing widths from 3/4" to 3-1/2" and angles for every need. Installed with supplied mechanical fasteners, double sided adhesive tape or construction adhesive. Clear color allows your decor to show through. Tape option is available as special order. Comes in 4 ft. or 8 ft. lengths. Provides medium duty protection.







Part #	Length	Angle	Wing Dimension "A"	Cover Thickness Dimension "B"	Radius Dimension "C"
CG-16-132-			3/4"	.050"	1/16"
*CG-17-132-			1-1/8"	.075"	1/8"
CG-24-132-	4 = 4 ft.	90°	2"	.085"	1/8"
*CG-18-132-	8 = 8  ft.		2-1/2"	.100"	1/8"
CG-25-132-	0-011.		3"	.110'	1/8"
CG-19-132-		135°	2-1/2"	.100"	1/8"

\* Standard Stocked Product



### #4 Satin Finish 304 Grade Stainless Steel Corner Guard

#### **CLASS A FIRE RATING**

Ideal for lab and/or foot service environments!

Installs easily with adhesive (sold separately). Drilled options available, please inquire.

Protection Level: Heavy


Stainless steel corner guards in 304 Stainless with #4 Satin finish. Comes in a variety of wing sizes from 1" to 3-1/2" with choice of corner radii and angles. Installed with construction adhesive or mechanical fasteners. Ends are tapered for close-hugging look when installed. Comes in 4 ft. or 8 ft. lengths. Provides heavy duty protection.



				vinyi Cover		
Part #	Length	Angle	Wing Dimension "A"	Thickness Dimension "B"	Radius Dimension "C"	
*CG-50-4	4 ft.	Aligie	<u> </u>	U	<u> </u>	
		90°	3-1/2"			
*CG-50-8	8 ft.		5 172			
*CG-51-4	4 ft.		2"		1/8"	
*CG-51-8	8 ft.		2		1/0	
CG-52-4	4 ft.		1"			
CG-52-8	8 ft.		1	16 GA.		
CG-55-4	4 ft.		2 1/2"	3-1/2"	(059")	3/4"
CG-55-8	8 ft.		5-1/2	1/2	5/4	
CG-60-4	4 ft.		3-1/2"		1/8"	
CG-60-8	8 ft.	135°	5-1/2		1/0	
CG-65-4	4 ft.	135	3-1/2"		3/4"	
CG-65-8	8 ft.		5-1/2		5/4	

Vinul Covor







### **OVAL STEEL CLOSET ROD & HARDWARE**

#### Steel Oval 1-1/8" x 9/16" (30mm x 15mm) Closet Rod Tubing



#### 1-1/8" x 9/16" (30mm x 15mm) Fittings



For more tubing, see page 107

### **OVAL & ROUND ALUMINUM CLOSET ROD & HARDWARE**

### Aluminum Oval 1-3/16 x 19/32" Closet Rod



• 25/32" x 1-15/16" Size



Screws sold separately, use #8 x 3/4" Flathead drywall screw, Part# SCR-8750FHZ



Screws sold separately, use #8 x 3/4" Flathead drywall screw, Part# SCR-8750FHZ

### Aluminum Round 1-5/16" Closet Rod



### Round 1-5/16" Closet Rod Flange With Pins



### Round Closet Rod Supports for 1-5/16" Round Rod



Screws sold separately, use #8 x 3/4" Flathead drywall screw, Part# SCR-8750FHZ

	d Center Rod 5/16″ Round	
	Designed to give extra support for longer spans     Part # Finish	
	S84-1150CS-SB	Satin Brass
	S84-1150CS-SC	Satin Chrome
	S84-1150CS-ORB	Oil Rubbed Bronze
Ne	S84-1150CS-BK	Black


Screws sold separately, use #8 x 3/4" Flathead drywall screw, Part# SCR-8750FHZ

### "CREATE - A - CLOSET"...AND MORE! **CLOSET, PANTRY AND GARAGE SOLUTIONS**



### Extendable Closet Rods (New





### Hemlock Closet Rod & End Caps

### 1-5/16" Diameter Wood Closet Rod w/Plastic Cover



CHOCOLATE PEARWOOD

#### •96" Long

- Hemlock Wood
- · Seamless, scratch resistant and non-marring polyethylene cover
- Finger jointed; thus no bowing, shrinking or expansion of wood
- Optional end caps available

Part #	Description	Carton Qty.
VG-700-641C-WH	White Closet Rod	18
VG-140-0295	Chocolate Pearwood Closet Rod	pieces
VG-700-627	White End Cap	100
VG-140-0280	Chocolate Pearwood End Cap	pieces

WHITE



### "CREATE - A - CLOSET"...AND MORE! CLOSET, PANTRY AND GARAGE SOLUTIONS

### **Shelf Center Supports**





VG-700-634 CROSS HATCHED DESIGN (Shown in White)



VG-140-0269 CONTEMPORARY DESIGN (Shown in Chocolate Pearwood)

### Shelf & Rod Center Supports



- ABS
  - Use with 12", 14" and 16" deep shelves
  - Designed to support 150 lbs. when back plate is installed directly into a stud REQUIRED
  - Unique back plate conceals all screws
- Recommended spacing of every 36" to 48", as long as mounted to a stud

Part #	Style	Color	Carton Qty.
VG-700-634	Crosshatch	White	20
VG-140-0275	Crosshatch	Chocolate Pearwood	pieces
VG-140-0153	Contemporary	White	20
VG-140-0269	Contemporary	Chocolate Pearwood	pieces

- ABS
  - Use with 1-5/16" wood closet rod
  - Use with 12", 14" and 16" deep shelves
  - Designed to support 150 lbs. when back plate is installed directly into a stud REQUIRED
- Unique back plate conceals all screws
- Recommended spacing of every 36" to 48", as long as mounted to a stud

Part #	Style	Color	Carton Qty.
VG-700-633	Crosshatch	White	20
VG-140-0274	Crosshatch	Chocolate Pearwood	pieces
VG-140-0152	Contemporary	White	20
VG-140-0268	Contemporary	Chocolate Pearwood	pieces



- Works with standard 5/8" or 3/4" shelves x 12", 14" & 16" depths
- Designed to support 300 lbs. when installed with anchor &
- pin system (VG-700-805B), no stud location required



ANCHOR & PIN SYSTEM VG-700-805B (WHITE) CARTON: 500 sets

Part #	Description	Color	Carton Qty.
VG-700-630	12" Deep	White	25
VG-140-0271	12″ Deep	Chocolate Pearwood	pairs
VG-140-0111	14" Deep	White	25
VG-140-0265	14" Deep	Chocolate Pearwood	pairs
VG-700-632	16" Deep	White	25
VG-140-0273	16" Deep	Chocolate Pearwood	pairs

### "CREATE - A - CLOSET"...AND MORE! **CLOSET, PANTRY AND GARAGE SOLUTIONS**

COLORS AVAILABLE:

Tan

• ABS

Part #

VG-700-629

VG-140-0270

VG-700-628A

VG-140-0282

VG-700-628C

VG-140-0287

VG-140-0110

VG-140-0264

VG-140-0109

VG-700-631

VG-140-0272


VG-700-628B

VG-140-0284

VG-700-628D

### Shelf Joiner

- 3/4" and 5/8" shelves
- ABS and Polystyrene
- Field trimmable, nominal 14" & 16" lengths
- Effectively joins two shelf panels for corner and straight applications



### Shelf Support And Finishing Cap





ANCHOR & PIN SYSTEM VG-700-805B (WHITE) CARTON: 500 sets

### **Economy Shelf Support**

 ABS · Designed to provide a shelf support · Simply install directly into drywall or wood anchors **COLORS AVAILABLE:** White Black White (WH) Description Part # Color Carton Qty. VG-700-639B-WH **Economy Shelf Support** White 250 pieces VG-700-639B-BL **Economy Shelf Support** Black

White

Anchor & Pin System

### **Closet Rod Sockets**



- ABS
  - Available with 5mm pegs,
  - (Inquire for sockets without pegs)
  - Supports closet rods up to 1-3/8" diameter

Color

White

**Chocolate Pearwood** 

White

Chocolate Pearwood

White

**Chocolate Pearwood** 

White

**Chocolate Pearwood** 

White

White

**Chocolate Pearwood** 

White

Chocolate Pearwood

White

Carton Qty.

50 prs.

40 pcs.

20 prs.

50 prs.

20 prs.

50 prs.

40 pcs.

20 prs.

32mm compatible

#### **COLORS AVAILABLE:**

• Works with standard 5/8" or 3/4" shelves x 12", 14" & 16" depths

Optional finishing cap is available to provide a professional finish

(part#: VG-700-805B), no stud location required

where the melamine or wood shelf meets the wall

Description

Shelf Support

Shelf Support

5/8" Finishing Cap

5/8" Finishing Cap

3/4" Finishing Cap

3/4" Finishing Cap

Shelf Support

Shelf Support

3/4" Finishing Cap

Shelf Support

Shelf Support

5/8" Finishing Cap

5/8" Finishing Cap

3/4" Finishing Cap

• Designed to support 300 lbs. when installed with anchor & pin system

Almond	Chocolate Pearwood	
Part #	Color	Carton Qty.
VG-140-0120	Almond	100
VG-140-0266	Chocolate Pearwood	pieces

#### *Vanguard*® White Black Cherry Chocolate Brown

Pearwood

VG-700-637-WH VG-140-0277 3/4" x 15-3/4" Deep for 16" Shelf Chocolate Pearwood pieces				
VG-140-0277 3/4" x 15-3/4" Deep for 16" Shelf Chocolate Pearwood Dieces	Part #	Description	Color	Carton Qty.
for 16" Shelf Chocolate Pearwood pieces	VG-700-637-WH		White	100
	VG-140-0277		Chocolate Pearwood	
VG-700-637-BR Cherry Brown	VG-700-637-BR		Cherry Brown	pieces
VG-700-635-WH White	VG-700-635-WH	5/8" x 15-3/4" Deep for 16" Shelf	White	
VG-140-0276 5/8" x 15-3/4" Deep Chocolate Pearwood 100	VG-140-0276		Chocolate Pearwood	100
	VG-140-0112		Cherry Brown	
VG-140-0115 Black Black	VG-140-0115		Black	pieces
VG-140-0113 Tan	VG-140-0113		Tan	
VG-700-637A-WH 2/4//w 12// Deer White 100	VG-700-637A-WH	3/4" x 13" Deep for 14" Shelf	White	100
	VG-140-0278		Chocolate Pearwood	
VG-140-0118 Black pieces	VG-140-0118		Black	pieces

Size

12'

12″

12″

12"

12"

12″

14″

14″

14″

16"

16"

16"

16″

16"


#### 106

VG-700-805B

Shown in

500 sets

### STEEL TUBING FOR HANGRAIL, DISPLAY OR CLOSET APPLICATIONS



# The System with profile



Endless Possibilities



# Highly Versatile Modular Exhibition Display System

The FOGA<sup>\*</sup> Fastening System offers every conceivable Aluminum Profile, Connector, Hinge and Accessory Component needed to build temporary or permanent Exhibits, Displays and Store Fixtures. All components are compatible with one another and are designed for use with industry standard hardware and accessories.

> SCOTLAND, THE PERFECT DESTINATION

A drawing or simple sketch are all we need to take the first step in bringing your project to life. Design assistance and quotations are available. We can custom bend profiles to your exact specifications. Let us help you get started on your next project.

> For our FOGA® Design Catalog, go to outwater.com and click on download catalogs Samples Available

A hex key is all you need to easily assemble a wide range of custom displays

THE CERFECT DESTINATION.





# The System with profile








# FOGA® System

# The System with profile



# Display Cases





A hex key is all you need to easily assemble a wide range of custom displays



Quick, on-site assembly

Samples Available



# Let Our Simple **Concept Form** Your Great Idea!

Our Aluminum Framing System is Available in 3/4", 1" & 1-1/2" Square Tubing and corresponding Tubing **Connectors & Accessories** 

# **Great For:**

★ Tradeshows **★** Greenhouses

★ Menus

To enhance our Aluminum Framing System, we offer full services from design to production. We can help with your design, choosing the most cost effective profiles and connectors, figuring the overall sizes for the highest yield from stock lengths, to packing your order for shipment.

Our experienced design staff can work with the simplest drawings to the newest CAD drawings to produce an aesthetically pleasing, totally functional final product. Our Fabrication Department can cut all tubing to size, notch flanges, and drill or punch holes to exacting standards so the fit and finish is unmatched. Finally, we can help with packing your order so it arrives in excellent condition.

Great Ideas Need Accessories! Shown 1" Tubing with Cladding Fittings & Wide Variety of LED Lighting Options

> **BAR OF** LIGHT



TRI-MOD BACKLIGHT PANELS

RGB RIBBON FLEX















#### 3/4" Square Aluminum Tubing




Clear anodized finish is suitable for indoor and outdoor use. Black for indoor only.

### 3/4" Tubing Connectors & Accessories




#### 1" Square Aluminum Tubing Wall Thickness: .044"

Lengths: 8 Ft.



#### **Sliding Door Track**



#### **Plastic Finger Pulls**


With high quality pressure sensitive adhesive backing. No holes to drill. Peel off protective backing paper and apply directly to surface of glass.

Part #	Finish
170-BK	Black
170-CL	Clear




Packed 100 pieces per carton.

#### 1" Square Aluminum Tubing Wall Thickness: .065"



#### **1**" Tubing Connectors & Accessories

Material: Dupont<sup>™</sup> Super Toughened Nylon Available in Black or Grey




#### **1**" Tubing Connectors & Accessories

Material: Dupont<sup>™</sup> Super Toughened Nylon Available in Black or Grey

FMJ557-4-S



## 1" Tubing Connectors & Accessories



FJ31GY Grey

F52AJNGY Grey

#### 1-1/2" Heavy Duty Aluminum Tubing

#### Wall Thickness: 1/8" • Lengths: 8 Ft. 1.50 Part # Finish Clear Anodized AT48-2CL-8 AT48-2BK-8 Black Anodized Clear anodized finish is suitable for indoor and outdoor use. Black for indoor only. AT48-2CL-8 AT48-2BK-8 1-1/2" Tubing Connectors & Accessories Connectors fit any 1-1/2" O.D. Aluminum Material: Dupont<sup>™</sup> Super Toughened Nylon or Steel Tubing with Available in Black or Grey 1/8" wall thickness 2 Way Straight 3 Way **Right Angle** Corner Connector Connector Connector Part # Color Part # Color Part # Color F48500GY F48521BK Black F48533BK Black Grey F48500BK F48521GY Grey F48533GY Grey Black 3 Way Tee **End Cap** Connector Material: Low-Density Polyethylene Part # Color Part # Color F48532BK Black SHK-48S-BK Black F48532GY Grey 4 Way Perpendicular Joiner/Splicer with 4 x #10 1-1/4" Long Self Tapping Screws Connector Part # Color Part # Color F48545BK Black F485112MCBK Black F48545GY Grey F485112MCGY Grey

#### **PROTOTYPE SAMPLES**

We are happy to provide samples for prototypes & design builds - Please Inquire.



# HEXAGON & OCTAGON CONNECTORS For 1" square aluminum tubing

- MADE FROM "SUPER TOUGH" NYLON
- AVAILABLE IN BLACK
- EASY ASSEMBLY



Introducing Outwater's Vision Series "See The Glow"

Our Special Opaque White Lens will soften & virtually eliminate hot spots


Made

in the



RGB wallscapes or high luminescence task lights. **Aluminum Channel with Opaque White Lens** L-VISION-3F L-VISION-3LF • LED vision system allows for the look of a fixture 1 3 2 1 • Tremendous design opportunities for custom sizes • Options available to work Length: 4 Ft. • Lens Material: Styrene Length: 4 Ft. • Lens Material: Frosted Styrene Part # Part # with all of our ribbons L-VISION-3F L-VISION-3LF L-VISION-4D L-VISION-4S L-VISION-7D 195' Length: 8 Ft. • Lens Material: Acrylic Length: 8 Ft. • Lens Material: Acrylic Length: 8 Ft. • Lens Material: Styrene Part # Part # Part # L-VISION-4D L-VISION-4S L-VISION-7D L-VISION-8F L-VISION-10F L-VISION-12BF 705″ 60 1 3 7 5 Length: 8 Ft. Length: 8 Ft. Lens Material: Acrylic Lens Material: Acrylic Length: 8 Ft. • Lens Material: Acrylic Part # Part # Part # L-VISION-10F L-VISION-12BF L-VISION-8F End Caps-Set of 2 Mounting Clips- Set of 2 Part # Part # L-VISION-12BF-END L-VISION-12BF-CLIP Phone: 1-800-631-8375 • 121 Fax: 1-800-888-3315

#### LED Lens



These characteristics are general descriptions. Customers must decide which color most suits their needs. **Frosted Lens:** Allows the most light transmission. This is recommended for task lighting.

**Milk White Lens:** Allows moderate light transmission. The effect softens the light and reduces glare. A good choice for the largest variety of lighting situations


Made

in the

**Opaque White Lens:** Allows the least light transmission. The effect softens the light, reduces glare and eliminates the "scalloping" caused by the LED's in most cases

#### LED Aluminum Channels With Lens: Create Your Own Light Fixture





#### Made LED Aluminum Channels With Lens: Create Your Own Light Fixture in the IIS A L-TASK-18-6 L-TASK-18F-6 Length: 6.6 Ft. • Milky White Lens Length: 6.6 Ft. • Milky White Lens Accessories (2 End Caps & 2 Mounting Clips) Accessories (2 End Caps & 2 Mounting Clips) Part # Part # L-TASK-18-6 L-TASK-18F-6 End Caps- Set of 2 End Caps-Set of 2 Part # Part # L-TASK-18-CAP L-TASK-18F-CAP **Mounting Clips- Set of 2** Mounting Clips- Set of 2 Part # Part # L-TASK-18-CLIP L-TASK-18F-CLIP L-TASK-19D-\* L-TASK-19S-6 Length: 6.6 Ft. • Milky White Lens Length: 6.6 Ft. • Milky White Lens Accessories (2 End Caps & 2 Mounting Clips) Accessories (2 End Caps & 2 Mounting Clips) Part # Part # L-TASK-19D-6 L-TASK-19S-6 End Caps- Set of 2 End Caps- Set of 2 Part # Part # L-TASK-19D-CAP L-TASK-19S-CAP **Mounting Clips- Set of 2** Mounting Clips- Set of 2 Part # Part # L-TASK-19D-CLIP L-TASK-19S-CLIP L-TASK-20PD-6 L-TASK-21PD-6 Length: 6.6 Ft. • Milky White Lens Length: 6.6 Ft. • Milky White Lens Accessories (2 End Caps & 2 Mounting Clips) Accessories (2 End Caps) Part # Part # L-TASK-20PD-6 L-TASK-21PD-6 End Caps- Set of 2 End Caps- Set of 2 Part # Part # L-TASK-20PD-CAP L-TASK-21PD-CAP **Mounting Clips- Set of 2** 1.06 Part # L-TASK-20PD-CLIP L-TASK-22WP-6 L-TASK-23W-6 Length: 6.6 Ft. • Milky White Lens Length: 6.6 Ft. • Milky White Lens Accessories (2 End Caps & 2 Mounting Clips) Accessories (2 End Caps & 2 Mounting Clips) Part # Part # L-TASK-22WP-6 L-TASK-23W-6 End Caps- Set of 2 End Caps-Set of 2 Part # Part # L-TASK-22WP-CAP L-TASK-23W-CAP Mounting Clips-Set of 2 Mounting Clips- Set of 2 Part # Part # L-TASK-23W-CLIP L-TASK-22WP-CLIP L-TASK-25-6 L-TASK-26-6 Length: 6.6 Ft. • Milky White Lens Length: 6.6 Ft. • Milky White Lens Accessories (2 End Caps & 2 Mounting Clips) Accessories (2 End Caps & 2 Mounting Clips) Part # Part # L-TASK-25-6 L-TASK-26-6 End Caps- Set of 2 End Caps- Set of 2 Part # Part # L-TASK-26-CAP L-TASK-25-CAP **Mounting Clips- Set of 2** Mounting Clips- Set of 2 Part # Part # L-TASK-25-CLIP L-TASK-26-CLIP

#### LED Aluminum Channels With Lens: Create Your Own Light Fixture





# ALUMINUM LED CHANNEL DRYWALL PROFILES









- Material: Silver anodized aluminum
- Ideal for illuminating bathrooms, kitchens and similar areas.
- Mounts on tiles, ceramic or stoneware surfaces.
- Can be mounted between two tiles or used as a corner/wall ending.
- Suitable for LED strips with a maximum width of 12.5mm.
- Works with our COB24\* LED strips, for a more uniform illumination.
- 2-year guarantee on profiles and covers.





Perforated L-shaped trim makes it is easy to fit on to concrete, thus achieving a perfect adhesion to wall.





#### L-Task Aluminum LED Channel Drywall Profile Series: Aluminum Channel with Frosted Lens



# **FLEXIBLE** ALUMINUM LED CHANNEL PROFILE

Bend to almost any curvature an LED installation requires. Can be reshaped again or bent back to the original flat profile if needed.

Easily bend the channel to perfectly fit inside or outside turns with a radius as tight as 6"

- Works with any LED strip 12mm or less.
- Ideal for both straight runs and curved surfaces.
- Great for uneven surfaces, under cabinets and counters, around support beams and curved walls.
- Provides maximum protection against the elements.
- Quickly dissipates minimal heat created by the LEDs and extends the life of the light strips.
- Prevents rust and corrosion.
- Protects LED Light Strips from damage, breakage, moisture and unwanted handling of the lights.
- Suitable for rough indoor or outdoor use.









#### L-TASK-34-6

Length: Nominal 6.6 Ft. (2 meters) Material: Satin Anodized Aluminum Finish Lens: Frosted

705

Flexible Profile Includes 2 End Caps, & 2 Mounting Clips

Note: Additional end caps & clips available, please inquire

# <u>OMING SOON</u> **FLEXIBLE LED DRYWALL CHANNELS**

# 8 8. 32 88 66 beled FOR DRYWALL-IN, PLASTER-IN, MUD-IN APPLICATIONS

• NOMINAL 3ft.(1m) & 6ft.(2m) LENGTHS SATIN ANODIZED ALUMINUM










#### LG24 Long Run Ribbon Flex Series

#### Available Length: 98.4'

Material: Flexible Silicone Cover with Adhesive

- Commercial Grade
- Field Trimmable
- Consumes Only a Few Watts Per Field Cuttable Strip
- 30,000 Hour Average Bulb Life
- Dimmable
- IP20 & IP65 Options
- No UV Radiation- Safe For Artwork
- Limited 2 Year Warranty



# Shown IP65 7" BARE WIRE ENDS CONNECT **DIRECTLY TO** CONTROLLER

New)

24V

CW: 6000K-6500K

PW: 4000K-4500K

WW: 2800K-3000K

120°

90

76 per ft.

30 000 hrs

Current


2835

2 Options Available						
<u> </u>						
IP65 Premium Ribbon	IP20 Premium Ribbon					
Provides Protection From Dust & Splashing Water, Not Submersible	Provides Low Protection of Dust & Water					





#### Single Ribbon Flex (Up To 76 Lumens Per Foot)





# Accessories for LG24 Long Run Ribbon Flex Series










Required Ribbon Flex

See Page 130

+

#### Required

#### **Power Supplies**



#### 

Part #	Туре	Amps	Volts	Watts	Dimensions
LED-24V-6A	LED-24V-6A Desktop 6A 24V		24V	144W	6.77″L x 2.83″W x 1.57″H
LED-24V-8.3A-HW	Hardwire	8.3A	24V	199W	9.84"L x 3.11"W x 2"H
For Product Details & More Power Options, Please Inquire.					se Inquire.
Other Options: I	Plug In   Ha	Hardwire   Hardw		Dimmable	Rechargeable Battery

Optional

#### **Dimmers**

A power linking cable required.	

|--|

#### 

Range of Part # Description Finish Dimming Size					
RF-CTRL-WT Wall Style White 10-100% 3.5" L x 1.37" W x 0.75" H					
LED-INLINE-DIM Inline Rotary Black 0-100% 2-5/8"L x 1-3/8"W x 1"H					
For Product Details & More Dimmer Options, Please Inquire.					
Other Opti	Other Options: Rotary   Touch Dimmer   Radio Frequency			adio Frequency	

#### **Connectors**

For Use With Bare Wire Connections

Push Terr	ninal				
		Part #	Descriptions	Function	Length
	and the second se	LED-5555-PM	Push Terminal Connector	DC 5.5 male to push terminal connector	1.5"
Male	Female	LED-5555-PF	Push Terminal Connector	DC 5.5 female to push terminal connector	1"
Screw Ter	minal	LED-5555-SM	Screw Terminal Connector	DC 5.5 male to screw terminal connector	1.5"
		LED-5555-SF	Screw Terminal Connector	DC 5.5 female to screw terminal connector	1.5"
Male	Female				

Connecting Cables	Part #	Works With	Description	Color	Length	# of Pins
100% Usable		Pin Conne	ction (Pins Included)			
	RIB10-100U-C1-120	RGB Ribbon	Lights areas without	Black	24″	2
	RIB10-100U-C2-120	RGB Ribbon	multiple power supplies	Black	36″	2

D0% Usable Connections     RIB10-100U-EE-120     RGB Ribbon     Usable connection directly connects 2 cut pieces     2	nd To End For	Part #	Works With	Description	# of Pins
	00% Usable Connections	RIB10-100U-EE-120	RGB Ribbon		2

#### **Mounting Clips**



Part #	Material	Size		
LED-10MM-MC-IP20	RGB Ribbon For IP20 Ribbon Plastic 1 mounting clip & screw			
LED-10MM-MC-IP65 RGB Ribbon For IP65 Ribbon Plastic 3/				3/8″
For More Mounting Clip Options, Please Inquire.				

### **COB24 Ribbon Flex Series**

24V

#### Available Lengths: 8.25' & 16.4'

Material: Flexible Silicone Cover with Adhesive

- Commercial Grade
- Field Trimmable
- Consumes Only a Few Watts Per Field Cuttable Strip
- 30,000 Hour Average Bulb Life
- Dimmable
- No UV Radiation- Safe For Artwork
- Limited 2 Year Warranty


CW PW WW AM BL GN RD

> 7" BARE WIRE ENDS CONNECT DIRECTLY TO CONTROLLER




#### COB244-1480-\* (Up To 299 Lumens Per Foot)

**IP20 Cut Per LED Ribbon** Provides Low Protection of Dust & Water



#### COB248-1480-\* (Up To 299 Lumens Per Foot)




8.25'

16.4'

# COB2410-1480-\* (Up To 363 Lumens Per Foot)

COB248-I480-8\*

COB248-I480-16\*



1200

2400

20

40

16.4′

16.4′

Part #	Color Temp 20 (Cool White *CW	Length , Warm Whi	# Of LED Chips te *WW, Pure	Total Wattage White *PW)	Max # Can Connect
(IL) COB2410-I480-8*	*CW, *PW, *WW	8.25′	1200	30	16.4′
(LOB2410-1480-16*	*CW, *PW, *WW	16.4′	2400	60	16.4′
COB2410-I480-16AM	Amber	16.4′	2400	60	16.4′
COB2410-I480-16BL	Blue	16.4′	2400	60	16.4′
COB2410-I480-16GN	Green	16.4′	2400	60	16.4′
COB2410-I480-16RD	Red	16.4′	2400	60	16.4′

#### **Lighting Specifications**

CW: 6000K-6500K PW: 4000K-4500K WW: 2800K-3000K
180°
CW: 299 per ft. PW: 283 per ft. WW: 256 per ft.
90
30,000 hrs.
Voltage
СОВ

#### **Lighting Specifications**

Color Temperature	CW: 6000K-6500K PW: 4000K-4500K WW: 2800K-3000K
Beam Spread	180°
Lumens	CW: 299 per ft. PW: 283 per ft. WW: 256 per ft.
Color Rendering Index	90
Rated Average Life	30,000 hrs.
Constant	Voltage
Chip Size	СОВ




#### **Lighting Specifications** CW: 6000K-6500K Color PW-4000K-4500K Temperature WW: 2800K-3000K AM: 1800K-2000K **Beam Spread** 180° CW: 363 per ft. Lumens PW: 343 per ft. WW: 311 per ft. Color Rendering Index 90 Rated 30,000 hrs. Average Life Voltage Constant

COB

Chip Size


#### Accessories for COB24 Ribbon Flex Series





#### Required

#### Power Supplies



#### 

Part #	Туре	Amps	Volts	Watts	Dimensions	
LED-24V-3A	Desktop	3A	24V	72W	4.68″L x 2.34″W x 1.48″H	
LED-24V-4A	Desktop	4A	24V	96W	6.77"L x 2.83"W x 1.57"H	
For Product Details & More Power Options, Please Inquire.						
Other Options:	Plug In   F	lardwire	Hardwi	re Dimmab	le   Rechargeable Battery	

Optional

#### 

**Connectors** 

For Use With Bare Wire Connections

Push Terminal				
	Part #	Descriptions	Function	Length
Mala Famala	LED-5555-PM	Push Terminal Connector	DC 5.5 male to push terminal connector	1.5"
Male Female	LED-5555-PF	Push Terminal Connector	DC 5.5 female to push terminal connector	1"
Screw Terminal	LED-5555-SM	Screw Terminal Connector	DC 5.5 male to screw terminal connector	1.5"
	LED-5555-SF	Screw Terminal Connector	DC 5.5 female to screw terminal connector	1.5"
Male Female				

Connecting Cables	Part #	Works With	Description	Color	Width	Length	# of Pins
100% Usable	Pin Connection (Pins Included)						
	COB8-100U-C1	RGB Ribbon	Lights areas without	Black	8mm	6″	2
	COB10-100U-C1	RGB Ribbon	multiple power supplies	Black	10mm	6″	2
	COB8-100U-ST	RGB Ribbon	100% Hardwire	Multi	8mm	6″	2
Hardwire to 100% Usable	COB10-100U-ST	RGB Ribbon	100% Hardwire	Multi	10mm	6″	2
	For More Extension Cable Options, Please Inquire.						

End To End For	Part #	Works With	Width	Description	# of Pins
100% Usable Connections	COB8-100U-EE	RGB Ribbon	8mm	Usable connection directly	2
	COB10-100U-EE	RGB Ribbon	10mm	connects 2 cut pieces	2
Mounting Clips					

#### For IP65

Part #	Works With	Description	Material	Size	
LED-8MM-MC-IP65	RGB Ribbon	For IP65 Ribbon	Plastic	5/16″	
LED-10MM-MC-IP65 RGB Ribbon 1 mounting clip & scre		1 mounting clip & screw	Plastic	3/8″	
For More Mounting Clip Options, Please Inquire.					

<u>Universal LED Ribbon Mounting Channels</u> Aluminum channels that work with our ribbons To See A Full Line Of Our Mounting Channels, See Pages 121-129



#### **COB24 CCT Ribbon Flex Series**

#### Versatile & field trimmable LED ribbon can be adapted to meet many design needs. Can program color temperature ranges between 2800K-6000K.

#### Nominal Lengths: 16.4'

#### Material: Flexible White PCB with Adhesive

- This NEW color changing temperature (CCT)
   provides greater energy efficiency and high lumens.
- 3M Adhesive Back
- Limited 3 Year Warranty















(New)

24V

#### COB2410-I640-16CCT (Up To 363 Lumens Per Foot)




#### **Lighting Specifications**

Color Temperature	2800K-6500K
Beam Spread	180°
Lumens	363 per ft.
Color Rendering Index	90
Rated Average Life	30,000 hrs.
Constant	Voltage
Chip Size	СОВ

#### Outwater Industries, Inc. • www.outwater.com

#### Accessories for COB24 CCT Ribbon Flex Series



# Required Power Supplies

# 

#### 

Part #	Туре	Amps	Volts	Watts	Dimensions		
LED-24V-3A	Desktop	3A	24V	72W	4.68"L x 2.34"W x 1.48"H		
LED-24V-6A	Desktop	6A	24V	144W	6.77″L x 2.83″W x 1.57″H		
For Product Details & More Power Options, Please Inquire.							
<b>Other Options:</b>	Plug In   F	lardwire	Hardwi	re Dimmab	le Rechargeable Battery		

#### **Option 1: RF Controller With Remote For CCT**



#### **Controller Functions:**


New 24V

- Mounting: Surface
- Remote Control Function: RF
- Gradient Change: 11 Grades
- Brightness Adjusting: 20 Grades
- Sound: No

#### Option 2: RF CCT Controller With Desktop or Wall Option



Universal LED Ribbon Mounting Channels Aluminum channels that work with our ribbons To See A Full Line Of Our Mounting Channels, See Pages 121-129





# ORAC

# Unexpected possibilities

Whether it's a touch of the contemporary or a nod to the classics, each of our products is a chameleon, adept at taking on the character you desire. Here are some glimpses into the myriad of ways our products can animate, define and transform interiors. Every setting, every angle reveals new potential. A new story to be told.

# Advantages



### READY TO PAINT

All of our products are ready to paint. Colored end finishes on demand.



#### DURABLE

Orac products are designed to last a lifetime. Smart design and high-end technology assure strong and water resistant products.

Materials



#### **PUROTOUCH®**

A high-quality, medium-density polyurethane that allows fine details.



**DUROPOLYMER**<sup>®</sup> An extruded and impact-resistant polymer based on a high-density polystyrene.



**DUROFOAM**<sup>®</sup> An extruded lightweight polymer based on a low-density polystyrene blend.

FLEX A quality high-density flexible polyurethane.



Outwater Industries, Inc. • www.outwater.com

# **ORAC** 3D Wall Coverings

We invite you to experience the extraordinary with our 3D wall coverings. Captivating sculptural landscapes, these masterpieces redefine your walls, inviting touch and exploration. Discover a range of bold and subtle designs, each a testament to the art of interior transformation.



# Base Mouldings

Crafting seamless transitions from floor to wall, from the elegantly ornate to the gracefully understated. We pay meticulous attention to every detail in every design so you can find options that match your vision.

**U**RAC

1/2" SX105 | SX105F Duropolymer® 78-3/4" x 4-1/4" x 1/2"

4-1/2"

1/2'

**SX163 | SX163F** Duropolymer® 78-3/4" x 4" x 1/2"

**SX171** Duropolymer<sup>®</sup> 78-3/4" x 3-7/8" x 7/8"

3-7/8"


7<u>/8</u>"

**SX185** Duropolymer<sup>®</sup> 78-3/4" x 5-1/2" x 7/8" 4-3/4"

7/8"

# **ORAC** Panel Mouldings

An empty wall is like a bare base, in need of shape and dimension. Which is why we love to entertain ideas with these versatile accents. By using our panel mouldings, harmony comes into play, a sense of proportion that is balanced and pleasing to the eye.



P8030 | P8030F

78-3/4" x 1-5/8" x 5/8"

Purotouch®

5/8"

# **O**RAC Indirect Lighting

Our indirect lighting solutions are the unseen maestros of ambiance. They are as versatile as they are subtle, designed to enhance every line and curve. So, we encourage you to integrate them as you see fit, for you to create an atmosphere that complements the time of day and the essence of the moment.



# **ORAC** Cornice Mouldings

It truly does move us when we look up and see how it softens the strict transition between wall and ceiling. For us, a cornice is about attention to detail, be it from ornate to subtle. We have thought them all through so that there should always be an option that meets your personal aspirations.



# **Deco Elements** ORAC

Deco elements are the subtle whispers of personality that breathe life into a space. From grandiose flourishes to understated accents, we propose options to punctuate your interior design narrative with finesse, for you to find what feels right.



Purotouch ø 5-7/8" x 1-5/8" - ø 3/4




Puretouch® ø 15-1/8" x 1-1/8" - ø 1-3/8



ø 18-1/2" x 1-3/8' - ø 2-1/2





# TRANSFORM YOUR WALL INTO A BEAUTIFUL ACCENT PIECE. Fluted Vall Cladding INNOVATIVE • STYLISH • CURRENT AVAILABLE IN 3 STYLES SIGNATURE SERIES PREMIERE SERIES GRANDE SERIES • 9 ft. of usable length (9' 2" actual) Eco-friendly wood/plastic composite material Laminated surface finish Quick and easy-to-install Use vertically and horizontally WHITE (Paintable)


Waterproof


White Oak, Maple

# ELEMENTS Flexible Tambour Wall Panels

# SOLID WOOD


Nominal 1' x 8' and 4' x 8' Sheets





#### NATURAL SOLID HARDWOOD INTERLOCKING WALL PLANKS

- 4 Species:
- Oak, Acacia, Walnut and Mahogany
- High quality smooth stained finish
- Dimensional raised, textured design



- Create a serene inviting space
- Modern style and Classic charm
- Use in Residential or Commercial settings
- Easy installation









• 4' x 8' SHEETS • 3/32" THICK • UV STABLE




- CAN BE APPLIED DIRECTLY TO DRYWALL
- SCRATCH & CHEMICAL RESISTANT













#### **Outwater Industries, Inc.**

24 River Road P.O. Box 500 Bogota, NJ 07603-0500 PRSRTD STD U.S. POSTAGE **PAID** DENVER, CO PERMIT No. 5377

Catalog Code 2401

We encourage you to explore our new website, which makes shopping at Outwater easier than ever before. Online you can access videos, product details and installation guides, download specialty catalogs, and create an account.



www.outwater.com

When you become a registered user take advantage of these benefits: • Track orders

- · View purchase history
- · Manage payment methods
- $\cdot$  Save items and create wish lists
- · Get quotes
- · Set up multiple users under one company account



Join our mailing list to receive exclusive offers, free passes to trade shows, and information about exciting new products!

Outwater stocks all products in our east and west coast warehouse facilities to provide customers with fast, cost-effective shipping. Please call our sales department to request free samples.

1-800-631-8375



Pennsylvania | 390 N Pennsylvania Avenue | Wilkes Barre, PA 18702