# **Executive Series Grommets**




# The Secretariat

Material: Metal with Zamak flexi-cap









Cover has snap in mechanism with removable flexi-cap management opening. 2 sizes available

			Α	В	C	Wire Exit
	Part #	Finish	(Diameter)	(Depth)	(Drill Hole Size)	Opening
	M-60E-*	Polished Chrome (*PC)	2-5/8" (68mm)	13/16" (21mm)	2-3/8" (60mm)	1.368" x 1.053"
ī	M-80E-BN	Brushed Nickel (*BN)	3-1/2" (90mm)	13/16" (21mm)	3-1/8" (80mm)	1.405" x 1.0115"

# **Round Wire Management Grommets**

# 26 Series: USB/iPhone Wire Grommet Sets



# 27 Series:

# Round Wire Gripping Grommets

Material: High Impact Styrene





# 31 Series Grommet Sets



# 4 35 Series Grommet Sets




# **36 Series Grommet Sets**



# 6 Econo Series Grommet Sets w/Textured Cap








Number	Part #	Color	Α	В	c
1	26*	Black (*BK), White (*WH)	1-1/8"	1/2"	1″
2	27*	Brown (*BR), Black (*BK), White (*WH)	1.23"	.295"	1.125"
3	31*	Dove Gray (*DG), Brown (*BR), Black (*BK), Putty (*PT), White (*WH)	2-1/4"	1″	2″
4	35*	Dove Gray (*DG), Brown (*BR), Black (*BK), Putty (*PT), White (*WH)	3″	1-1/8"	2-3/4"
	35BK-LIN	Black Liner (for 35* only)	2-3/4"	1-1/8"	2-3/4"
5	36*	Black (*BK), White (*WH)	3-1/4"	1″	3″
6	T31-BK	Black	2-1/4"	1″	2″
0	T35-BK	Black	3″	1″	2-3/4"


# **SPG Series: Spring Loaded Grommet Sets**

# Material: ABSEasy access to

- wires; simply push down on door & slide left or right
- Cap has one piece construction
- 3 sizes available








Liner

Part #	Color	Α	В	C
SPG50-*	Dia ale (*DI/)	2-9/16"	13/16"	1-15/16"
SPG60-*	Black (*BK), Silver (*SL)	2-13/16"	25/32"	2-21/64"
SPG80-*	Sliver ( SL)	3-3/4"	13/16"	3-1/8"

Spring Loaded Cap

# **Executive Edge Grommets**



- Hinged cover
- Bristle hair cable management opening





	Part #	Α	В	c	D	E
	E90 160 C	80MM	160MM	68MM	28MM	148MM
	E80-100-3	(3-1/8")	160MM (6-5/16")	(2-11/16")	(1-1/8")	(5-13/16")
	E8U-2/5-5	(3-1/8'')	275MM (10-13/16")	(2-11/16")	(1-1/8'')	(10-3/8")

# **Multipurpose Grommets**

SUGATSUNE

# **Round Grommet with Lid**


### Material: 304 Stainless Steel

Self-leveling lidHorizontal use only





SUGATSUNE




Finish

Brushed

Part #

AD-DH015




# **Square Grommet with Lid**

Material: 304 Stainless Steel

Self-leveling lid
 Horizontal use only





Part # Finish
AD-KH015-HL Brushed





# **Oval Wire Management Grommets**











### OV32 Series Grommet Sets











Number	Part #	Color	Α	В	c	D	E
1	39*	Black (*BK), White (*WH), Gray (*GR)	3-1/2"	3-1/4"	9/16"	2″	1-3/4"
2	OV32-BK	Black only	5″	4.65"	.98″	2.77"	2.38"

Can handle multiple cords

# Rectangular Wire Management & Paper Slot Grommets

# 32 Series: Wire Grommets

# Material: ABS

· Can fit oversized cords

Can handle multiple cords

- Bushings: Deep for wood application, shallow for metal application
- Cap Styles: Circular opening (-2), Oval (-4)







# 2


# 33 Series: Paper Slot Grommets

### Material: ABS

- 2 insert depths included (3/4"-1-13/16" & 1"-1-1/16")
- Accommodates paper up to 17"







Number	Part #	Cap Style	Color	Α	В	C	D	E
	32BK-2	Oval (-4)	Black	3-1/2"	3-1/4"	5/8"	2"	1-3/4"
4	32BK-4	Oval (-4)	Black	3-1/2"	3-1/4"	5/8"	2"	1-3/4"
	32BKD-2	Oval (-4)	Black	3-1/2"	3-1/4"	1-1/4"	2"	1-7/8"
	32BKD-4	Round (-2)	Black	3-1/2"	3-1/4"	1-1/4"	2"	1-7/8"
2	33BK	N/A	Black	17-7/8"	17.156"	13/16"	2-3/8"	1.67"

# Flex Series Grommets

#### **Material:** ABS

Allows for easy maneuvering of wires











Almond






Drill Hole Size	
	)
2.38"	l
(G31 Series)	
3.2" (G32 Series)	

Part #	Color	Α	В	c
G31-*	Black (*BK), White (*WH), Beige (*BE),	2.816"	.75″	2.375"
G32-*	Silver Grav (*SG), Almond (*AL), Grav (*GY) Brown (*BR),	3.595"	.75"	3.195"

# All-Fit Adjustable Bushing In Black






	Hole	Α	В	
Part #	Diameter	Head Dia.	Thickness	Max Wire
AF-0625	5/8"	0.718"	0.406"	0.437"
AF-0750	3/4"	0.859"	0.390"	0.500"
AF-0812	13/16"	0.890"	0.390"	0.500"
AF-0875	7/8"	0.937"	0.453"	0.562"
AF-1000	1"	1.062	0.453"	0.750"
AF-1093	1-3/32"	1.156"	0.453"	0.812"
AF-1250	1-1/4"	1.360"	0.453"	0.875"

# **Electrical Trim Ring & Dually Grommet**

# **Electrical Trim Ring**





- · Material: ABS
- Clean up electrical cut outs
- Available for single or double gang boxes
- 1-1/4" Depth with trim lines every 1/4"

### Colors Available:









Part #	Description	Color
ETR-S-*	Single	White (*WH),
E1K-3-"	Hole Size: 3-1/2" x 5-1/4"	Black (*BK),
ETD D *	Double	Almond (*AL), &
ETR-D-*	Hole Size: 5-1/4" x 5-1/4"	Hardrock Maple (*HM)

# **Dually Grommet**



- Material: ABS
- Finishes both sides of the hole
- Fits material thickness 3/4" to 2-1/2"
- Trimmable Markings every 1/4"
- 2-1/4" ID









	A
۾ ٰ	
1	

Part #	Color	Α	В	C
DG25-WH	White	3-1/4"	2-1/2"	2-1/2"
DG25-BK	Black	3-1/4"	2-1/2"	2-1/2"
DG25-AL	Almond	3-1/4"	2-1/2"	2-1/2"
DG25-HM	Hardrock Maple	3-1/4"	2-1/2"	2-1/2"

# **Outlet Accessory Grommet**





- Material: Styrene
- 4-7/16" x 6-7/16" Overall
- 11/16" Deep
- 3-13/16" x 5-13/16" Hole size

Part #	Color
G1032-BK	Black
G1032-WH	White


# **Stainless Steel Trash Liners**


### Material: 304 Stainless Steel

- Available in Polished (\*-P) & Brushed Finishes
- Perfect for use in restaurants, doctor's offices, hospitals, boats, RV's and public restrooms.
- Overlapping trim edge gives professional finished look.

Part #	Outside Diameter	Inside Diameter	Height
TL-041*	4"	3.906"	1″
TL-061*	6"	5.906"	1"
TL-062*	6"	5.906"	2"
TL-066*	6"	5.906"	6"
TL-081*	8"	7.906"	1″
TL-082*	8"	7.906"	2"
TL-101*	10"	9.906"	1″
TL-102*	10"	9.906"	2"
TL-121*	12"	11.906"	1″







Material Thickness: .047" (1.2mm)




# **Plastic Trash Receptacle Grommet**

### **38 SERIES**

### **Material: ABS**











**Red & Green** 

# FOR HAZMAT & RECYCLABLES WASTE



Drill Hole				
Part #	Diameter	Color		
38GR	6"	Green		
38RD	6"	Red		

# **Beauty Salon Steel Hardware**

### **Material:** 304 Stainless Steel

- Polished Stainless
- Super strong
- Multiple styles available for maximum storage ability



### **BLOW DRYER HOLDER RING**

- Holds nozzle up to 3" in diameter
- Open bottom

Part # BSH-BD3






### **CURLING IRON RING**

- · Holds iron up to 1-1/2" in diameter
- Open bottom

Part # BSH-CU15







• Holds iron up to 2" in diameter Open bottom


RING

Part # BSH-CU2



# **FLAT IRON HOLDER**

- · Holds standard size irons (2-1/4" to 2-1/2")
- Closed bottom



Part #	Finish
BSH-FL	<b>Brushed Stainless</b>

Phone:1-800-631-8375 • Fax:1-800-888-3315

# **Wire Management Extrusions**

# Material: Black PVC • 7.45" -1.015" -1.135"-1.145"+ Part # 2243-BK



WIRE MANAGEMENT FOR 2-3/8"(60mm) ROUND TABLE LEGS





# WIRE & CABLE ORGANIZATION CHANNEL Material: Black Virgin Vinyl • Lengths: 8 Ft.


Channels are supplied with self adhesive tape. This product is used to store and organize wire, computer cable, phone/fax lines, electrical cords and other wiring devices on such items as entertainment centers, computer work stations, desks & home theater systems.

**OPEN CHANNEL** 


Part #	Α	В	c	D	E	F
CWM15-BK	1.410"	.925"	.753"	1.061"	2.344"	.500"

#### **LOCK CLOSE CHANNEL**

Part #	Α	В	c	D	E	F
CWM30-BK	.365"	.650"	.143"	.770"	.410"	.625"
CWM50-BK	.474"	.900"	.194"	1.01"	.550"	.750"
CWM10-BK	.750"	1.335"	.242"	1.510"	.770"	1.250"








# Hideacord<sup>®</sup>



### **SELF ADHESIVE ELECTRICAL WIRE COVER SYSTEM**

- Material: Rigid ABS Plastic
- Lengths: 8 Ft.
- Available In White & Black (Can Be Painted To Match Wall Colors)
- · Accommodates standard household cords




Part#	Description
1300-WH	8 Ft. Wire Cover-White w/Adhesive
1300-BK	8 Ft. Wire Cover-Black w/Adhesive

# Slide-n-Hide







- Material: Polycarbonate
- · Finish: White
- Lengths: 18"
- 3M Adhesive
- Conceal a low-voltage cable or wire (Up to 22 gauge wire)
- 1/4" height when assembled

Part# WM-01-WH

**All Inside Dimensions Are Approximate** 

WE USE ONLY HIGH QUALITY, GENERAL USE ADHESIVE TAPES. EACH CUSTOMER ASSUMES RESPONSIBILITY OF TESTING THE PRODUCT FOR THEIR SPECIFIC APPLICATION.

WE WILL SUPPLY SAMPLES FOR THIS PURPOSE. SPECIAL NEEDS CAN BE ACCOMMODATED ON A PER RUN BASIS.

# Wire Management / Trunking Cable System

### Wire Hider / Cover Lid

#### Material: White (\*WH) or Clear (\*CL) PVC • Lengths: 6 Ft.

• Flexible vinyl flap design that keeps wire in place during installation, ideal for ceiling application • Solid cover lids (can be latex painted to match decor)
• UL94VO rated • Adhesive back for easy installation • Clear color (for visual cable identification)

• Can be used with or without cover lid (sold separately)







Part #	Description	Α	В
CWMC-50-WH	1/2" Wire Cover Lid	.535"	.645"
CWMC-1-WH	1"Wire Cover Lid	.605"	1.225"
CWMC-15-WH	1-1/2" Wire Cover Lid	.875"	1.687"

#### Wire Hider with pressure sensitive adhesive



Part #	Description	Α	В	c
CWMH-50-*	1/2"Wire Cover	.380"	.520"	.375"
CWMH-1-*	1"Wire Cover	.545"	1.085"	.750"
CWMH-15-*	1-1/2"Wire Cover	.687"	1.5"	1.000"

# **Snap Latching Duct**

### Material: White PVC • Lengths: 6 Ft.

• Economical one piece latching system • UL94VO rated • Latex paintable PVC surface • Adhesive back for easy installation

#### With pressure sensitive adhesive



Part #	Description	Α	В	c
CWML-50-WH	1/2" Snap Latching Duct	.390"	.475"	.375"
CWML-1-WH	1" Snap Latching Duct	.545"	1.085"	.750"
CWML-15-WH	1-1/2" Snap Latching Duct	.687"	1.5"	.750"

#### Accessories

#### **Material: White ABS**

• Accessories are compatible, fits both Wire Hider and Snap Latching • UL94VO/5A fire retardant ABS material with a UV stabilizer to prevent color fading

Part #

EC-50-WH

EC-1-WH

EC-15-WH

# Ceiling Drop



End	Cap
-----	-----



Size

1/2"

1-1/2"

Inside Corner



Part #	Size	
IC-50-WH	1/2"	
IC-1-WH	1"	
IC-15-WH	1-1/2"	

# Outside Corner



CD-15-WH

Part #	Size
OC-50-WH	1/2"
OC-1-WH	1"
OC-15-WH	1-1/2"

### Right Angle



Part #	Size
RA-50-WH	1/2"
RA-1-WH	1"
RA-15-WH	1-1/2"

### Tee Connector



Part #	Size	
T-50-WH	1/2"	
T-1-WH	1"	
T-15-WH	1-1/2"	

# Coupler (Wire Hider Only)



Part #	Size
COU-50-WHW	1/2"
COU-1-WHW	1"
COU-15-WHW	1-1/2"

### Coupler (Latching Only)



Part #	Size
COU-50-LDW	1/2"
COU-1-LDW	1"
COU-15-LDW	1-1/2"

# CWM-FSMEX-WH




Part #	Size
CWM-FSMEX-WH	1" deep box extender
CANIAL-LOINIEY-AAL	for CWM-FSM
CWM-FSM-WH	1.6" deep single gang
CANIAI-L2IAI-AAL	surface mount


Phone:1-800-631-8375 • Fax:1-800-888-3315

# Cable Clamps



### **NATURAL NYLON**





These nylon cable clamps are perfect for applications in electronics, automotive, air craft, appliance and many other industries. The Standard Series has a 3/8" wide contact area and is designed for medium to lightweight applications.

\* USE #10 PANHEAD FOR ALL

<u> </u>				
Part #	D	W	н	E
CC-0187	3/16"	3/8"	.140 (#6)	.430
CC-0250	1/4"	3/8"	.167 (#8)	.410
CC-0312	5/16"	3/8"	.167 (#8)	.495
CC-0375	3/8"	3/8"	.167 (#8)	.595
CC-0500	1/2"	3/8"	.167 (#8)	.605

STANDARD

Larger Sizes Available up to 1-1/2"

#### **HEAVY DUTY**


Part #	D	w	H*	E
HDCC-018	3/16"	1/2"	.203	.425
HDCC-025	1/4"	1/2"	.203	.410
HDCC-031	5/16"	1/2"	.203	.500
HDCC-037	3/8"	1/2"	.203	.530
HDCC-050	1/2"	1/2"	.203	.595
HDCC-062	5/8"	1/2"	.203	.655

# **Quick Release Cable Clamps**


### **NATURAL NYLON WITH ADHESIVE**

These adhesive backed nylon wire & cable clips are used to route wire & cables. The parts are backed with polyurethane foam tape & feature a releasable clip so wires can be removed after assembly if desired.





Part #	Size
AWC-0125	1/8"




Part #	Size
AWC-0375	3/8"
AWC-0375BK	3/8"

Pundla Dia




**REACH & ROHS** 



Part #	Size
WCA-4	1/4"

Toncilo

# **Nylon Cable Ties**



			bullale Dia.	iensile
Part #	Color	Length	Min – Max	Strength
NCT-400	Natural	4"	1/16" – 7/8"	18 lbs.
NCT-400BK	Black	4"	1/16" – 7/8"	18 lbs.
NCT-550	Natural	5-1/2"	1/16" – 1-1/4"	40 lbs.
NCT-550BK	Black	5-1/2"	1/16" – 1-1/4"	40 lbs.
NCT-800	Natural	8"	1/16" – 2-1/8"	40 lbs.
NCT-800BK	Black	8"	1/16" – 2-1/8"	40 lbs.
NCT-1500	Natural	15"	1/16" – 4"	50 lbs.
NCT-1500BK	Black	15"	1/16" – 4"	50 lbs.

# Raceway On-A Roll








- Material: PVC UL94VO Rated flame retardant
- Folds into a rigid PVC channel for wire or cable installations
- Easy for storage for up to 50 ft. and 100 ft. of raceway
- High quality
- Perfect for around windows and doors
- · Adhesive backing for fast-easy installation

	Part #	Description	Inside Dimension
	FWF-25511	1/4" White	.255" x .125"
	FWF-25521	1/4" Beige	.255" x .125"
	FWF-14511	3/8" White	.375" x .375"
50 FT.	FWF-14521	3/8" Beige	.375" x .375"
COIL	FWF-05511	1/2" White	.475" x .475"
	FWF-05521	1/2" Beige	.475" x .475"
	FWF-10511	1"White	1.085" x .545"
	FWF-10521	1" Beige	1.085" x .545"
100 FT.	FWF-14111	3/8" White	.375" x .375"
COIL	FWF-14121	3/8" Beige	.375" x .375"



By eliminating wall cutouts, show off your backsplash or showcase without the interruption of obtrusive outlets and extension cords!







It is recommended that all electrical products be installed by a licensed electrician.



By eliminating wall cutouts, show off your backsplash or showcase without the interruption of obtrusive outlets and extension cords!





It is recommended that all electrical products be installed by a licensed electrician.


### **Power Station**

### PDS-NL-300









8 ft. Cord

### **Housing & Receptacles:**

- Material: ABS
- Color/Finish: Black
- Recommended material thickness: 3/4" to 3"
- Each outlet faces a different direction minimizing issues caused by oversized plugs
- Unit locks in its upper most position
- 12" clearance under mounting surface required
- 3 year warranty




		Plug		USB
Part #	Receptacles	Rating	Ports	Rating
PDS-LE-220-BK	2	AC 125V/12A Max	2	2.1A Shared
PDS-NL-300-BK	3	AC 125V/12A Max	0	n/a


### PDS-CA-420-BK

Waterproof Ring





### **Housing & Receptacles:**



• Color/Finish: Black

- Recommended material thickness: up to 1-1/2"
- Surge protection
- 1 year warranty



		Plug	USB		
Part #	Receptacles	Rating	Ports	Rating	
PDS-CA-420-BK	4	4 12A, 125V, 50/60HZ		5V/2.1A Max Total	





### Power Center Grommets • 120V







### **Housing & Receptacles:**

- Material: ABS
- Color/Finish: Black
- Recess Mounts in an 80mm (3-1/8") Dia. Hole
- Recommended material thickness: 3/4" to 3"
- 1 year warranty

### PDG-FE-200









	P	lug	USB		
Part #	Receptacles	Rating	Ports	Rating	
PDG-FE-200-BK	2	AC120V/10A	0	-	

### PDG-FE-120









### PDG-FE-040





	Pl	ug	USB		
Part #	Receptacles	Rating	Ports	Rating	
PDG-FE-040-BK	0	-	4	0.5A each	



### PDG-NL-120-BK



PDG-NL-200-BK





	Plu	ıg	USB		
Part #	Receptacles	Rating	Ports	Rating	
PDG-NL-200-BK	2	125V, 15A	-	-	
PDG-NI -120-RK	1	125V/15A	2	4 24 Shared	



### **Housing & Receptacles:**

- Material: ABS
- Color/Finish: Black
- Recommended material thickness: 3/4" to 2"
- Flip top lid/ABS plastic
- Surge protection
- 3 year warranty






### PDC-NL-200

PDC-NL-120-BK

PDC-NL-120-SA



125V, 12A

125V, 12A

2

2

4.2A Shared


4.2A Shared

Black

Satin Aluminum

	Housing	Plug		USB	
Part #	Color	Receptacles	Rating	Ports	Rating
PDC-NL-200-BK	Black	2	125V, 12A	-	-
PDC-NL-200-SA	Satin Aluminum	2	125V, 12A	-	-

### PDC-NL-220




	Housing	Plug			USB	
Part #	Color	Receptacles	Rating	Ports	Rating	]
PDC-NL-220-BK	Black	2	125V, 12A	2	4.2A Shared	1
PDC-NL-220-SA	Satin Aluminum	2	125V, 12A	2	4.2A Shared	1

# Power Distribution Center with USB-C



### PDC-BY-111C-BK






### **Housing & Receptacles:**

- Material: ABS
- Color/Finish: Black
- Power Cable: 10 ft. 3-prong
- Recommended material thickness: 1-1/2"
- 1 year warranty


		Plu	ıg	US	B-A		USB-C
Part #	Description	Receptacles	Rating	Ports	Rating	Ports	Rating
PDC-BY-111C-BK	Black In Desk Power Center 1 Outlet 1 USB-A 1 USB-C	1	125V/12A	1	5V/2A	1	5V/3A, 9V/2A, 12V/1.5A (20W)

### PDC-BY-221C-BK



		Plu	ıg	US	B-A		USB-C
Part #	Description	Receptacles	Rating	Ports	Rating	Ports	Rating
PDC-BY-221C-BK	Black In Desk Power Center 2 Outlets, 2 USB-A, 1 USB-C	2	125V/12A	2	5V/2A	1	5V/3A, 9V/2A, 12V/1.5A (20W)

### PDC-BY-421C-BK



USB-A QC (Quick Charge) Orange USB-A: QC Charger,5V/3A, 9V/2A, 12V/1.5A (20W)


### PDG-BY-020-BK





### **Housing:**

- Material: Flame Retardant ABS
- Color/Finish: Black
- Recommended material thickness: Up to 3"
- 1 year warranty



	Plu	g	USB		
Part #	Receptacles	Rating	Ports	Rating	
PDG-BY-020-BK	0	-	2	2@2.1A Each	

### PDC-BY-120-\*

### **Housing:**


### Receptacles:



- Material: Aluminum / ABS
- Material: Flame Retardant ABS
- Color/Finish: Brushed Chrome Color/Finish: Black & Black
- Recommended material thickness: Up to 1-1/2"
- 1 year warranty







	Plu	ıg	USB		
Part #	Receptacles	Rating	Ports	Rating	
PDC-BY-120-BCHR	1	120V, 12A	2	2.1A Shared	
PDC-BY-120-BK	1	120V, 12A	2	2.1A Shared	

### PDC-BY-220-BK






	Plug		USB	
Part #	Receptacles Rating		Ports	Rating
PDC-BY-220-BK	2	120V, 12A	2	2.1A Shared

### **Housing & Receptacles:**



- Material: Flame Retardant ABS
- Color/Finish: Black
- Recommended material thickness: Up to 1-1/2"
- 1 year warranty



### PDC-BY-320-BKS





	Plu	ıg	USB		
Part #	Receptacles	Rating	Ports	Rating	
PDC-BY-320-BKS	3	120V. 12A	2	2.1A Shared	

### **Housing & Receptacles:**




- Material: Flame Retardant ABS
- Color/Finish: Black
- Recommended material thickness: Up to 1-1/2"
- Reset On/Off Switch

Housing & Receptacles:Material: ABSColor/Finish: Black

• 1 year warranty

• 1 year warranty



### PDC-BY-320-BK







<u> </u>	_ 8-1/4"	Overall Size	
1-3/4"	7-1/4" ————————————————————————————————————	0 2-1/1 1-3/4" 	3 Prong Plug In

• Recommended material thickness: 1-1/2"

	Plug		USB	
Part #	Receptacles Rating		Ports	Rating
PDC-BY-320-BK	3	125V/60HZ/12A	2	2.1A Shared

### Works With All Glass Back Cell Phones • Overcharge Protection: Phone will not continue to charge once at 100%



# WCD-NL-950-BK & WCD-NL-951-BK (Wireless Charging)










- Material: Polycarbonate
- Color/Finish: Black
- Recommended material thickness: 1-1/16"
- 1 year warranty




	Plug		O2R	
Part #	Output Rating		Ports	Rating
WCD-NL-950-BK	5W	5V/2A	-	-
WCD-NL-951-BK	10W	9V/1.67A	-	-

### Works With All Glass Back Cell Phones • Overcharge Protection: Phone will not continue to charge once at 100%





### POWDER COATED STEEL • POWDERED COATED CAST ALUMINUM



	Part #	TV Size	Weight Capacity	Finish	Projection	Pivot	Vesa	Plate Size
Α	TVL-FM	12"-42"	70 lbs	Powder Coated Black/ Steel	1/2" off Wall	N/A	75 x 75 & 100 x 100	5-1/2" x 5"H
В	TV-SFM	12"-27"	25 lbs	Powder Coated Silver/Cast Aluminum	2" (Arm can extend 1")	160 <sup>^</sup> Horizontally 45 <sup>^</sup> Vertically	75 x 75 & 100 x 100	1-3/4" x 6-3/4"H
c	TV-DPM	12″-27″	27 lbs	Powder Coated Silver/Cast Aluminum	1-1/2" to 9-1/2"	180 <sup>^</sup> Horizontally 45 <sup>^</sup> Vertically	75 x 75 & 100 x 100	1-3/4" x 6-3/4"H
D	TV-APM	15″-30″	30 lbs	Powder Coated Black, Aluminum & Steel	3"-16-1/2"	180° Horizontally 7 degrees up 15 degrees down	45 x 45, 75 x 75 & 100 x 100	2-1/2" x 8-1/4"H
Е	TV-TDM	12"-24"	25 lbs	Powder Coated Black & Chrome Cast Aluminum	9" Rod Extension	Drops down 105° and swivels 180°	75 x 75 &	2-1/4" x 5-3/4"H

# Plasma/LCD Fixed Mount For Flat Panel TV's

### POWDER COATED BLACK/HEAVY GAUGE STEEL

This universal mounting system fits most large flat panel plasma and LCD TVs. Mounts flat to the wall. Made of steel. Locks in place! VESA\* compliant.

- Holds 30" 63"TVs, up to 165 lbs.
- Features locking cleats to keep TV safe and secure to wall
- Its low profile allows TV to be mounted only 1.25" off the wall
- Mounting plate is 32" wide
- All mounting hardware included

**PART# TVPL-FM** 

\*VESA is a registered trademark (video electronics, standards association)

It is recommended to always mount into a wood or metal stud using appropriate anchors.

