Bring back that "Old World Appeal"



Lightweight and

durable polyurethane

• 1" thickness

Realistic

- Easy to install
- Will not warp, rot, decay or split

3 Sizes:

48"W x 6"H x 8"D 54"W x 6"H x 8"D 60"W x 6"H x 8"D

2 Finishes:

PECAN & WALNUT

2 Styles:

RIVERWOOD

texture resembling board lumber cut from an old sawmill.

HAND HEWN

with rugged texture and character.

HAND HEWN

Hand Hewn, Walnut

Closed on

both ends





charm and architectural detail to any setting





Walnut Pecan

Part #	Finish	Style	Size
M4868-HH-WAL	Walnut	Hand Hewn	48"W x 6"H x 8"D
M4868-HH-PEC	Pecan	Hand Hewn	48"W x 6"H x 8"D
M4868-RW-WAL	Walnut	Riverwood	48"W x 6"H x 8"D
M4868-RW-PEC	Pecan	Riverwood	48"W x 6"H x 8"D
M5468-HH-WAL	Walnut	Hand Hewn	54"W x 6"H x 8"D
M5468-HH-PEC	Pecan	Hand Hewn	54"W x 6"H x 8"D
M5468-RW-WAL	Walnut	Riverwood	54"W x 6"H x 8"D
M5468-RW-PEC	Pecan	Riverwood	54"W x 6"H x 8"D
M6068-HH-WAL	Walnut	Hand Hewn	60"W x 6"H x 8"D
M6068-HH-PEC	Pecan	Hand Hewn	60"W x 6"H x 8"D
M6068-RW-WAL	Walnut	Riverwood	60"W x 6"H x 8"D
M6068-RW-PEC	Pecan	Riverwood	60"W x 6"H x 8"D

ARTISAN 16' BEAM KITS

INSPIRED BY NATURE

Our Artisan Faux Wood Beams are molded from real wood. We only use high-end rigid polyurethane to achieve strength and stability, delivering a maintenance-free faux wood ceiling beam.

All of our Artisan Beams are hand-painted by our incredible team of craftsmen providing unique pieces just for your home.

- Material: Polyurethane
- For Interior Use
- Linear Coverage: 15'-8"
- Weight: 8 lbs. per beam
- 3-Sided "U" Beam measures:

6"Wx6"Dx94"L

with 1 open end & 1 closed end

• Made in North America





Additional straps, beam brackets and touch-up stain kits available.



FINISHES

WALNUT

GREY

UNFINISHED

UNFINISHED BEAMS HAVE A PRIMER COAT

HAND HEWN

Distinguished by a hand-chopped texture with axe marks, this vintage look replicates reclaimed wood from the 1800's.









RIVER WOOD

Replicated from salvaged submerged wood in the Great Lakes, the quality of this water logged wood was enhanced during its long stay underwater. Exquisite and classic.







SAND BLASTED

Heavily sandblasted texture reveals swirling grain patterns that give a weathered, vintage look that dignifies any room.









ARTISAN 16' BEAM KITS

INSPIRED BY NATURE

HAND HEWN



RIVER WOOD





ARTISAN 16' BEAM KITS

INSPIRED BY NATURE

SAND BLASTED









ACCESSORIES






*Available In Walnut (*W) & Grey (*G)

AB-*-TUK

The Rustic Beam Collection



^{*} For unfinished add -UNF to the part number

ACCESSORIES



Due to photographic imaging, products may vary slightly in color. All sizes listed are approximate. Samples are available, please inquire.

RUBBER BEAM STRAPPING






^{*} For medium oak add -MEDOAK to the part number

The Rustic Beam Collection





	Part #	Width A	Height B	Top Inside Width C	Bottom Inside Width D
New	VINBEAM-10*	5-7/8"	3-15/16"	4-1/2"	4-1/4"
New	VINBEAM-20*	4-3/4"	4-3/4"	3-3/8"	3-1/8"
New	VINBEAM-30*	7-1/2"	5-7/8"	6"	5-3/4"
New	VINBEAM-40*	10-5/8"	4-15/16"	5-7/8"	5-5/8"
	VINBEAM-50*	9"	9"	6"	5-1/2"
	VINBEAM-60*	10"	12"	8"	7"



2 Finishes Available





* For unfinished add -UNF to the part number

For Custom Sizes See page S-12

Unfinished Finished

ACCESSORIES

RUBBER BEAM STRAPPING









	Width	Height	Top Inside	Bottom Inside	
Part #	Α	В	Width C	Width D	Length
OWB-44*	4-1/2"	4-1/2"	2"	2"	16′
OWB-57*	5-1/4"	7-1/4"	3-3/8"	3-3/8"	20'
OWB-76*	7"	6-1/4"	5"	4-3/4"	16′
OWB-79*	7-1/4"	8-1/2"	4-3/4"	4-1/2"	20'
OWB-1513*	15-1/4"	12-7/8"	13"	12-1/4"	16′

2 Finishes Available





* For unfinished add -UNF to the part number

Product thickness will vary but is an average of 1" thick.



WB-STAIN

Includes: (1) 16 oz. can of Brown and (1) 8 oz. can of Dark Brown. Use Dark Brown stain to highlight cracks, splits and knots.







Part #	A	В	Width C	Width D
MOD-BEAM10*	4-3/8"	2-1/4"	3"	2-3/4"
MOD-BEAM20*	5-7/8"	3-7/8"	4-3/4"	3-1/2"
MOD-BEAM30*	7-7/8"	5-7/8"	6-5/8"	4"




^{*} For medium oak add -MEDOAK to the part number

ACCESSORIES











* Open on both ends*

Classic Raised Grain Beam Series


15'-6" Lengths

	-0 -0
	READY TO SHIP
A STATE OF THE PARTY OF THE PAR	
	The second second
	10
	7
	A STATE OF THE PARTY OF THE PAR
2 Finishes Availa	ble

	Width	Height	Top Inside	Bottom Inside
Part #	Α	В	Width C	Width D
CRB-66*	6"	6"	4-3/8"	4"
CRB-86*	8-1/8"	6"	6-1/4"	6-1/8"

* For unfinished add -UNF to the part number

For Custom Sizes See page S-12








Unfinished

Finished

ACCESSORIES



RUBBER BEAM STRAPPING



* Open on both ends*




Milled Style Beam Series

14' Lengths

PART #	Width	Height	Top Inside	Bottom Inside
	A	B	Width C	Width D
BMCDR8X6X168S	5-3/4"	7-1/4"	5-3/4"	5-3/4"





Finishes Available



Unfinished

READY TO SHIP


* Open on both ends*

New World Beam Series

56", 12', 14', 16', 20' & 22' Lengths

Part #	Width A	Height B	Top Inside Width C	Bottom Inside Width D	Length	
NWB-35*	3-1/2"	5-1/4"	1-3/4"	1-1/4"	22′	Ī
NWB-45*	4"	5-1/2"	2-1/4"	2-1/8"	16′	
NWB-55*	5-3/8"	5-1/4"	3-3/8"	3-1/8"	20'	
NWB-57*	5-1/2"	7-1/8"	4"	3-1/2"	20'	
NWB-65*	6"	4-7/8"	4"	3-3/4"	20'	
NWB-67*	6"	7"	4-3/8"	4"	12'	
NWB-69*	6"	8-3/4"	4"	3-1/2"	56"	
NWB-75*	8"	5-1/2"	6"	6"	14'	
NWB-76*	7-1/2"	6-1/4"	5"	5"	20'	
NWB-78*	6-3/8"	7-3/8"	4-3/8"	3-7/8"	20'	
NWB-79*	7"	8-3/4"	5"	4-1/4"	20'	
NWB-711*	7-1/4"	10-3/4"	5-1/4"	4-1/4"	20'	
NWB-811*	8"	11-1/4"	6-1/4"	5-1/4"	14′	
NWB-911*	9"	11"	6-3/4"	6-1/4"	20'	
NWB-914*	8-5/8"	14-1/4"	6-1/2"	6"	20'	
NWB-915*	9-1/2"	14-3/4"	6-3/4"	6-3/4"	14'	
NWB-1114*	12"	14-1/4"	9-5/8"	9"	14′	
NWB-1118*	11-1/2"	18-3/4"	8-1/4"	8-1/4"	16′	
NWB-1515*	14-1/2"	14-3/4"	12-1/4"	11-3/4"	16′	











Unfinished

Finished

* For unfinished add -UNF to the part number

Product thickness will vary but is an average of 1" thick.

ACCESSORIES

RUBBER BEAM STRAPPING





Due to photographic imaging, products may vary slightly in color. All sizes listed are approximate. Samples are available, please inquire.





WB-STAIN

Includes: (1) 16 oz. can of Brown and (1) 8 oz. can of Dark Brown. *Use Dark Brown stain to highlight cracks, splits and knots.*






* Open on both ends*

Rough Sawn Beam Series

10', 16', 8' 6" & 20' Lengths



	Width	Height	Top Inside	Bottom Inside	
Part #	Α	В	Width C	Width D	Lengths
RSB-33*	4"	2-7/8"	2-3/8"	1-7/8"	20′
RSB-34*	3-1/2"	4-1/2"	1-3/4"	1-3/4"	20′
RSB-57*	5-1/8"	7"	3-7/8"	3-1/4"	16′
RSB-511*	5-3/8"	11-1/8"	3-1/8"	2-3/4"	8'6"
RSB-77*	7-1/4"	7-1/4"	5-3/8"	4-1/2"	20′
RSB-88*	8-1/2"	8-1/2"	6-1/2"	6-1/2"	10′
RSB-815*	8-3/4"	15-1/4"	6"	5"	10′







Unfinished

Finished

Product thickness will vary but is an average of 1" thick.





ACCESSORIES

RUBBER BEAM STRAPPING



Double Strap DB-STRAP (Black/Silver) 41"L x 2-3/4"W Bolt Spacing: 4" (4-3/4" C-C) **WB-STAIN**

Includes: (1) 16 oz. can of Brown and (1) 8 oz. can of Dark Brown. Use Dark Brown stain to highlight cracks, splits and knots.

^{*} For unfinished add -UNF to the part number



CUSTOM POLYURETHANE FAUX BEAMS PATTERNS & FINISHES

COMING SOON

PLEASE INQUIRE



CUSTOM POLYURETHANE FAUX BEAMS PATTERNS & FINISHES

COMING SOON

PLEASE INQUIRE






MINWAX GEL STAIN One can of MINWAX Gel Stain will stain approximately 5 to 8 Beams (13 ft. beams).

Exterior Use:

It is Recommended when BEAMS are used for Entrance Ways or Over Terraces that an outdoor deck stain is applied.

- High Density Polyurethane.
- Light weight & Easy to install.
- Coordinating corbels and accessories available.
- Virtually impossible to distinguish from real wood.
- Will not rot, warp, decay or split.
- Our beams can be used indoors and outdoors. When using outdoors, a UV coating must be applied to prevent the pre-finished product from fading over time.



Instructions:

- 1. Secure a wood block to the ceiling every 4-5 ft.
- 2. Slide the opening of the beam over the wooden blocks.
- 3. Place a line of silicone caulk on the beam.
- 4. Attach two screws/nails into the side of the beam. This will secure the beam to the ceiling.



Hint:


TIN PLATED STAMPED

CEILING TILES & CORNICES

LIGHTWEIGHT • TIN FREE STEEL • 30 GAUGE • .010 THICK

Our Stamped Ceiling Panels feature an impressive mix of texture and nostalgia, with contemporary and traditional styling and finely crafted details.

- Steel Ceiling tiles and cornices are shipped uncoated or choose from one of our pre-finished options below. Powder Coated, Lacquered, Brass, Copper, Chrome or Hand Painted Vintage.
- **Powder Coated:** Powder coating is a process of applying dry paint through an electrostatic process, then cured with heat.
- Lacquer: The Lacquer finish is also a powder coated process proprietary to us that allows for a baked on consistent clear finish.
- Brass, Copper and Chrome: Anodized finish over aluminum base metal. Tiles come with a protective peel off PVC sheet.
- **Hand Painted:** Hand painted vintage finishing process is where the base color is applied and then a formula is manipulated to create unique antique faux finishes.



FINISHES AVAILABLE

















For all Powder Coated and Hand Painted Vintage finishes, please visit our website.

Decorative Stamped Steel Ceiling Panels













































CUSTOM ORDERS

If acoustics are a concern, all 2' x 2' tiles are available perforated.
Please inquire for pricing and production time.

For all Powder Coated and Hand Painted Vintage finishes, please visit our website.

Decorative Stamped Steel Ceiling Panels









































CUSTOM ORDERS

If acoustics are a concern, all 2' x 2' tiles are available perforated. Please inquire for pricing and production time.

For all Powder Coated and Hand Painted Vintage finishes, please visit our website.

Decorative Stamped Steel Ceiling Panels





(24" Multiple Plate)

SM2-523 (2' x 2' lay in)

SM2N-523 (2' x 2' nail up)

SM4-523 (2' x 4' nail up)

















CUSTOM ORDERS


If acoustics are a concern, all 2' x 2' tiles are available perforated. Please inquire for pricing and production time.

For all Powder Coated and Hand Painted Vintage finishes, please visit our website.

Fillers







Coffered Ceiling Tile



Stainless Steel Only

2' X 2' Lay-In SM-508 1-1/2" Deep

2' X 2' Nail Up SM-508-N

Accessories

CONE HEAD NAILS

1-1/4" LONG 1 LB. BOX

Coverage approx. 200 sq. ft. per box or (25) 4 ft. sections of cornice



SM-NAIL - Steel
SM-NAIL-B - Brass
SM-NAIL-C - Copper
SM-NAIL-CH - Chrome
SM-NAIL-WH - White
SM-NAIL-LAQ - Lacquered

HOLD DOWN CLIPS


200 PCS. PER BOX


SM-CLIP





Decorative Stamped Steel Cornices


All cornice mouldings are available in 4' lengths and range in projection size from 1-1/2" to 15-1/2".















































Recommended paints for uncoated steel are RUST-O-LEUM to maintain the natural metal appearance, or semi or high gloss oil based primer and paint. **DO NOT USE WATER-BASED PAINT. Chromium treated for superior paint retention and easily cleaned with soap and water.**

FlexLam LITE CEILING TILES

2'x 2' Lay-In Patterns | Thickness: .013"



Bringing lightweight ceiling solutions to beautiful new heights! FlexLam
Lite is our newest value-conscious ceiling solution. The original FlexLam
Structures line has long been coveted as a durable, beautiful, and affordable option for designers and architects.
With FlexLam Lite, we've successfully combined many FlexLam Lay-In
Ceiling Tile patterns with 18 of our most

popular finishes into one sleek .013" thick package. This product line is ultralightweight, ultra-thin, easy-to-install, and even more cost-effective than our traditional FlexLam line.

The Advantage of FlexLam Lite

- Same flexibility, durability, and versatility as FlexLam Structures
- Thinner and easier to cut and fabricate
- Our most cost-effective solution for ceilings

Looking For A Drop-Out Ceiling Solution?

Our FlexLam Lite finishes in Gloss and Matte White are available as a Drop-Out Ceiling Tile, and are specifically designed to fall out when exposed to heat from a developing fire. Provide a sleek, seamless look for commercial ceilings by hiding fire sprinklers.

- Protect fire sprinklers from accidental knocks and tampering, both of which can result in water damage
- Make sprinkler system design and position easier and more cost-effective, as they completely eliminate the need to lower the sprinkler

Create Your Formula

FlexLam Lite offers hundreds of design and finish combinations suitable for any environment. Here's how to create your formula for success.



STEP 1: Choose Any Pattern



STEP 2: Choose Any Finish



FLEXLAM LITE

 $Shown: Georgian + Argent \ Bronze \\ = LCT22\text{-}GEO\text{-}AB$

FlexLam Lite Ceiling Tiles are not recommended for ceiling installations where temperatures exceed 120 $^{
m 0}$ F

FlexLam Lite Ceiling Tiles

2'x 2'Lay-In | Thickness: .013"





ART DECO LCT22-ART-*

MINERAL

LCT22-MIN



COLONIAL LCT22-COL-*



PORTRAIT LCT22-POR-*



RAISED PANEL COFFER

LCT22-RCOF-*

CORRUGATED LCT22-COR-*



GEORGIAN LCT22-GEO-*



MADISON LCT22-MAD-*



RIB 1



LCT22-RIB1-*



ROSETTE LCT22-ROS-*



SOUTH BEACH LCT22-SOB-*



WAVATION LCT22-WAV-*



ANTIQUE BRONZE



BRUSHED NICKEL



(*M)



ARGENT BRONZE



BRUSHED STAINLESS



MIRROR GOLD (*MIRG)




SAHARA

LCT22-SAH-*

ARGENT SILVER



COPPER FANTASY



(*MC)



BERMUDA BRONZE




CROSSHATCH SILVER



MUTED GOLD (*MG)



BRUSHED ALUMINUM



GALVANIZED



SMOKED PEWTER (*SP)



BRUSHED COPPER



GLOSS WHITE (*WH) Paintable



VINTAGE METAL (*VM)

FlexLam CEILINGS

Considered the fifth wall in interior design, FlexLam's wide variety of ceiling tile styles and sizes can add dimension, texture, and visual interest to any room. Available in 2x2 and 2x4 sizes, for laying into suspended ceiling grid, or as a direct glue-up application, these tiles have the power to define a space.

Features:

- Compatible with 15/16" grid systems
- Lightweight & easy to install
- Waterproof
- Easy to clean
- Fire retardant
- High impact & abrasion resistant properties



Shown: Gloss White + Corrugated in Acoustic PCT22L-PERF-COR-WH

Index

- GLUE UP (2x2 Ceiling Tiles)

 Designed with an overlap system (see BIO) to make installation easy, fast and forgiving. These tiles can be used on ceilings and walls.
- GLUE UP (2x4 Ceiling Tiles)
 Designed with an overlap system (see BIO) to make
 installation easy, fast and forgiving. These tiles can be
 used on ceilings and walls.
- LAY-IN NON-TEGULAR (2x2 Ceiling Tiles)
 Designed to fit most suspension grid ceiling systems
 and produces no sag. It is recommended that a
 standard mineral tile (old or new) be used on top of our
 lay-in tiles to hold them in place.
- LAY-IN NON-TEGULAR (2x4 Ceiling Tiles)
 Designed to fit most suspension grid ceiling systems
 and produces no sag. It is recommended that a
 standard mineral tile (old or new) be used on top of our
 lay-in tiles to hold them in place.
- TEGULAR (2x2 Ceiling Tiles)
 The embossed part of the design is lower than the suspension grid and the 4 edges are flat to fit nicely into the grid.
- ACOUSTIC (Perforated 2x2 Lay-In Ceiling Tiles)
 2' x 2' Lay-In tiles, perforated to increase sound
 absorption and offer acoustic qualities, as well as all
 other 2' x 2' Lay-In tile features.
 Available only in Gloss Black and Gloss White
- MINERAL FIBER (2x2 Lay-In Ceiling Tiles)
 Flexible mineral fiber ceiling tiles replace standard mineral fiber ceilings with a long-lasting solution. These thermoplastic ceiling tiles have a durable, waterproof surface that is easy to clean. Available in 2' x 2' for lay-in ceiling applications, this revolutionary tile is flat with tegular/revealed edges that allow the panel to drop below the grid.

BIO (Built-In-Overlap)

Our BIO has flat edges on two adjoining sides of the FlexLam Ceiling Tile. By orienting all tiles in the same




overlapping the tiles, the seams are less noticeable. The placement of the tile is also more flexible so that slight imperfections in the substrate will not affect the finished look. When overlapping four FlexLam Ceilling Tiles, it is necessary to a 1/2" notch in tiles 2 and 3 to avoid a bulge where the panels meet.

Create Your Formula

FlexLam offers hundreds of design and finish combinations suitable for any environment. Here's how to create your formula for success.



STEP 1: Choose Any Pattern



STEP 2: Choose Any Finish



FI FXI AM

Shown: Madison + Gloss White = PCT22G-MAD-WH

See pages S-23 \sim S-25 for patterns. See pages S-27 \sim S-28 for color chart.

FlexLam Ceiling Tiles

Thickness: .030" 2' x 2' & 2' x 4' Patterns |



AMERICANA

PCT22G-AMER-*





ART DECO

PCT24G-ART-*

PCT22L-ART-*

PCT24L-ART-*



O





BALTIMORE

PCT22G-BAL-*

PCT24G-BAL-*

PCT22L-BAL-*

PCT24L-BAL-*



(A





PCT22G-BOS-*

PCT24G-BOS-*

PCT24L-BOS-*



A

G

BOSTON

PCT22L-BOS-*




CELESTIAL

PCT22G-CEL-*

PCT22L-CEL-*

G





CELTIC WEAVE

PCT22G-CW-*

PCT22L-CW-*





CHARLESTON

PCT24G-CHA-*

PCT22L-CHA-*

PCT24L-CHA-*





CHESAPEAKE

PCT22G-CHE-*

PCT22L-CHE-*






PCT22G-COL-*

PCT22L-COL-*






CORRUGATED

PCT22L-COR-*







CURVATION

PCT22G-CURVA-*

PCT22L-CURVA-*



PCT22L-DP-*

PCT24L-DP-*




DIAMOND PLATE



DOGWOOD

PCT22G-DOG-*

PCT22L-DOG-*



FLEUR

PCT24G-FL-*

PCT24L-FL-*

PCT22L-FL-*

G (A G



GEORGIAN

PCT22G-GEO-*

PCT22L-GEO-*





* See pages S-27 ~ S-28 for color chart.





GLUE UP (2x4 Ceiling Tiles)



LAY-IN NON-TEGULAR (2x2 Ceiling Tiles)



LAY-IN NON-TEGULAR (2x4 Ceiling Tiles)



TEGULAR (2x2 Ceiling Tiles)



ACOUSTIC (Perforated 2x2 Lay-In Ceiling Tiles)

See page S-22 for full type descriptions. | Patterns represent a 2'x 2' section.

FlexLam Ceiling Tiles

2' x 2' & 2' x 4' Patterns | Thickness: .030"



HURRICANE







INSET COFFER

PCT22L-ICOF-*





MADISON

PCT24G-MAD-*



(A





METAL PLATES

PCT22L-MP-*





MOJAVE

PCT22G-MOJ-*







PLAIN (Tegular Lay-In)

PCT22L-PLAIN-WH



PORTRAIT

PCT24G-POR-*



PCT22L-POR-*









RAISED PANEL COFFER

PCT22L-RCOF-*





REGALIA

PCT22L-REGAL-*

PCT24L-REGAL-*



ROSETTE

PCT24G-ROS-*

G

PCT22L-ROS-*

T A

PCT24L-ROS-*





SAHARA

PCT22G-SAH-* PCT22L-SAH-*



T A





PCT22L-SD-*






PCT22G-SAV-*

PCT24G-SAV-*

PCT22L-SAV-*

PCT24L-SAV-*



SAVANNAH

G

G (A



SOUTH BEACH

PCT22G-SOB-*

PCT22L-SOB-*





PCT22G-STAR-*



PCT22L-STAR-*









GLUE UP (2x4 Ceiling Tiles)



LAY-IN NON-TEGULAR (2x2 Ceiling Tiles)



LAY-IN NON-TEGULAR (2x4 Ceiling Tiles)



TEGULAR (2x2 Ceiling Tiles)



(Perforated 2x2 Lay-In Ceiling Tiles)



FlexLam Ceiling Tiles

Thickness: .030" 2' x 2' & 2' x 4' Patterns |



STORM

PCT22G-STO-*

T A PCT22L-STO-*

G



STRIKE

PCT22G-HAM-*



PCT24G-HAM-*

PCT22L-HAM-*

PCT24L-HAM-*



WAVATION

PCT22G-WAV-*

PCT22L-WAV-*

PCT24L-WAV-*



G

T A



Add finish code to end of part number ex: PCT22G-AMER-EB





GLUE UP (2x4 Ceiling Tiles)



LAY-IN NON-TEGULAR (2x2 Ceiling Tiles)



LAY-IN NON-TEGULAR (2x4 Ceiling Tiles)



TEGULAR (2x2 Ceiling Tiles)



ACOUSTIC (Perforated 2x2 Lay-In Ceiling Tiles)


See page S-22 for full type descriptions. | Patterns represent a 2'x 2' section.



MINERAL

PCT22L-MIN





See page S-22 for full type descriptions



^{*}See pages S-27 ~ S-28 for color chart.

THIS PAGE LEFT INTENTIONALLY BLANK

FlexLam FINISHES

Argent Finishes have color throughout and a metallic luster. Request physical samples as printed images may not be accurate.



ABSTRACT BRONZE (*ABSB)



ABSTRACT COPPER (*ABSC)



ABSTRACT SILVER (*ABSS)



AFRICAN CHERRY (*AFCH)



+



ALMOND (*AL)





AMERICAN WALNUT (*AMW)





ANTIQUE BRONZE (*ANTB)





ARGENT BRONZE (*AB)





ARGENT SILVER (*AS)





BERMUDA BRONZE (*BB)

+>*



BRONZE FANTASY (*BF)

>*



BRONZE STRATA (*BRSTR)



BRUSHED ALUMINUM (*BA)



BRUSHED COPPER (*BC)

+ > |



BRUSHED NICKEL (*BN)





BRUSHED ONYX (*BO)



BRUSHED STAINLESS (*BS)

* |



CASHMERE MELODY (*CASH)



COPPER FANTASY (*CF)

+*



Available Colors for Linear Collection



+>*



(*CC)



CROSSHATCH SILVER (*CS)

+ > * **=**



DIAMOND BRUSHED (*DB)

* ■




DISTRESSED WHITE (*DW)



ECCOFLEX TAN (*ET) Paintable




Available Colors for Gridmax Available Colors for Trims and Outlet Covers (Minimums Apply)



Now Available Tuffcote™ on selected finishes. A revolutionary protection shield that offers superior durability and scratch resistance.

FlexLam FINISHES

Argent Finishes have color throughout and a metallic luster. Request physical samples as printed images may not be accurate.



High Traffic Finishes have color

throughout so scratches are

less visible

Available Colors for Trims

(Minimums Apply)

Available Colors for

Linear Collection

Available Colors for Gridmax™

and Outlet Covers

Now Available Tuffcote™ on selected


finishes. A revolutionary protection

shield that offers superior durability and scratch resistance.





 $\begin{tabular}{ll} STEP~1: & \textit{Choose Any Pattern} \end{tabular}$



STEP 2: Choose Any Finish



FLEXLAM

Shown: Baltimore + Paintable = PCT22L-BAL-WH


See pages S-23 \sim S-25 for patterns. See pages S-27 \sim S-28 for color chart.





 $Shown: Georgian + Argent\ Bronze = PCT22L\text{-}GEO\text{-}AB$

See pages S-23 \sim S-25 for patterns. See pages S-27 \sim S-28 for color chart.



 $Shown: Corrugated + Crosshatch \ Silver = PCT22L-COR-CS$ $See \ pages \ S-23 \sim S-25 \ for \ patterns. \ See \ pages \ S-27 \sim S-28 \ for \ color \ chart.$





Laminated Rigid Vinyl Ceiling Tiles

2 Ft. x 2 Ft.

.030" Thick Drop In, Glue or Staple Up Tiles (1" T-bar grid required for drop in)

Available in White/Paintable (*WTP), Tin/Pewter (*PBR), Copper (*CBR), or Bronze (*BBR) Please specify color code

Enjoy a magnificent antique ceiling. Create the look of historical pressed metal for a fraction of the time and price.

> Decorative reproductions of classic tin styles that turn any ceiling into a work of art.

> > ❖ Remarkable ¥ Versatilit

PLEASE CALL ONE OF OUR SALES ASSOCIATES FOR OTHER OPTIONS

- Won't absorb moisture or stain
- Won't harbor dust, mold or mildew
- Easy to install
- Full tile samples available at no charge (please inquire)

Fleur-De-lis Style





Laminated Rigid Vinyl Ceiling Tiles 2 Ft. x 2 Ft.

.030" Thick Drop In, Glue or Staple Up Tiles (1" T-bar grid required for drop in)

Available in White/Paintable (*WTP), Tin/Pewter (*PBR), Copper (*CBR), or Bronze (*BBR)

Please specify color code







Laminated Rigid Vinyl Ceiling Tiles 2 Ft. x 2 Ft.

.030" Thick Drop In, Glue or Staple Up Tiles (1" T-bar grid required for drop in)

Available in White/Paintable (*WTP), Tin/Pewter (*PBR), Copper (*CBR), or Bronze (*BBR) Please specify color code

Decorative Tape & Strip



Decorative Grid Tape 1" x 100' rolls. Approximately 1 role per 20 tiles. Grid mount installation only.

Part #	Finish
AC-DECOTAPE-WTP	White
AC-DECOTABE-*	Othors



V3-DECOSTRP-W

PLEASE CALL ONE OF OUR SALES ASSOCIATES FOR OTHER OPTIONS

shown in White **V3-EMP-***

Empire



V3-JACK-*





V3-RAT-*



V3-BISTRO-*

- Great for full-ceiling direct use, and as border tiles in drop ceiling applications.
- This tile may be trimmed and installed along ceiling borders.

A BROKEN BOX FEE APPLIES FOR ORDERS UNDER 25 PCS.



FlexLam Light Diffusers

FlexLam Light Diffusers are designed to replace existing prismatic panels in suspended ceiling systems. Our diffusers are ideal for office work environments because the light is directed from side to side and does not shine downward onto computer stations.

The panels are tegular which means the embossed part of the design is lower than the suspension grid and the 4 edges are flat to fit nicely into the grid.




- Thermoplastic Panels
- Finish: Frosted Clear



Smooth Ceiling Ornaments

Manufactured of high density polyurethane, these plaster-like decorative ornaments are lightweight, primed and ready to paint.



Ceiling Corner

See Pages L-87~90 ❖





Decorative Recessed Ceiling Domes



POLYURETHANE ARCHITECTURAL ELEMENTS











Ceiling Dome Insert

DEM-900-1

13-3/8" x 1-3/4" works with : DEM-911, DEM-912

DEM-900-2

20-1/2" x 2-9/16" works with : DEM-919



Ceiling Dome Insert

DEM-900-3

12-13/16" x 1-1/2" works with : DEM-911, DEM-912

DEM-900-4

18-1/8" x 1-3/4" works with : DEM-919

The FRT PRE-PAID offer does NOT apply to the DEM-900 Series of ceiling domes.

 $\label{eq:all-dimensions} \mbox{ All dimensions are approximate.}$

Decorative Recessed Ceiling Domes



POLYURETHANE ARCHITECTURAL ELEMENTS











Surface Mount Ceiling Domes



DEM-940 28-7/8" Dia x 4-5/16" Deep

Hole Dia: 4-3/8" Hole Thickness: 1-3/4" Inside Dia: 22-1/8"



DEM-584 37-1/4" Dia. Projection: 4-1/2"

The FRT PRE-PAID offer does NOT apply to the DEM-900 Series of ceiling domes.

All dimensions are approximate.

