

Rolling Ladder Hardware Kit

Hardware Components Only

NEW! See page U-5 for Non-Rolling Non-Skid Hardware



Material: Powder Coated Steel


16" and 20" Wide Ladders & Hardware Available

LIBRARIES • WINE CELLARS • KITCHENS • STORAGE AREAS



Architectural Products by Outwater has made creating your own rolling ladder system simple and convenient. We've assembled a kit which provides all the hardware needed to build an **8 foot** ladder (9' & 10' also available). From the **whisper quiet top roller and non-marring wheels**, our hardware kits offer unsurpassed quality and value.

Finishes Available:



2 Rolling Ladder Kits Available

Ultra-Quiet Bar Rollers



**Can Be
Moved From
One Track To
Another**

ROLLING *HOOK* HARDWARE KIT:

This application is used for **separate sections** of track. The rolling **hook** allows you to remove the ladder from one track and move to another track easily and quickly.




**Secure To
One Run Of
Track**

ROLLING *GLIDE* HARDWARE KIT:

This application is used for **one continuous run** of track. The rolling **glides** are locked onto track once installed.

RAIL HEIGHT AND DISTANCE for 8', 9', 10' standard ladders



**Non-Marring Wheel
Large (4" Dia.)**



Roller With Brake

Brake is applied upon stepping on the ladder and has an adjustable spring to accommodate ladder weight.



Hardware Components Only



Material: Powder Coated Steel

Order Your Rolling Ladder In A Few Easy Steps:

Step 1

Choose Your Kit for 16" or 20" Wide Ladders

- Rolling **Hook** Hardware Kit for multiple, separate sections of track
- Rolling **Glide** Hardware Kit for one continuous run of track.

Step 2

How Many Feet of Track Do You Need?

Available in 4' and 8' lengths, & 90° curves.

Step 3

How Many Support Brackets?

Vertical or Horizontal brackets available. You'll need one for every 32".

(Be sure to order correctly for Rolling **Hook** Hardware Kit or Rolling **Glide** Hardware Kit).

Step 4

How Many Splice Kits Will You Need?

You'll need one for each length of track you're joining.

Step 5

How Many Pair of End Stops?

You'll need 1 pair for each run of track.

Step 6

Choose Your Ladder 16" or 20" Wide

Maple, Oak, Cherry or Walnut.

Don't forget 1 or 2 additional rung supports if you are ordering a 9' or 10' ladder.

See Page U-7 For Ladders



(See page U-5 for Components)



Material: Powder Coated Steel

Step 1 Build Your Own Rolling Ladder Kit



ROLLING **HOOK** Hardware Kits:

For multiple, separate sections of track

Kit Includes:

- Lower ladder wheels (2)
- Hook top guides (2)
- Rung support rods (7)
- All fasteners needed to make an 8 ft. ladder



ROLLING **GLIDE** Hardware Kits:

For one continuous run of track

Kit Includes:

- Lower ladder wheels (2)
- Upper rolling top guides (2)
- Rung support rods (7)
- All fasteners needed to make an 8 ft. ladder

16" WIDE Ladder Kits

16" Wide~ROLLING HOOK~Traditional Wheels

	Part #	Finish
NO BRAKE	RHK-HOOK-10	Matte Black
	RHK-HOOK-20	Oil Rubbed Bronze
	RHK-HOOK-30	Hammered Antique Brass
	RHK-HOOK-40	Satin Nickel
WITH BRAKE	RHK-HOOK-10BRK	Matte Black
	RHK-HOOK-20BRK	Oil Rubbed Bronze
	RHK-HOOK-30BRK	Hammered Antique Brass
	RHK-HOOK-40BRK	Satin Nickel
	RHK-HOOK-04BRK	Polished Chrome

16" Wide~ROLLING HOOK~Contemporary Wheels

	Part #	Finish
NO BRAKE	RHK-HOOK-10-CON	Matte Black
	RHK-HOOK-20-CON	Oil Rubbed Bronze
	RHK-HOOK-30-CON	Hammered Antique Brass
	RHK-HOOK-40-CON	Satin Nickel

16" Wide~ROLLING GLIDE~Traditional Wheels

	Part #	Finish
NO BRAKE	RHK-10	Matte Black
	RHK-20	Oil Rubbed Bronze
	RHK-30	Hammered Antique Brass
	RHK-40	Satin Nickel
WITH BRAKE	RHK-10-BRK	Matte Black
	RHK-20-BRK	Oil Rubbed Bronze
	RHK-30-BRK	Hammered Antique Brass
	RHK-40-BRK	Satin Nickel
	RHK-04-BRK	Polished Chrome

16" Wide~ROLLING GLIDE~Contemporary Wheels

	Part #	Finish
NO BRAKE	RHK-10-CON	Matte Black
	RHK-20-CON	Oil Rubbed Bronze
	RHK-30-CON	Hammered Antique Brass
	RHK-40-CON	Satin Nickel

PLEASE NOTE: Outside width of ladder should be built 16" wide to accept the ladder step support rods. Track can be cut to size. The track requires support brackets every 32".

20" WIDE Ladder Kits

20" Wide~ROLLING HOOK~Traditional Wheels

	Part #	Finish
NO BRAKE	RHK-HOOK-10-20	Matte Black
	RHK-HOOK-20-20	Oil Rubbed Bronze
	RHK-HOOK-30-20	Hammered Antique Brass
	RHK-HOOK-40-20	Satin Nickel
WITH BRAKE	RHK-HOOK-10BRK-20	Matte Black
	RHK-HOOK-20BRK-20	Oil Rubbed Bronze
	RHK-HOOK-30BRK-20	Hammered Antique Brass
	RHK-HOOK-40BRK-20	Satin Nickel
	RHK-HOOK-04BRK-20	Polished Chrome

20" Wide~ROLLING HOOK~Contemporary Wheels

	Part #	Finish
NO BRAKE	RHK-HOOK-10-CON-20	Matte Black
	RHK-HOOK-20-CON-20	Oil Rubbed Bronze
	RHK-HOOK-30-CON-20	Hammered Antique Brass
	RHK-HOOK-40-CON-20	Satin Nickel

20" Wide~ROLLING GLIDE~Traditional Wheels

	Part #	Finish
NO BRAKE	RHK-10-20	Matte Black
	RHK-20-20	Oil Rubbed Bronze
	RHK-30-20	Hammered Antique Brass
	RHK-40-20	Satin Nickel
WITH BRAKE	RHK-10-BRK-20	Matte Black
	RHK-20-BRK-20	Oil Rubbed Bronze
	RHK-30-BRK-20	Hammered Antique Brass
	RHK-40-BRK-20	Satin Nickel
	RHK-04-BRK-20	Polished Chrome

20" Wide~ROLLING GLIDE~Contemporary Wheels


	Part #	Finish
NO BRAKE	RHK-10-CON-20	Matte Black
	RHK-20-CON-20	Oil Rubbed Bronze
	RHK-30-CON-20	Hammered Antique Brass
	RHK-40-CON-20	Satin Nickel

PLEASE NOTE: Outside width of ladder should be built 20" wide to accept the ladder step support rods. Track can be cut to size. The track requires support brackets every 32".

(Components sold separately, see page U-4)



Traditional Wheels



Contemporary Wheels

(See page U-7 for unassembled stain grade ladders)

Hardware Components Only For Rolling & Non-Rolling Hardware



Material: Powder Coated Steel

Step 2

Track (3 ft., 4 Ft., 6 Ft. or 8 Ft.)

1" diameter solid aluminum track

Part #	Size	Finish
RLH-T3-CH	3 ft.	Polished Chrome
RLH-T4-BK		Matte Black
RLH-T4-ORB		Oil Rubbed Bronze
RLH-T4-AB	4 ft.	Hammered Antique Brass
RLH-T4-SN		Satin Nickel
RLH-T4-CH		Polished Chrome



Part #	Size	Finish
RLH-T6-CH	6 ft.	Polished Chrome
RLH-T8-BK		Matte Black
RLH-T8-ORB	8 ft.	Oil Rubbed Bronze
RLH-T8-AB		Hammered Antique Brass
RLH-T8-SN		Satin Nickel

Step 3

Support Brackets (Vertical or Horizontal)

Recommended maximum spacing 32" ~ (Screws included)



For Rolling *GLIDE* Kits

Vertical

Part #	Finish
RLH-SUPPORT-BK	Matte Black
RLH-SUPPORT-ORB	Oil Rubbed Bronze
RLH-SUPPORT-AB	Hammered Antique Brass
RLH-SUPPORT-SN	Satin Nickel
RLH-SUPPORT-CH	Polished Chrome

Horizontal

Part #	Finish
RLH-SPRT-BK-HZ	Matte Black
RLH-SPRT-ORB-HZ	Oil Rubbed Bronze
RLH-SPRT-AB-HZ	Hammered Antique Brass
RLH-SPRT-SN-HZ	Satin Nickel
RLH-SPRT-CH-HZ	Polished Chrome




For Rolling *HOOK* Kits

Vertical

Part #	Finish
RLH-HK-SUPPORT-BK	Matte Black
RLH-HK-SUPPORT-ORB	Oil Rubbed Bronze
RLH-HK-SUPPORT-AB	Hammered Antique Brass
RLH-HK-SUPPORT-SN	Satin Nickel
RLH-HK-SUPPORT-CH	Polished Chrome

Horizontal

Part #	Finish
RLH-HK-SPRT-BK-HZ	Matte Black
RLH-HK-SPRT-ORB-HZ	Oil Rubbed Bronze
RLH-HK-SPRT-AB-HZ	Hammered Antique Brass
RLH-HK-SPRT-SN-HZ	Satin Nickel
RLH-HK-SPRT-CH-HZ	Polished Chrome



Rung Supports

Material: Steel

for 16" WIDE Ladders

Part #	Finish
RLH-RSK	Matte Black
RLH-RSK-CH	Polished Chrome

for 20" WIDE Ladders

Part #	Finish
RLH-RSK-20	Matte Black
RLH-RSK-20-SN	Satin Nickel
RLH-RSK-20-CH	Polished Chrome

Extra Rung Supports for ladders over 8' long

LADDER:	8'	9'	10'
# OF RUNG SUPPORTS REQUIRED:	7	8	9


Note: 7 Supports provided in each hardware kit



Step 4

Splice Kits

Steel support dowel included for joining multiple tracks



Part #	Finish
RLH-DOWEL	Matte Black

Step 5

End Stops (Sold in pairs)

FLAT End Stops

Part #	Finish
RLH-ESTOP-BK	Matte Black
RLH-ESTOP-ORB	Oil Rubbed Bronze
RLH-ESTOP-AB	Hammered Antique Brass
RLH-ESTOP-SN	Satin Nickel
RLH-ESTOP-CH	Polished Chrome

BALL End Stops


Part #	Finish
RLH-BALLSTOP-BK	Matte Black
RLH-BALLSTOP-ORB	Oil Rubbed Bronze
RLH-BALLSTOP-AB	Hammered Antique Brass
RLH-BALLSTOP-SN	Satin Nickel



90° Inside Corner

30° Radius • 5 Ft. Length

For use with rolling *glide* hardware kit only (not *hook* kit)



Part #	Finish
RLH-IC-BK	Matte Black
RLH-IC-ORB	Oil Rubbed Bronze
RLH-IC-AB	Hammered Antique Brass
RLH-IC-SN	Satin Nickel



- Cost Effective
- Sturdy
- Stylish

NON-ROLLING LADDER HARDWARE KITS **with NON-SKID FEET**

Material: Powder Coated Steel

16" and 20" Wide Ladder Hardware Kits Available

Add a touch of elegance to your home or business with our new Non-Rolling Library Ladders.

Featuring non-skid feet & upper guide hooks, their graceful style & function will enhance any space.



Step 1 Build Your Own Non-Skid Ladder Kit

Kit Includes:

- Non-skid feet (2)
- Hook top guides (2)
- Rung support (7) for an 8 ft. ladder

See page U-4 for track, support brackets and other components.

See page U-7 for unassembled staingrade wood ladders.



See page U-2 for rail height & projection.

Finishes Available:

Satin Nickel



Oil Rubbed Bronze



Matte Black



16" WIDE Non-Skid Ladder Kits

Part #	Finish
LHK-NS-02	Satin Nickel
LHK-NS-07	Oil Rubbed Bronze
LHK-NS-08	Matte Black

20" WIDE Non-Skid Ladder Kits

Part #	Finish
LHK-NS-02-20	Satin Nickel
LHK-NS-07-20	Oil Rubbed Bronze
LHK-NS-08-20	Matte Black

Non-Skid Feet



**Ensures Steady,
Secure Climbing**

Guide Hook



← Upper hook for climbing position

Lift & Move Ladder Into Position
Do Not Slide

← Lower hook for stowing position

Wood Components Only

Material: Staingrade, Unfinished & Sanded to 120 Grit



Step 6 Ladders




- 8 ft. • 9 ft. • 10 ft. unassembled ladder kits in 16" or 20" widths
(Wood Components - Includes: side rails, steps & top "turned" rung)
- Available in Oak, Maple, Cherry & Walnut
- Pre-drilled holes for fasteners
- The sides dadoed for steps

16" WIDE Ladders

Part #	Description	Color
LDR-8-*	8' L x 16" W Unassembled Library Ladder	*OAK (Oak)
LDR-9-*	9' L x 16" W Unassembled Library Ladder	*MP (Maple)
LDR-10-*	10' L x 16" W Unassembled Library Ladder	*CH (Cherry)
		*WA (Walnut)

20" WIDE Ladders

LDR-8-*.20	8' L x 20" W Unassembled Library Ladder	*OAK (Oak)
LDR-9-*.20	9' L x 20" W Unassembled Library Ladder	*MP (Maple)
LDR-10-*.20	10' L x 20" W Unassembled Library Ladder	*CH (Cherry)
		*WA (Walnut)




Steam Bent Wooden Hand Rails

Made From 1-1/4" x 1-1/4" stock

Part #	Color	Rail Hardware
RLH-HR-CH-BK	Cherry	Matte Black
RLH-HR-CH-SN	Cherry	Satin Nickel
RLH-HR-MP-BK	Maple	Matte Black
RLH-HR-MP-SN	Maple	Satin Nickel
RLH-HR-RO-BK	Red Oak	Matte Black
RLH-HR-RO-SN	Red Oak	Satin Nickel
RLH-HR-WA-BK	Walnut	Matte Black
RLH-HR-WA-SN	Walnut	Satin Nickel

Rail Hardware Available in Matte Black or Satin Nickel



Rung Supports

Material: Steel

for 16" WIDE Ladders

Extra Rung Supports for ladders over 8' long

LADDER:	8'	9'	10'
# OF RUNG SUPPORTS REQUIRED:	7	8	9

Note: 7 Supports provided in each hardware kit

Part #	Finish
RLH-RSK	Matte Black
RLH-RSK-CH	Polished Chrome
for 20" WIDE Ladders	
Part #	Finish
RLH-RSK-20	Matte Black
RLH-RSK-20-SN	Satin Nickel
RLH-RSK-20-CH	Polished Chrome

Non-Skid Step Tread

Material: Clear PVC w/Adhesive back

RLH-NST-CL



See page U-4 for Rolling Ladder Hardware

Phone: 1-800-631-8375 • Fax: 1-800-888-3315





ROLLING LADDER HOOK KIT

*A Classy, Functional
& Economical Ladder
For Your Home*

ROLLING LADDER KITS FEATURE...

Hardware Available in:

- 8 ft. & 12 ft. Track Lengths
- 4 Finishes:
 - Black
 - Polished Brass
 - Bronze
 - Satin Nickel

Wood Ladders Available in:


- 8 ft. & 9 ft. Heights
- 16" Wide
- Maple & Red Oak
- Finished & Unfinished




Non-Skid Wheels

Hardware Includes

# of:	TRACK LENGTHS:	
	8 ft.	12 ft.
4' Rails	2	3
End Stops Set	1	1
Rail Brackets	4	6
Top Hook Guides	2	2
Bottom Rollers	2	2
Splice Kit	1	2
7-Rung Support Kit - for 8 ft. Ladders		
8-Rung Support Kit - for 9 ft. Ladders		




Finishes



Ladders - 16" Wide

Available in Maple or Red Oak
Finished or Unfinished



8 ft. (92") Ladder Kits

Part #	Ladder Finish/Wood	Hardware Finish/Metal	Track Length
SHLH-92M-BK-12	Finished Maple	Black	12 ft.
SHLH-92M-BK-8	Finished Maple	Black	8 ft.
SHLH-92M-BK-UNF-12	Unfinished Maple	Black	12 ft.
SHLH-92M-BK-UNF-8	Unfinished Maple	Black	8 ft.
SHLH-92M-BZ-12	Finished Maple	Bronze	12 ft.
SHLH-92M-BZ-8	Finished Maple	Bronze	8 ft.
SHLH-92M-BZ-UNF-12	Unfinished Maple	Bronze	12 ft.
SHLH-92M-BZ-UNF-8	Unfinished Maple	Bronze	8 ft.
SHLH-92M-PB-U-12	Unfinished Maple	Polished Brass	12 ft.
SHLH-92M-POLB-12	Finished Maple	Polished Brass	12 ft.
SHLH-92M-POLB-8	Finished Maple	Polished Brass	8 ft.
SHLH-92M-POLB-U8	Unfinished Maple	Polished Brass	8 ft.
SHLH-92M-SN-12	Finished Maple	Satin Nickel	12 ft.
SHLH-92M-SN-8	Finished Maple	Satin Nickel	8 ft.
SHLH-92M-SN-UNF-12	Unfinished Maple	Satin Nickel	12 ft.
SHLH-92M-SN-UNF8	Unfinished Maple	Satin Nickel	8 ft.
SHLH-92RO-BK-12	Finished Red Oak	Black	12 ft.
SHLH-92RO-BK-8	Finished Red Oak	Black	8 ft.
SHLH-92RO-BK-U-12	Unfinished Red Oak	Black	12 ft.
SHLH-92RO-BK-UNF-8	Unfinished Red Oak	Black	8 ft.
SHLH-92RO-BZ-12	Finished Red Oak	Bronze	12 ft.
SHLH-92RO-BZ-8	Finished Red Oak	Bronze	8 ft.
SHLH-92RO-BZ-U12	Unfinished Red Oak	Bronze	12 ft.
SHLH-92RO-BZ-UNF-8	Unfinished Red Oak	Bronze	8 ft.
SHLH-92RO-PB-U-12	Unfinished Red Oak	Polished Brass	12 ft.
SHLH-92RO-PB-U8	Unfinished Red Oak	Polished Brass	8 ft.
SHLH-92RO-POLB-12	Finished Red Oak	Polished Brass	12 ft.
SHLH-92RO-POLB-8	Finished Red Oak	Polished Brass	8 ft.
SHLH-92RO-SN-12	Finished Red Oak	Satin Nickel	12 ft.
SHLH-92RO-SN-8	Finished Red Oak	Satin Nickel	8 ft.
SHLH-92RO-SN-U12	Unfinished Red Oak	Satin Nickel	12 ft.
SHLH-92RO-SN-UNF8	Unfinished Red Oak	Satin Nickel	8 ft.

9 ft. (107") Ladder Kits

Part #	Ladder Finish/Wood	Hardware Finish/Metal	Track Length
SHLH-107M-BK-12	Finished Maple	Black	12 ft.
SHLH-107M-BK-8	Finished Maple	Black	8 ft.
SHLH-107M-BK-U-12	Unfinished Maple	Black	12 ft.
SHLH-107M-BK-UNF-8	Unfinished Maple	Black	8 ft.
SHLH-107M-BZ-12	Finished Maple	Bronze	12 ft.
SHLH-107M-BZ-8	Finished Maple	Bronze	8 ft.
SHLH-107M-BZ-U-12	Unfinished Maple	Bronze	12 ft.
SHLH-107M-BZ-UNF-8	Unfinished Maple	Bronze	8 ft.
SHLH-107M-PB-U-12	Unfinished Maple	Polished Brass	12 ft.
SHLH-107M-POLB-12	Finished Maple	Polished Brass	12 ft.
SHLH-107M-POLB-8	Finished Maple	Polished Brass	8 ft.
SHLH-107M-POLB-U8	Unfinished Maple	Polished Brass	8 ft.
SHLH-107M-SN-12	Finished Maple	Satin Nickel	12 ft.
SHLH-107M-SN-8	Finished Maple	Satin Nickel	8 ft.
SHLH-107M-SN-U12	Unfinished Maple	Satin Nickel	12 ft.
SHLH-107M-SN-UNF-8	Unfinished Maple	Satin Nickel	8 ft.
SHLH-107RO-BK-12	Finished Red Oak	Black	12 ft.
SHLH-107RO-BK-8	Finished Red Oak	Black	8 ft.
SHLH-107RO-BK-U12	Unfinished Red Oak	Black	12 ft.
SHLH-107RO-BK-U8	Unfinished Red Oak	Black	8 ft.
SHLH-107RO-BZ-12	Finished Red Oak	Bronze	12 ft.
SHLH-107RO-BZ-8	Finished Red Oak	Bronze	8 ft.
SHLH-107RO-BZ-U-12	Unfinished Red Oak	Bronze	12 ft.
SHLH-107RO-BZ-U8	Unfinished Red Oak	Bronze	8 ft.
SHLH-107RO-PB-U-12	Unfinished Red Oak	Polished Brass	12 ft.
SHLH-107RO-POLB-12	Finished Red Oak	Polished Brass	12 ft.
SHLH-107RO-POLB-8	Finished Red Oak	Polished Brass	8 ft.
SHLH-107RO-POLB-U8	Unfinished Red Oak	Polished Brass	8 ft.
SHLH-107RO-SN-12	Finished Red Oak	Satin Nickel	12 ft.
SHLH-107RO-SN-8	Finished Red Oak	Satin Nickel	8 ft.
SHLH-107RO-SN-U-12	Unfinished Red Oak	Satin Nickel	12 ft.
SHLH-107RO-SN-U8	Unfinished Red Oak	Satin Nickel	8 ft.

Steel Hinges: 5/8" Radius Corner Button Tipped - Steel Pin - PLAIN BEARING



Oil Rubbed Bronze
Finish



Satin Chrome
Finish



Polished Brass
Finish



Polished Chrome
Finish

Part #	Size	Finish	Gauge
HN-RCH3-RB	3.5" x 3.5"	Oil Rubbed Bronze US10B	.088"
HN-RCH3-SC	3.5" x 3.5"	Satin Chrome US26D	.088"
HN-RCH4-SC	4" x 4"	Satin Chrome US26D	.10"
HN-RCH3-PB	3.5" x 3.5"	Fully Polished Brass US3FP	.088"
HN-RCH4-PB	4" x 4"	Fully Polished Brass US3FP	.10"
HN-RCH3-PC	3.5" x 3.5"	Polished Chrome US26	.088"
HN-RCH4-PC	4" x 4"	Polished Chrome US26	.10"

Steel Hinges: Square Corner Button Tipped - Steel Pin - PLAIN BEARING



Oil Rubbed Bronze
Finish



Satin Chrome
Finish



Polished Brass
Finish



Polished Chrome
Finish

Part #	Size	Finish	Gauge
HN-SCH3-RB	3.5" x 3.5"	Oil Rubbed Bronze US10B	.088"
HN-SCH4-SC	4" x 4"	Satin Chrome US26D	.10"
HN-SCH3-PB	3.5" x 3.5"	Fully Polished Brass US3FP	.088"
HN-SCH4-PB	4" x 4"	Fully Polished Brass US3FP	.10"
HN-SCH3-PC	3.5" x 3.5"	Polished Chrome US26	.088"
HN-SCH4-PC	4" x 4"	Polished Chrome US26	.10"

Double Action Spring Hinges:



- Allows door to swing back and forth
- For doors up to 1-1/8" thick
- Screws & instructions included
- Dimensions: 4-7/8" high x 3-1/2" wide

Part #	Color
DAH-BRS	Brass

DOOR STOPS

Low Profile Solid Brass Door Stop



- High impact vinyl bumper.
- 1-3/4" overall dia.
- Concealed screw mount installation.
- Installation anchor & screw included.

DS-7100 (Polished Brass)
DS-7100-SC (Satin Chrome)

High Profile Solid Brass Door Stop



- High impact vinyl bumper.
- 1-3/4" overall dia.
- Concealed screw mount installation.
- Installation anchor & screw included.

DS-7101-SC (Satin Chrome)

Heavy Duty Door Floor Stop

- Cast aluminum construction
- 3-5/8" projection with 2-1/8" base plate
- 3 hole surface mount



DS-735AL (Aluminum)
DS-735DB (Dull Brass)

- Cast aluminum construction
- 3" projection with 2-1/8" base diameter
- Replaceable non-marring rubber bumpers





DS-835AL (Aluminum)
DS-835DB (Dull Brass)

304 Stainless Steel Hydraulic Door Closer



- 304 Stainless steel body with aluminum cylinder and steel pin/shaft.
- Bracket arm catches the roller for self closing at approximately 10°.
- Silent operation, the hydraulic cylinder absorbs shock, preventing the door from slamming shut.
- Easy installation, ideal for retro-fit.
- Works with a maximum door width of 43-5/16".
- Maximum door weight of 176 lbs.


JFR-021205



Door Stopper & Holder



- Strong magnet holds door in the open position
- 17.6 lbs. of magnetic force per assembly
- Can be mounted on either the floor or the wall
- Optional anchor bolt available, (**ANCHOR-SMDH**) please inquire




Part #	Material	Color
SMDH/IVY	Polycarbonate	Ivory
SMDH/BRN	ABS	Brown

304 Stainless Steel Door Stopper

Finish: Satin



DSD-02/S



- Floor mount
- Rubber ring prevents damage to door and wall
- Supplied with screw and plastic expansion anchor

HOOKS

Material: 304 Stainless Steel • **Finish:** Mirror
Matching Stainless Steel Screws Included



Part #	Load Capacity	Proj.	Overall Height
FC-50	22 lbs.	1-27/32"	1-29/64"
FC-65	26 lbs.	2-9/16"	1-47/64"

Material: 304 Stainless Steel • **Finish:** Satin
Matching Stainless Steel Screws Included



Part #	Load Capacity	Proj.	Overall Height
HJT-55	22 lbs.	1-19/64"	2.165"
HJT-70	17.6 lbs.	1-21/32"	2.756"

COAT HOOK

Material: 303, 304 Stainless Steel • **Finish:** Satin
Matching Stainless Steel Screws Included



Part #	Load Capacity	Proj.
DSH-01	22 lbs.	1-11/16"

HOOK

Material: 304 Stainless Steel • **Finish:** Satin
Matching Stainless Steel Screws Included



Part #	Load Capacity	Proj.	Overall Height
HJ-50	22 lbs.	53/64"	1-27/32"

HOOK

Material: 304 Stainless Steel • **Finish:** Mirror
Matching Stainless Steel Screws Included



Part #	Load Capacity	Proj.	Overall Height
EL-25	44 lbs.	1-1/32"	1-37/64"
EL-30	44 lbs.	1-17/64"	2-9/64"

Material: 304 Stainless Steel • **Finish:** Mirror
Matching Stainless Steel Screws Included



Part #	Load Capacity	Proj.	Overall Height
EP-25	44 lbs.	63/64"	63/64"
EP-40	44 lbs.	1-17/64"	1-19/64"


LARGE UTILITY HOOKS

Material: 303 Stainless Steel • **Finish:** Mirror
Matching Stainless Steel Screws Included




Part #	Load Capacity	Proj.	Overall Height
JF-45	22 lbs.	1-25/32"	2-27/32"
JF-70	22 lbs.	2-43/64"	4-23/32"
JF-110	26 lbs.	4-21/32"	7-7/8"

Part #	Load Capacity	Proj.	Overall Height
JF-120	48 lbs.	4-23/32"	7-7/8"



UNDER TABLE & BAR HOOKS

- Two black PVC 2-1/4" long x 1-7/8" wide hooks comes with four 1" long wood screws
- Rectangular plate: 1-3/4" x 1"
- It's easy to install and engineered for durability
- Increase customer convenience and security
- Ideal way to keep pocketbooks off the floor and out of the way
- These will avoid tripping hazards and keep the purse clean



S8-HOOK

FORK HOOK

Material: 316 Stainless Steel • **Finish:** Mirror
Matching Stainless Steel Screws Included



Part #	Load Capacity	Proj.	Overall Height
EU-50	44 lbs.	1-1/2"	1-31/32"
EU-72	66 lbs.	2-3/64"	2-53/64"



ROTATING SPECIALTY HOOK

Material: 304 Stainless Steel • **Finish:** Satin
Matching Stainless Steel Screws Included
• Rotates 360°




Part #	Load Capacity	Proj.	Overall Height
RF-50	6.6 lbs.	1-31/32"	1-17/32"



SWING SPECIALTY HOOK

Material: 304 Stainless Steel • **Finish:** Polished
Matching Stainless Steel Screws Included

- Hook has constant torque when swiveling
- Ideal for vibration or shock applications



Swivels 180°



Part #	Load Capacity	Proj.	Overall Height
TK-30F	26 lbs.	1-27/64"	1-1/2"
TK-45F	17 lbs.	1-3/4"	1-11/16"

BUTTERFLY SPECIALTY HOOK

Material: 304 Stainless Steel • **Finish:** Polished
Matching Stainless Steel Screws Included

- Flush or corner mount
- Applicable angle: 90°-270°



Part #	Load Capacity	Proj.	Overall Height
TZ-360	6-13 lbs.	1-41/64"	1-27/64"

LATCH HOOKS

Material: 316 Stainless Steel • **Finish:** Polished
Matching Stainless Steel Screws Included

- Keeps items hooked
- Ideal for vibration or shock applications




Part #	Load Capacity	Proj.	Overall Height
EN-K84	44 lbs.	1-1/2"	3-5/16"
EN-K120	44 lbs.	2-1/8"	4-23/32"

Part #	Load Capacity	Proj.	Overall Height
EN-R80	44 lbs.	1-1/4"	3-5/32"




SWINGING HANGER HOOKS

Material: 304 Stainless Steel • **Finish:** Satin
Matching Stainless Steel Screws Included



Swings 180°

Part #	Load Capacity	Proj.	Overall Height
HM-250/Y	6.6 lbs.	9-23/32"	1-1/16"



Swings 180°

Part #	Load Capacity	Proj.	Overall Height
HM-250/V	6.6 lbs.	9-23/32"	2-7/16"

WIRE HOOKS

Material: 304 Stainless Steel • **Finish:** Polished
Matching Stainless Steel Screws Included



Part #	Load Capacity	Proj.	Overall Height
TY-25	6.6 lbs.	1-1/16"	43/64"
TY-30	15.4 lbs.	1-7/32"	25/32"
TY-35-15	15.4 lbs.	1-7/16"	29/32"
TY-40-15	17.6 lbs.	1-23/32"	1-1/16"



Part #	Load Capacity	Proj.	Overall Height
TF-20	6.6 lbs.	13/16"	25/32"
TF-30	15.4 lbs.	1-5/32"	1-1/32"
TF-35	26 lbs.	1-19/32"	1-3/8"



Part #	Load Capacity	Proj.	Overall Height
TL-20	11 lbs.	29/32"	25/32"
TL-30	11 lbs.	1-5/32"	63/64"
TL-40	26 lbs.	1-19/32"	1-11/32"

Material: High Strength Polymer Resin

*Available in Almond, Black, Grey, Tan, Taupe, Snow White, Wood Grain & Chocolate Brown

- Great for floor, ceiling or wall applications
- "Finger tip" control
- Filter cloth pins

CLASSIC



Part #	*Colors	Size	Free Area	Pcs Per Carton
HVC-HR410-*	Almond (AL), Black (BK), Grey (GY), Tan (TN), Taupe (TP), Snow White (WH) & Chocolate Brown (CB)	4" x 12"	13.8 Sq. In.	20
HVC-HR410G-*	Almond (AL), Black (BK), Grey (GY), Tan (TN), Taupe (TP), Snow White (WH) & Chocolate Brown (CB)	4" x 12"	16.9 Sq. In.	25
HVC-HR410DG-*	Almond (AL), Black (BK), Grey (GY), Tan (TN), Taupe (TP), Snow White (WH) & Chocolate Brown (CB)	4" x 12"	16.9 Sq. In.	25

DISCONTINUED
PLEASE CALL ONE OF OUR SALES ASSOCIATES FOR OTHER OPTIONS



Part #	*Colors	Size	Free Area	Pcs Per Carton
HVC-HR410DG-*	Almond (AL), Black (BK), Grey (GY), Tan (TN), Taupe (TP), Snow White (WH) & Chocolate Brown (CB)	4" x 10"	13.8 Sq. In.	20
HVC-HR410DG-*	Wood Grain (WG)	4" x 10"	13.8 Sq. In.	20

Material: High Strength Polymer Resin

Available in Snow White



- Screw holes on each size of vent and an in the center for grilles 20" or wider
- Includes white painted

DISCONTINUED

PLEASE CALL ONE OF OUR SALES ASSOCIATES FOR OTHER OPTIONS

FLUSH MOUNT

3/8" depth


Part #	Size	Free Area	Pcs Per Carton
HVC-RGFLU-66WH	6" x 6"	22.7 Sq. In.	40
HVC-RGFLU-86WH	8" x 6"	30.00 Sq. In.	40
HVC-RGFLU-106WH	10" x 6"	37.7 Sq. In.	40
HVC-RGFLU-126WH	12" x 6"	45.4 Sq. In.	40
HVC-RGFLU-128WH	12" x 8"	60.5 Sq. In.	36
HVC-RGFLU-148WH	14" x 8"	70.2 Sq. In.	36

BASEBOARD MOUNT

3/4" depth

Part #	Size	Free Area	Pcs Per Carton
HVC-RGBAS-106WH	10" x 6"	37.7 Sq. In.	20
HVC-RGBAS-126WH	12" x 6"	45.4 Sq. In.	20
HVC-RGBAS-146WH	14" x 6"	52.7 Sq. In.	20
HVC-RGBAS-206WH	20" x 6"	75.3 Sq. In.	20
HVC-RGBAS-246WH	24" x 6"	90.8 Sq. In.	10
HVC-RGBAS-306WH	30" x 6"	113.5 Sq. In.	10
HVC-RGBAS-128WH	12" x 8"	60.5 Sq. In.	20
HVC-RGBAS-148WH	14" x 8"	70.2 Sq. In.	20
HVC-RGBAS-248WH	24" x 8"	121.00 Sq. In.	10
HVC-RGBAS-308WH	30" x 8"	151.2 Sq. In.	10

A. SHUTTER DOGS are functional, metal ornaments used to hold your shutters open against the face of your house



Part #	Description	Shipping Weight Per Pr.
SHU30-L	Grape	2 lbs.
SHU30-P	Grape	2-1/2 lbs.
SHU32-L	Shell	1 lb.
SHU32-LA	Shell	2-3/4 lbs.
SHU35-L	Flower	1-1/2 lbs.
SHU35-LA	Flower	3 lbs.
SHU38-L	Star	1-1/2 lbs.
SHU38-LA	Star	3 lbs.
SHU76-L	"S"	1 lb.
SHU76-P	"S"	1-1/2 lbs.
SHU76-LA	"S"	2-3/4 lbs.
SHU95-L	Rat Tail	1-1/4 lbs.
SHU95-LA	Rat Tail	3 lbs.
SHU96-L	Old Phila Style	1-1/4 lbs.
SHU96-LA	Old Phila Style	2-3/4 lbs.

NOTE: Plate = 2" x 2", Sill mount is 15-3/4" wide

LONG ARM EXTENSION

The long arm extension also known as a sill mount, is used with **stone construction**. The long arm extension mounts to the window sill and projects the shutter dog out so that is in front of your shutter.

SURFACE PLATE




The surface plate is used with **frame construction** only. This plate comes with screws for mounting directly to wood siding.

LAG BOLT


The lag bolt can be used to mount shutter dogs to buildings with **stone, stucco, brick or frame construction**



B. HEAVY DUTY L-TYPE SHUTTER HINGES



Part #	Description	Offset	Pintle Plate	Pintle Dia.	Shipping Weight
SHU4000A	Original	1/2"	1/8" Thick	3/8" Thick	1 lb. 8 oz.
SHU4000C	Original	2-1/4"	1/8" Thick	3/8" Thick	2 lbs.
SHU4200B	Traditional	1-1/2"	1/8" Thick	3/8" Thick	1 lb. 14 oz.
SHU4200C	Traditional	2-1/4"	1/8" Thick	3/8" Thick	2 lb. 2 oz.



C. SHUTTER RINGS

Part #	Description	Shipping Weight
SHU750	Shutter Ring Pull	1 oz.




D. SHUTTER BOLTS

Part #	Description	Shipping Weight
SHU607	Original	1 lb. 2 oz.

Overall Size 12" x 2", Strike 4-1/8" x 2",
Bolt Plate 7-7/8" x 2", Bolt 6-7/8" x 1" x 1/4",
Plate Gauge #14, Projection 13/16"

SHU707	Traditional	1 lb. 1 oz.
Overall Size 10-3/4" x 2", Strike 3-1/2" x 2", Bolt Plate 7-1/4" x 2", Bolt 6-7/8" x 1" x 1/4", Plate Gauge #14, Projection 13/16"		



E. SHUTTER HINGE PARTS - HINGES -

ONLY FOR 3/8" PIN DIA.

Part #	Length	Offset	Shipping Weight
SHU1110A	10"	1/2"	1 lb.
SHU1110D	10"	3-1/4"	1 lb. 4 oz.
SHU1112B	12"	1-1/2"	1 lb. 5 oz.
SHU1114A	14"	1/2"	1 lb. 7 oz.
SHU1114D	14"	3-1/4"	1 lb. 10 oz.
SHU1116B	16"	1-1/2"	1 lb. 10 oz.



**HINGES ARE SOLD
PER PAIR, PINTLES
SOLD SEPARATELY**

F. SHUTTER HINGE PARTS - PINTLES

3/8" PIN DIA.

Part #	Offset	Specs	Shipping Weight
SHU1000-2B	1-1/2"	Pin Dia. 3/8", Pin Height 1-7/8"	11 oz.
SHU1000-2C	2-1/4"	Plate Size	13 oz.
SHU1000-2D	3-1/4"	1-1/2" x 3-1/2"	15 oz.
SHU2000-2A	1/2"	Pin Dia. 3/8", Pin Height 1-7/8"	12 oz.
SHU2000-2C	2-1/4"	Plate Size	15 oz.
SHU2000-2D	3-1/4"	1-1/2" x 3-3/4"	17 oz.

