
Foot Rail Kits





Steel

Steel

### **4 FT. Kits** (Nominal Lengths)

#### **METAL KITS Include:**

- One 4 ft. tube
- (Nominal) 2" O.D. (.050 Wall Thickness)
- Two combination brackets
- Two end caps



#### SOLID WOOD KITS Include:

- One 8 ft. tube 2" O.D. (.050 Wall Thickness)
- Three combination brackets

Part #	Rail
S83-200-K4-OK-*	Solid Oak
S83-200-K4-MP-*	Solid Maple

# Distinctivel Exclusivel Beautifull

- High quality, commercial grade solid brass, 304 stainless steel, or perfectly doweled wood railing & components that will provide a professional and classic look!
- The railing is extremely durable, with a .050 wall thickness. The wood dowel has a solid core.
- The *Combination Brackets* can be attached to the face of the wall and rest on the floor for added support and stability.
- An Internal Splicer is included to joins the rails; simply space the combination bracket over the seam for a sleek look. (6 ft. & 8 ft. Metal kits only)
- End Caps included to complete the job! (Metal kits only)
- Screws supplied.



#### **METAL KITS Includes:**

- Two 3 ft. tubes 2" O.D. (.050 Wall Thickness)
- Three combination brackets
- Two end caps
- One tube splicer

Part #	Rail	
S83-200-KIT6-*	Metal	



**NOW AVAILABLE!** 

12', 16', 20', 24' LENGTH METAL KITS PLEASE INQUIRE

#### **METAL KITS Include:**

- Two 4 ft. tubes
- (Nominal) 2" O.D. (.050 Wall Thickness)

(Unfinished)

(Unfinished)

- Three combination brackets
- Two end caps
- One tube splicer

Part #	Rail
S83-200-KIT8-*	Metal

#### SOLID WOOD KITS Include:

- One 8 ft. tube 2" O.D. (.050 Wall Thickness)
- Three combination brackets

Part #	Rail
S83-200-K8-OK-*	Solid Oak
S83-200-K8-MP-*	Solid Maple



Oil Rubbed Bronze				
8 Ft. Length Railing/Tubing Rail Size Part # Wall Thickness				
2″	S83-200-ORB8	.050″		
Polished Brass 8 Ft. Length Railing/Tubing				
Rail Size	Part #	Wall Thickness		
1-1/2″	S82-150-BR-8	.050″		
2″	S83-200-BR8	.050″		
	ade Polished Sta *8 Ft. Length Rai			
*6 Ft. &	*8 Ft. Length Rai	ling/Tubing		
*6 Ft. & Rail Size	*8 Ft. Length Rai Part #	ling/Tubing Wall Thickness		
*6 Ft. & Rail Size 1-1/2" 2" 304 Gt	*8 Ft. Length Rai Part # \$82-150-CH-*	ling/Tubing Wall Thickness .050" .050" inless Steel		
*6 Ft. & Rail Size 1-1/2" 2" 304 Gt	*8 Ft. Length Rai Part # S82-150-CH-* S83-200-CH-* rade Polished Sta	ling/Tubing Wall Thickness .050" .050" inless Steel		

#### 304 Grade (180 Grit) Satin Stainless Steel 4 Ft. Length Railing/Tubing

Rail Size	Part #	Wall Thickness
1-1/2″	SSF1-150-SC-4	.050″
2″	SSF2-200-SC-4	.050″

#### 304 Grade (180 Grit) Satin Stainless Steel \*6 Et & \*8 Et Length Bailing/Tubing

	"O Ft. &	ling/lubing	
Rail Size Part #		Wall Thickness	
	1-1/2″	SSF1-150-SC-*	.050″
	2″	SSF2-200-SC-*	.050″

Matte Black *6 Ft. & *8 Ft. Length Railing/Tubing			
Rail Size Part # Wall Thickness			
2″	\$83-200-MR-*	050″	



### Wood Light Rail

Works With All Standard Fittings					
Maple					
8 6	t. Length Dowel				
RailSiz	e Part #				
1-1/2'	SWR-150-MP-LED				
2″	SWR-200-MP-LED				
Oak					

 Oak

 8 Ft. Length Dowel

 Rail Size
 Part #

 1-1/2"
 SWR-150-OK-LED

 2"
 SWR-200-OK-LED

Solid Oak & Maple Rails are fitted with an aluminum channel & lens.

# **Quality Tubing For Bar Rail And Handrail**



Traditional Wood Meets Innovative Lighting & Ideas!



в -

#### **Ball Single Outlet**

Polished Brass				
1-1/2″ dia.	S82-199-BR	<b>A:</b> 3″	<b>B:</b> 2-9/16"	
2″ dia.	S83-199-BR	<b>A:</b> 3-7/16"	<b>B:</b> 3-1/4"	
304 Grade (180 Grit) Satin Stainless Steel				
1-1/2″ dia.	SSF1-199-SC	<b>A:</b> 3″	<b>B:</b> 2-9/16"	
2″ dia.	SSF2-199-SC	<b>A:</b> 3-3/8"	<b>B:</b> 3-3/8"	
304 Grade Polished Stainless Steel				
1-1/2" dia.	S82-199-CH	A: 3″	<b>B:</b> 2-9/16"	
	2" dia. <b>304 Gra</b> 1-1/2" dia. 2" dia. <b>304</b>	1-1/2" dia.         S82-199-BR           2" dia.         S83-199-BR           304 Grade (180 Grit) Si           1-1/2" dia.         SSF1-199-SC           2" dia.         SSF2-199-SC	1-1/2"dia.         S82-199-BR         A: 3"           2"dia.         S83-199-BR         A: 3-7/16"           304 Grade (180 Grit) Satin Stainles           1-1/2"dia.         SSF1-199-SC         A: 3"           2"dia.         SSF2-199-SC         A: 3"           2"dia.         SSF2-199-SC         A: 3-3/8"           304 Grade Polished Stainless S         State	


2″ dia. **S83-199-CH** A: 3-3/8" B: 3-3/8"

#### **Ball Side Outlet Elbow**



Polished Brass					
1-1/2" dia.	S82-205-BR	A: 2-13/16"	<b>B:</b> 2-13/16"		
2″ dia.	S83-205-BR	<b>A:</b> 3-3/8"	<b>B:</b> 3-3/8"		
304 Grade (180 Grit) Satin Stainless Steel					
1-1/2" dia. SSF1-205-SC A: 2-13/16" B: 2-13/16"					
2″ dia.	SSF2-205-SC	<b>A:</b> 3-3/8"	<b>B:</b> 3-3/8"		
304 Grade Polished Stainless Steel					
1-1/2" dia.	S82-205-CH	A: 2-13/16"	<b>B:</b> 2-13/16"		
2″ dia.	S83-205-CH	A: 3-3/8"	<b>B:</b> 3-3/8"		

#### **Ball Side Outlet Tee**




Polished Brass			
1-1/2" dia.	S82-206-BR	A: 3-1/4"	<b>B:</b> 3-1/4"
2″ dia.	S83-206-BR	A: 3-7/16"	B: 3-7/16"

304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF15-206-SC A: 3-1/8" B: 3-1/2" 2" dia. SSF2A-206-SC A: 3-3/8" B: 3-3/4"

**304 Grade Polished Stainless Steel** 1-1/2" dia. S82-206-CH A: 3-1/8" B: 3-1/2" 2" dia. S83-206-CH A: 3-3/8" B: 3-3/4"

#### 135° Ball Elbow



**Polished Brass** 1-1/2" dia. S82-201-BR A: 2-13/16" B: 2-13/16" S83-201-BR **A:** 4″ B: 3-3/8" 2″ dia. 304 Grade (180 Grit) Satin Stainless Steel

**A:** 4″ 2″ dia. SSF1-201-SC **B:** 3-3/8" **304 Grade Polished Stainless Steel** 1-1/2" dia. **S82-201-CH** A: 2-13/16" B: 2-3/8"

**A:** 4″ 2" dia. **S83-201-CH** B: 3-9/16"



### Finishes:



в

В



304 Grade (180 Grit) Satin Stainless 304 Grade Polished Stainless Steel (CH)

#### 90° Ball Elbow

Steel (SC)

		Polished Brass				
1	1-1/2" dia.	S82-202-BR	A: 2-13/16"	<b>B:</b> 2-13/16"		
	2″ dia.	S83-202-BR	<b>A:</b> 3-3/8"	<b>B:</b> 3-3/8"		
	304 Gr	304 Grade (180 Grit) Satin Stainless Steel				
1.1	1-1/2" dia.	SSF1-202-SC	A: 2-13/16"	<b>B:</b> 2-13/16"		
-	2″ dia.	SSF2-202-SC	<b>A:</b> 3-3/8"	<b>B:</b> 3-3/8"		
	304	Grade Polishe	ed Stainless	Steel		
	1-1/2" dia.	S82-202-CH	A: 2-13/16"	<b>B:</b> 2-13/16"		
	2″ dia.	S83-202-CH	<b>A:</b> 3-3/8"	<b>B:</b> 3-3/8"		

#### **Ball Tee**

	Polished Brass			
	1-1/2" dia.	S82-203-BR	A: 2-15/16"	<b>B:</b> 3-1/4"
	2″ dia.	S83-203-BR	<b>A:</b> 3-9/16"	<b>B:</b> 3-11/16"
	304 Gra	ade (180 Grit)	Satin Stainl	ess Steel
1	1-1/2" dia.	SSF1-203-SC	<b>A:</b> 3-1/8"	<b>B:</b> 3-1/2"
_	2″ dia.	SSF2-203-SC	<b>A:</b> 3-3/8"	<b>B:</b> 3-3/4"
	304	Grade Polishe	d Stainless	Steel
	1-1/2" dia.	S82-203-CH	<b>A:</b> 3-1/8"	<b>B:</b> 3-1/2"
	2″ dia.	S83-203-CH	<b>A:</b> 3-3/8"	<b>B:</b> 3-3/4"
	Dell Cue			

#### **Ball Cross**

Polished Brass						
1-1/2" dia. S82-204-BR A: 3-1/4" B: 3-1/4"						
2″ dia.	S83-204-BR	<b>A:</b> 3-7/16"	<b>B:</b> 3-7/16"			
304 Gra	304 Grade (180 Grit) Satin Stainless Steel					
1-1/2" dia.	SSF1-204-SC	A: 3-7/16"	<b>B:</b> 3-7/16"			
304	304 Grade Polished Stainless Steel					
1-1/2" dia. <b>S82-204-CH</b> A: 3-7/16" B: 3-7/16"						
2″ dia.	S83-204-CH	A: 3-3/4"	<b>B:</b> 3-3/4"			



### **Flush Fittings**

Г	
I A I	6
	-

Flush 135° Elbow					
Oil Rubbed Bronze					
2″ dia.	S83-208-ORB	A: 2-1/8"	<b>B:</b> 2-1/8"		
	Polished	Brass			
1-1/2" dia.	S82-208-BR	A: 1-1/2"	<b>B:</b> 2″		
2″ dia.	S83-208-BR	<b>A:</b> 2″	<b>B:</b> 2″		
	Matte B	lack			
2″ dia.	S83-208-MB	<b>A:</b> 1-3/4"	<b>B:</b> 1-3/4"		
304 Grade (180 Grit) Satin Stainless Steel					
1-1/2" dia.	SSF1-208-SC	A: 1-1/2"	<b>B:</b> 1-1/2"		
2″ dia.	SSF2-208-SC	<b>A:</b> 1-3/4"	<b>B:</b> 1-3/4"		
304 Grade Polished Stainless Steel					
1-1/2" dia.	S82-208-CH	<b>A:</b> 1-1/2"	<b>B:</b> 1-1/2"		
2″ dia.	S83-208-CH	<b>A:</b> 1-3/4"	<b>B:</b> 1-3/4"		

#### **Flush Side Outlet Elbow**



Polished Brass						
1-1/2" dia. <b>S82-212-BR A:</b> 2" <b>B:</b> 2"						
304 Grade (180 Grit) Satin Stainless Steel						
1-1/2" dia.	SSF1-212-SC	A: 1-15/16"	B: 1-15/16"			

2" dia. SSF2-212-SC A: 2-3/16" B: 2-3/16" **304 Grade Polished Stainless Steel** 

1-1/2" dia. **S82-212-CH A:** 1-15/16" **B:** 1-15/16"



### **Flush Cross**

**Polished Brass** 1-1/2" dia. **S82-211-BR A:** 2-3/8" **B:** 2-3/8" 304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-211-SC A: 2-3/8" B: 2-3/8"



### **Flush Wall Return**

304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. **SSF1-257-SC** A: 2-1/2" B: 3" 2"dia. SSF2-257-SC A: 2-3/4" B: 4"



#### Flush 147° Elbow

304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-730-SC A: 1-3/4" B: 1-3/4"





**304 Grade Polished Stainless Steel** 2" dia. S83-215-CH A: 3-1/2" B: 2-3/4"



#### **Flush Wall Mount Tee**

304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-457-SC A: 2-1/4" B: 3"







**Bar Rail Fittings & Components** 

Matte Black Material: 304 Grade Stainless Steel (MB)

304 Grade (180 Grit) 304 Grade Polished Satin Stainless Steel (SC)

Stainless Steel (CH)

**B:** 2-1/2"

#### Flush 90° Elbow

^
В
ľ
_
 1

Polished Brass						
1-1/2" dia. <b>S82-209-BR</b> A: 2-5/16" B: 2-5/16"						
2″ dia.	S83-209-BR	A: 2-3/8"	<b>B:</b> 2-3/8"			
Matte Black						
2" dia. S83-209-MB A: 2-3/8" B: 2-3/8"						
z ula.	505 205 MB					
	ade (180 Grit) S					
304 Gra		atin Stainle	ess Steel			
<b>304 Gra</b> 1-1/2" dia.	ade (180 Grit) S	atin Stainle A: 2-5/16"	ess Steel B: 2-5/16"			
<b>304 Gra</b> 1-1/2" dia. 2" dia.	ade (180 Grit) S SSF1-209-SC	Satin Stainle A: 2-5/16" A: 2-5/8"	<b>B:</b> 2-5/16" <b>B:</b> 2-5/8"			
<b>304 Gra</b> 1-1/2" dia. 2" dia. <b>304</b>	ade (180 Grit) S SSF1-209-SC SSF2-209-SC	Gatin Stainle A: 2-5/16" A: 2-5/8" d Stainless	ess Steel B: 2-5/16" B: 2-5/8" Steel			


**Oil Rubbed Bronze** 

2" dia. S83-209-ORB A: 2-1/2"

#### 90° Flush "X" Elbow

	Polished Brass					
	1-1/2" dia.	S82-214-BR	<b>A:</b> 3″	<b>B:</b> 2-1/4"		
1	2″ dia.	S83-214-BR	<b>A:</b> 3″	<b>B:</b> 2-1/2"		
 B	304 Grade (180 Grit) Satin Stainless Steel					
в	1-1/2" dia.	SSF1-214-SC	<b>A:</b> 3″	<b>B:</b> 2-1/4"		
	2″ dia.	SSF2-214-SC	<b>A:</b> 3″	<b>B:</b> 2-1/2"		
	304 Grade Polished Stainless Steel					
	1-1/2" dia.	S82-214-CH	<b>A:</b> 3″	<b>B:</b> 2-1/4"		

#### **Flush Tee**



#### **Flush Wall Return**

	Diass	Polished Brass				
82-243-BR	A: 3-1/8"	<b>B:</b> 3-1/8"				
83-243-BR	<b>A:</b> 3-1/16"	<b>B:</b> 3-1/16"				
(180 Grit) S	atin Stainle	ss Steel				
1-1/2" dia. SSF1-243-SC A: 2-15/16" B: 3-1/16"						
F2-243-SC	A: 3-1/8"	<b>B:</b> 3-3/8"				
	83-243-BR (180 Grit) S F1-243-SC	82-243-BR         A: 3-1/8"           83-243-BR         A: 3-1/16"           (180 Grit) Satin Stainle           F1-243-SC         A: 2-15/16"           F2-243-SC         A: 3-1/8"				

#### **Flush Radius Elbow**

**Polished Brass** 1-1/2" dia. S82-190-BR A: 2-11/16" B: 2-11/16" 2" dia. S83-190-BR A: 3-1/16" B: 3-1/16"

304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-190-SC A: 2-1/2" B: 2-1/2" 2" dia. SSF2-190-SC A: 3-15/16" B: 3-15/16"

**304 Grade Polished Stainless Steel** 1-1/2" dia. **S82-190-CH** A: 2-1/2" B: 2-1/2" 2" dia. S83-190-CH A: 3-15/16" B: 3-15/16"

#### Phone:1-800-631-8375 • Fax:1-800-888-3315

2" dia. S83-230-CH A: 7-5/16"

B: 6-1/8'

#### Floor Mount & Handrail Brackets Finishes: **COMBINATION BRACKET Oil Rubbed Bronze** Matte Black 304 Grade (180 Grit) 304 Grade Polished Oil Rubbed Bronze Polished 2" dia. S83-228-ORB A: 7" **B:** 7″ Material: Brass (ORB) Brass (BR) Material: 304 Grade Satin Stainless Stainless Steel Stainless Steel (MB) Steel (SC) (CH) **Antique Brass** Note: 7" x 7" 2" dia. S83-228-ABRS **B:** 7″ A: 7" measurements **Antique Bronze** are nominal 2" dia. S83-228-ABRZ **B:** 7″ A: 7" Antique Copper Antique Brass Antique Bronze Antique Copper (ABRS) (ABRZ) (ACOP) **B:** 7″ 2" dia. S83-228-ACOP A: 7" **Polished Brass** 1-1/2" dia. S82-228-BR A: 6-1/4" **B:** 6-1/64" 2" dia. S83-228-BR B: 7" A: 7 **ELBOW RAIL** Matte Black 2" dia. S83-228-MB **B:** 7″ BRACKET A: 7" 304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-228-SC A: 5-5/16" B: 6-5/8" **Polished Brass** 2" dia. S83-C228-SC A: 7" B: 7" 1-1/2" dia. S82-231-BR A: 6-11/16" **B:** N/A 2″ dia S83-231-BR A: 7-3/32" B: N/A **304 Grade Polished Stainless Steel** 1-1/2" dia. **S82-228-CH** A: 5-5/16" B: 6-5/8" **304 Grade Polished Stainless Steel** 2″ dia. S83-228-CH A: 7" B: 7" 1-1/2" dia. **S82-231-CH** A: 7-3/32" B: N/A **VICTORIAN FOOTRAIL FOOTRAIL FLOOR** 9-7/8" **BAR MOUNT BRACKET MOUNT BRACKET** <u>م</u> **Polished Brass Polished Brass S83-254-BR** A: 8-5/16" B: 4-7/16" 2" dia. S83-247-BR A: 6-3/16" B: 6-3/16" 2″ dia. FOOTRAIL FLOOR MOUNT BRACKET -**FOOTRAIL BAR MOUNT** B **Oil Rubbed Bronze Oil Rubbed Bronze** 2″ dia. **S83-229-ORB** A: 8-1/2" **B:** 4-1/2" 2″ dia. **S83-230-ORB** A: 6-3/4" B: 7" Polished Brass **Polished Brass** 1-1/2" dia. S82-229-BR A: 7-1/16" B: 6-1/8" 1-1/2" dia. S82-230-BR A: 6-3/4" B: 5-3/8" 2" dia. **S83-229-BR** A: 7-7/8" B: 6-5/16" **S83-230-BR** A: 6-15/16" B: 6-15/16" 2" dia. Matte Black Matte Black 2″ dia. **S83-229-MB** A: 8-1/8" B: 6-11/16" 2" dia. S83-230-MB A: 7-5/16" **B:** 6-1/8" 304 Grade (180 Grit) Satin Stainless Steel 304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-229-SC A: 6-15/16" B: 6-1/8" 1-1/2" dia. SSF1-230-SC A: 6-3/8" B: 6" 2″ dia SSF2-230-SC A: 7-5/16" B: 6-1/8" 2″ dia. SSF2-229-SC A: 8-1/8" B: 6-11/16" **304 Grade Polished Stainless Steel 304 Grade Polished Stainless Steel** 1-1/2" dia. **S82-230-CH** A: 6-3/8" **B:** 6″ 1-1/2" dia. **S82-229-CH** A: 6-15/16" B: 6-1/8"

OUTWATER INDUSTRIES, INC. • www.outwater.com

2" dia. S83-229-CH A: 8-1/8" B: 6-11/16"

### Floor Mount & Handrail Brackets

#### Handrail Bracket

		Oil Rubbed	Bronze			
- 1	2″ dia.	S83-232-ORB	A: 3-1/2"	<b>B:</b> 2-3/8"		
14		Polished Brass				
	1-1/2" dia.	S82-232-BR	<b>A:</b> 3-1/4"	<b>B:</b> 3-1/4"		
	2″ dia.	S83-232-BR	<b>A:</b> 3-1/4"	<b>B:</b> 3-1/2"		
		Matte B	lack			

2″ dia **S83-232-MB** A: 3-1/4" B: 3-1/2"

304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-232-SC A: 3-1/4" B: 2-3/4" SSF2-232-SC A: 3-1/4" B: 3-1/2" 2″ dia.

**304 Grade Polished Stainless Steel** 1-1/2" dia. S82-232-CH A: 3-1/4" B: 2-3/4" **S83-232-CH** A: 3-1/4" B: 3-3/8" 2″ dia.

Curved Handrail Brackets



	Polished B	irass	
1-1/2" dia.	S82-245-BR	A: 6-1/2"	<b>B:</b> 6″
2″ dia.	S83-245-BR	<b>A:</b> 6-7/8"	<b>B:</b> 7″


#### **Flat End Post**

Polished Brass					
1-1/2" dia. S82-227-BRF A: 1-3/4" B: 3-1/4"					
2″ dia.	S83-227-BRF	<b>A:</b> 2-1/4"	<b>B:</b> 4-5/16"		

304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-227-SCF A: 1-3/4" B: 3-1/2" SSF2-227-SCF A: 2-1/4" B: 4-1/2" 2″ dia

304 Grade Polished Stainless Steel 1-1/2" dia. **S82-227-CHF** A: 1-3/4" B: 3-1/2" 2" dia. **S83-227-CHF** A: 2-1/4" **B:** 4-1/2"

#### **Ball End Post**



Finishes:





Satin Stainless Stainless Steel (MB)

Steel (SC)

304 Grade (180 Grit) 304 Grade Polished Stainless Steel (CH)



#### 90° Handrail Bracket

**Polished Brass** 1-1/2" dia. S82-246-BR A: 3-5/8" **B:** 4" **S83-246-BR** A: 4-1/4" B: 4-1/4" 2″ dia.




#### Saddle Post

**Polished Brass** 1-1/2" dia. **S82-253-BR** A: 2-3/16" B: 2-1/4" 2"dia. **S83-253-BR** A: 2-5/8" B: 2-1/2"

**304 Grade Polished Stainless Steel** 1-1/2" dia. S82-253-CH A: 2-1/8" B: 2-1/4" Note: S83-253-BR does not have drilled holes at base

#### **Flush Center Post**



#### **Ball Center Post**

	Polished Brass					
	1-1/2" dia.	S82-226-BR	<b>A:</b> 2-1/4"	<b>B:</b> 4-1/2"		
	2″ dia.	S83-226-BR	<b>A:</b> 3-1/4"	<b>B:</b> 4-1/4"		
	304	Grade Polishe	d Stainless	Steel		
_	2″ dia.	S83-226-CH	<b>A:</b> 2-11/16"	<b>B:</b> 4-1/4"		

### Handrail Mounting Brackets

Clean, strong and unobtrusive, the unique two-piece design of these handrail mounting brackets reduces the cost and improves the quality of railing installation.

Heavy gauge cast aluminum brackets feature matching serrated surfaces that lock together eliminating slippage. These brackets meet or exceed OSHA and ADA standards. Brackets should be mounted at a maximum spacing of 36 inches into studs or blocking.





- Stocked in rollbrite polished aluminum finish
- Hardware is included

WOOD HANDRAIL NOT INCLUDED

Part #	Description	Size
HR-203	For 7" Rail	1-3/4" x 2-7/8"
HR-303	For 5" Rail	2-1/2" x 1-3/4"

Phone:1-800-631-8375 • Fax:1-800-888-3315

### Flanges

000

Oil Rubbed Bronze					
2" dia. S83-221-ORB A: 2-3/4" B: 4"					
Polished Brass					
1-1/2" dia. S82-221-BR A: 1-7/8" B: 3"					
2″ dia.	S83-221-BR	A: 2-3/8"	<b>B:</b> 3-7/8"		
Matte Black					
2″ dia.	S83-221-MB	<b>A:</b> 4″	<b>B:</b> 2-3/4"		


304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-221-SC A: 3-5/16" B: 2-3/16" 2" dia. SSF2-221-SC A: 4" B: 2-3/4"

**304 Grade Polished Stainless Steel** 1-1/2" dia. S82-221-CH A: 3-5/16" B: 2-3/16" S83-221-CH 2″ dia. **A:** 4″ B: 2-3/4"

**B:** 4″


#### Wall Flange

**Narrow Flange** 



304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-219-SC A: 1-3/16" B: 2-15/16" SSF2-219-SC A: 1-3/16" B: 3-15/16" 2″ dia.

**304 Grade Polished Stainless Steel** 1-1/2" dia. S82-219-CH A: 1-3/16" B: 2-15/16" 2" dia. S83-219-CH A: 1-3/16" B: 3-15/16"



#### **Half Flange**

**Polished Brass** 1-1/2" dia. S82-248-BR A: 3" B: 1-1/4" 2" dia. S83-248-BR A: 4" B: 1-3/8"



### 90° - 147° Adjustable Flange

**Polished Brass** 2" dia. S83-251-BR A: 2-15/16" B: 4"



#### Finishes:










304 Grade (180 Grit) 304 Grade Polished Satin Stainless Stainless Steel Steel (SC) (CH)

#### **Floor Flange**

Angle Flange



Polished Brass						
1-1/2" dia. S82-220-BR A: 1-3/16" B: 3-15/16"						
2″ dia.	S83-220-BR	A: 1-3/16"	B: 4-1/16"			
304 Grade (180 Grit) Satin Stainless Steel						
1-1/2" dia.	SSF1-220-SC	A: 1-1/2"	<b>B:</b> 4″			
2″ dia	SSF2-220-SC	<b>Δ</b> •1 <sub>-</sub> 1/2″	B: 5"			

304 Grade Polished Stainless Steel						
1-1/2" dia. <b>S82-220-CH</b> A: 1-1/2" B: 4"						
2″ dia.	S83-220-CH	A: 1-1/2"	<b>B:</b> 5″			

**Polished Brass** 

1-1/2" dia. S82-250-BR A: 2-3/16" B: 2-15/16"











2" dia. S83-218SF-ST A: 12" B: 4-9/16" Note: To be used with S82-218\*, S83-218\*, & SSF2-450\*



304 Grade (180 Grit) 304 Grade Polished

Stainless Steel

(CH)

Finishes:

**End Caps** 

					1.01	
	Flush End Cap	Oil Rubbed Bronze	Polished	Matte Black	304 Grade (180 Grit	) 304 Grad
	Oil Rubbed Bronze	Material: Brass (ORB)	Brass (BR)	Material: 304 Grade Stainless Steel (MB)	Satin Stainless Steel (SC)	Stainl
_	2" dia. <b>\$83-222-ORB A:</b> 2" <b>B:</b> 1/8"		eW)	New)	New D	(
— A —	Polished Brass		2	New	Ner	
B	1-1/2" dia. <b>S82-222-BR A:</b> 1-1/2" <b>B:</b> 1/8"					
	2" dia. S83-222-BR A: 2" B: 3/16"	A	ntique Brass	Antique Bronze	Antique Copper	
1	Matte Black		(ABRS)	(ABRZ)	(ACOP)	
	2" dia. <b>S83-222-MB</b> A: 2" B: 3/16"					
	304 Grade (180 Grit) Satin Stainless Steel					
	1-1/2" dia. SSF1-222-SC A: 1-1/2" B: 1/8"		Do	omed End Ca	p	
	2" dia. SSF2-222-SC A: 2" B: 3/16"					
	304 Grade Polished Stainless Steel		7-1	Oil Rub	bed Bronze	
	1-1/2" dia. <b>S82-222-CH</b> A: 1-1/2" B: 1/8"			"dia. \$83-223-		<b>B:</b> 1″
	2" dia. S83-222-CH A: 2" B: 3/16"		i i	Polis	hed Brass	
			1-1	/2" dia. <b>\$82-223</b>		<b>B:</b> 7/8″
			2	2″ dia. <b>\$83-223</b>	-BR A: 2"	<b>B:</b> 1″
A				Ma	tte Black	
STUD	Ornate End Cap		2	2" dia. <b>\$83-223</b>	-MB A: 2"	<b>B:</b> 1″
- AND -	Polished Brass		3	04 Grade (180 Gi	rit) Satin Stainless	Steel
B	1-1/2" dia. <b>S82-244-BR A:</b> 1-7/8" <b>B:</b> 1"		1-1	/2" dia. SSF1-223	<b>B-SC A:</b> 1-1/2"	<b>B:</b> 3/4″
CHARLE T	2" dia. S83-244-BR A: 2-3/8" B: 1-1/2"		2	2" dia. SSF2-223	<b>B-SC A:</b> 2″	<b>B:</b> 1″
and a second					shed Stainless St	
				/2" dia. <b>\$82-223</b>		<b>B:</b> 3/4″
			2	"dia. <b>\$83-223</b>	- <b>CH A:</b> 2"	<b>B:</b> 1″
	Ball Top	_				
				iter End Cap		
	Oil Rubbed Bronze	Common and	N I —			
	2" dia. <b>S83-225-ORB A:</b> 5-1/4" <b>B:</b> 3-1/8"		B 2″(		ed Brass A: 2-1/8" B:	7/0//
Â	Polished Brass 1-1/2"dia. <b>S82-225-BR</b> A: 3-5/16" B: 2-7/16"		20			7/8″
T	2"dia. <b>S83-225-BR A:</b> 4-1/2" <b>B:</b> 3-1/8"				B A: 2-1/8" B:	7/8″
-	304 Grade Polished Stainless Steel		2 (			//0
	1-1/2" dia. <b>S82-225-CH A:</b> 3-5/16" <b>B:</b> 2-7/16"		New 2"	Antiq dia. S83-249-ABI	ue Brass	7/8″
	2" dia. <b>S83-225-CH A:</b> 4-1/2" <b>B:</b> 3-1/8"		2 (			//0
			New 2"	Antiqu dia. S83-249-ABI	e Bronze	7/8″
			2 (			//0
			New 2"	Antiqu dia. <b>S83-249-ACC</b>	e Copper	7/8″
	End Caroll	1	2 0	ula. 303-249-ACC	<b>A.</b> 2-1/0 <b>D</b> :	//0



#### **End Scroll**

Polished Brass				
1-1/2" dia.	S82-224-BR	A: 2-13/16"	<b>B:</b> 3″	
2″ dia.	S83-224-BR	<b>A:</b> 3″	<b>B:</b> 3-1/8"	

### **Adjustable Saddle**

R

Polished Brass					
1-1/2" dia. <b>S82-234-BR</b> A: 3-1/2" B: 1-1/2"					
2″ dia.	S83-234-BR	A: 4-3/8"	<b>B:</b> 2"		

### Saddles & Collars



#### Perpendicular Collar **Polished Brass**

2″ dia. **S83-217-BR** A: 1-1/2" B: 1" 304 Grade (180 Grit) Satin Stainless Steel 2″ dia. **SSF2-217-SC** A: 1-1/2" B: 2-1/4"

**304 Grade Polished Stainless Steel** 2″ dia. **S83-217-CH A:** 1-1/2" **B:** 2-1/4"

## Economic Adjustable Zamac Metal Glass Grips

- Rubber pads included to adjust for different panel thickness
- #6 screw and anchor included

Brushed Stainless Steel						
	Fits Glass					
	Rail	Part #	Thickness	"H"	"W"	
Α	Flat Style	SSFZ-618F-SC	3/16" - 3/8"	2-1/8″	2-1/8″	
в	1-1/2″	SSFZ1-618-SC	3/16" - 3/8"	2-1/8″	2-1/8″	
С	2″	SSFZ2-618-SC	3/16" - 3/8"	2-1/8″	2-1/8″	

### **Glass Grips For Tubing**

Polished Brass					
	Fits	Glass			
	Rail	Thickness	"H"	"W"	Part #
^	1-1/2″	1/4″	1-5/16"	2-1/2"	S82-108-BR
Α	2″	1/4″	1-3/8"	2-1/2"	S83-108-BR
304 Grade (180 Grit) Satin Stainless Steel					
	Fits	Glass	in Stannes	S SIEEI	
	Rail	Thickness	"H"	"W"	Part #
_					
	1_1/2"	1/A'' - 5/16''	1-0/16"	1_1/2"	SSE1-619ADLSC
В	1-1/2″ 2″	1/4" - 5/16" 1/4" - 5/16"	1-9/16″ 2-7/16″	1-1/2″ 1-3/4″	SSF1-618ADJ-SC SSF2-618ADJ-SC

	304 Grade Polished Stainless Steel					
	Fits	Glass				
	Rail	Thickness	"H"	"W"	Part #	
С	2″	1/4″	1-7/16″	2-1/2"	S83-108-CH	





W

Α.



- Rubber pads included to adjust for different panel thickness
   #6 screw and
  - #6 screw and anchor included

• 4 Screws included




4 Screws included

## **Glass Grips**

	Polish	ed Brass			
Glass Thickness	"H"	"W"	Part #		
1/4″	1-7/16″	2-1/2"	S83-108F-BR		
304 Grade (180 Grit) Satin Stainless Steel					
Glass					
Thickness "H" "W" Part #					
1/4" - 3/8"	2″	1-9/16″	SSF-618FADJ-SC		
1/4" - 3/8"	-	Grade			
1/4" - 3/8" Glass	- 304	Grade	SSF-618FADJ-SC		
	- 304	Grade			
	Thickness 1/4" Glass Thickness	Glass Thickness "H" 1/4" 1-7/16" 304 Grad. Satin Stai Glass Thickness "H"	Thickness"H""W"1/4"1-7/16"2-1/2"304 Grade (180 Grit) Satin Stainless SteelGlassThickness"H""W"		


## **Glass Mount Handrail Bracket**





## Under Table & Bar Hooks


- Two black PVC 2-1/4" long x 1-7/8" wide hooks comes with four 1" long wood screws
- Rectangular plate: 1-3/4" x 1"
- It's easy to install and engineered for durability
- Increase customer convenience and security
- Ideal way to keep pocketbooks off the floor and out of the way
- These will avoid tripping hazards and keep the purse clean



### **Short Post Partition Series**




• Recommended post spacing 36" to 48"



	_	Polished Brass	304 Grade (180 Grit) Satin Stainless Steel	304 Grade Polished Stainless Steel
	Fits Rail	Part #	Part #	Part #
Α	1-1/2″	S82-SEND-BR	SSF-SEND-SC	S82-SEND-CH
В	1-1/2″	S82-SCOR-BR	SSF-SCOR-SC	S82-SCOR-CH
С	1-1/2″	S82-SCEN-BR	SSF-SCEN-SC	S82-SCEN-CH
D	1-1/2″	S82-STEE-BR	SSF-STEE-SC	S82-STEE-CH



- 1-1/2" or 2" Diameter
- Recommended post spacing 36" to 48"



#### \*Custom finishes available, see below.

	_	Polished Brass	304 Grade (180 Grit) Satin Stainless Steel	304 Grade Polished Stainless Steel
	Fits Rail	Part #	Part #	Part #
•	1-1/2″	S82-DEND-BR	SSF-DEND-SC	S82-DEND-CH
Α	2″	S83-DEND-BR	SSF2-DEND-SC	S83-DEND-CH
в	1-1/2″	S82-DCOR-BR	SSF-DCOR-SC	S82-DCOR-CH
	2″	S83-DCOR-BR	SSF2-DCOR-SC	S83-DCOR-CH
~	1-1/2″	S82-DCEN-BR	SSF-DCEN-SC	S82-DCEN-CH
с	2″	S83-DCEN-BR	SSF2-DCEN-SC	S83-DCEN-CH
~	1-1/2″	S82-DTEE-BR	SSF-DTEE-SC	S82-DTEE-CH
D	2″	S83-DTEE-BR	SSF2-DTEE-SC	S83-DTEE-CH

#### \* Custom Finishes Available, Please Inquire





### Waitress Station

14

4" Dia. Flange




#### \*Custom finishes available, see below.




Phone:1-800-631-8375 • Fax:1-800-888-3315




### **Overhead Glass Racks**



#### Custom Finishes Available: Please Inquire



### **Customize Your Rails**



# Bar Rail & Radius Corners

### ALL PROFILES AVAILABLE IN READY TO STAIN RED OAK \*ALSO AVAILABLE IN CHERRY & MAPLE



Architectural Products introduces a line of bar rails and radius corners in the most popular profiles at extraordinary prices. These rails and radius pieces coordinate beautifully with our full line of carvings, corbels and appliques.


Finished Top

Structural Top

Wood Bar rails are typically installed at a slight downward angle by offsetting the edges of the bars top layers.

This creates a bold beautifully finished edge, not to mention a comfortable place to rest your arm.















See Our Full Line of Brass Bar Rails & Fittings on pages V-3~13

# Solid Wood Handrail & Fittings



- 1-1/2" diameter fittings are fabricated from SOLID STOCK
- 2" diameter fittings are fabricated from LAMINATED STOCK
- Stocked in Red Oak and select sizes in Maple
- All components are finish sanded to 120 grit



# Handrail Kits



### **Interior & Exterior Handrail Kits**






### EACH KIT INCLUDES:

- Railing (3 x 47.25")
- Connecting Brackets (2)
- Standard Brackets (2)
- End Caps (2)
- Screws & Anchors (12 each)
- Allen Key (1)
- Installation Instructions (1)

Material: Steel/Stainless Steel

- Kits available for indoor and outdoor use
- Nominal 1-9/16" (40mm) Diameter Handrail
- Railing is field trimmable







S82-160-KIT12-SS Brushed Stainless Finish For Indoor/Outdoor Use

S82-160-KIT12-MB Matte Black Finish For Indoor Use

# LED Handrails



- Material: 304 Grade Stainless Steel
- Finish: Satin Stainless
- Nominal 1-1/2" (39.9mm) Diameter
- Wide range of accessories available for use in many applications, see below.



OUTWATER INDUSTRIES, INC. • www.outwater.com