
Foot Rail Kits





Steel

Steel

4 FT. Kits (Nominal Lengths)

METAL KITS Include:

- One 4 ft. tube
- (Nominal) 2" O.D. (.050 Wall Thickness)
- Two combination brackets
- Two end caps



SOLID WOOD KITS Include:

- One 8 ft. tube 2" O.D. (.050 Wall Thickness)
- Three combination brackets

| Part # | Rail |
|-----------------|-------------|
| S83-200-K4-OK-* | Solid Oak |
| S83-200-K4-MP-* | Solid Maple |

Distinctivel Exclusivel Beautifull

- High quality, commercial grade solid brass, 304 stainless steel, or perfectly doweled wood railing & components that will provide a professional and classic look!
- The railing is extremely durable, with a .050 wall thickness. The wood dowel has a solid core.
- The *Combination Brackets* can be attached to the face of the wall and rest on the floor for added support and stability.
- An Internal Splicer is included to joins the rails; simply space the combination bracket over the seam for a sleek look. (6 ft. & 8 ft. Metal kits only)
- End Caps included to complete the job! (Metal kits only)
- Screws supplied.



METAL KITS Includes:

- Two 3 ft. tubes 2" O.D. (.050 Wall Thickness)
- Three combination brackets
- Two end caps
- One tube splicer

| Part # | Rail | |
|----------------|-------|--|
| S83-200-KIT6-* | Metal | |



NOW AVAILABLE!

12', 16', 20', 24' LENGTH METAL KITS PLEASE INQUIRE

METAL KITS Include:

- Two 4 ft. tubes
- (Nominal) 2" O.D. (.050 Wall Thickness)

(Unfinished)

(Unfinished)

- Three combination brackets
- Two end caps
- One tube splicer

| Part # | Rail |
|----------------|-------|
| S83-200-KIT8-* | Metal |

SOLID WOOD KITS Include:

- One 8 ft. tube 2" O.D. (.050 Wall Thickness)
- Three combination brackets

| Part # | Rail |
|-----------------|-------------|
| S83-200-K8-OK-* | Solid Oak |
| S83-200-K8-MP-* | Solid Maple |



| Oil Rubbed Bronze | | | | |
|---|--|---|--|--|
| 8 Ft. Length Railing/Tubing Rail Size Part # Wall Thickness | | | | |
| 2″ | S83-200-ORB8 | .050″ | | |
| Polished Brass 8 Ft. Length Railing/Tubing | | | | |
| Rail Size | Part # | Wall Thickness | | |
| 1-1/2″ | S82-150-BR-8 | .050″ | | |
| 2″ | S83-200-BR8 | .050″ | | |
| | | | | |
| | ade Polished Sta *8 Ft. Length Rai | | | |
| | | | | |
| *6 Ft. & | *8 Ft. Length Rai | ling/Tubing | | |
| *6 Ft. & Rail Size | *8 Ft. Length Rai Part # | ling/Tubing Wall Thickness | | |
| *6 Ft. & Rail Size 1-1/2" 2" 304 Gt | *8 Ft. Length Rai Part # \$82-150-CH-* | ling/Tubing Wall Thickness .050" .050" inless Steel | | |
| *6 Ft. & Rail Size 1-1/2" 2" 304 Gt | *8 Ft. Length Rai Part # S82-150-CH-* S83-200-CH-* rade Polished Sta | ling/Tubing Wall Thickness .050" .050" inless Steel | | |

304 Grade (180 Grit) Satin Stainless Steel 4 Ft. Length Railing/Tubing

| Rail Size | Part # | Wall Thickness |
|-----------|---------------|----------------|
| 1-1/2″ | SSF1-150-SC-4 | .050″ |
| 2″ | SSF2-200-SC-4 | .050″ |

304 Grade (180 Grit) Satin Stainless Steel *6 Et & *8 Et Length Bailing/Tubing

| | "O Ft. & | ling/lubing | |
|------------------|----------|----------------|-------|
| Rail Size Part # | | Wall Thickness | |
| | 1-1/2″ | SSF1-150-SC-* | .050″ |
| | 2″ | SSF2-200-SC-* | .050″ |

| Matte Black *6 Ft. & *8 Ft. Length Railing/Tubing | | | |
|--|---------------|------|--|
| Rail Size Part # Wall Thickness | | | |
| 2″ | \$83-200-MR-* | 050″ | |



Wood Light Rail

| Works With All Standard Fittings | | | | | |
|----------------------------------|-----------------|--|--|--|--|
| Maple | | | | | |
| 8 6 | t. Length Dowel | | | | |
| RailSiz | e Part # | | | | |
| 1-1/2' | SWR-150-MP-LED | | | | |
| 2″ | SWR-200-MP-LED | | | | |
| | | | | | |
| Oak | | | | | |

 Oak

 8 Ft. Length Dowel

 Rail Size
 Part #

 1-1/2"
 SWR-150-OK-LED

 2"
 SWR-200-OK-LED

Solid Oak & Maple Rails are fitted with an aluminum channel & lens.

Quality Tubing For Bar Rail And Handrail



Traditional Wood Meets Innovative Lighting & Ideas!



в -

Ball Single Outlet

| Polished Brass | | | | |
|--|---|---|--|--|
| 1-1/2″ dia. | S82-199-BR | A: 3″ | B: 2-9/16" | |
| 2″ dia. | S83-199-BR | A: 3-7/16" | B: 3-1/4" | |
| 304 Grade (180 Grit) Satin Stainless Steel | | | | |
| 1-1/2″ dia. | SSF1-199-SC | A: 3″ | B: 2-9/16" | |
| 2″ dia. | SSF2-199-SC | A: 3-3/8" | B: 3-3/8" | |
| 304 Grade Polished Stainless Steel | | | | |
| 1-1/2" dia. | S82-199-CH | A: 3″ | B: 2-9/16" | |
| | 2" dia. 304 Gra 1-1/2" dia. 2" dia. 304 | 1-1/2" dia. S82-199-BR 2" dia. S83-199-BR 304 Grade (180 Grit) Si 1-1/2" dia. SSF1-199-SC 2" dia. 2" dia. SSF2-199-SC | 1-1/2"dia. S82-199-BR A: 3" 2"dia. S83-199-BR A: 3-7/16" 304 Grade (180 Grit) Satin Stainles 1-1/2"dia. SSF1-199-SC A: 3" 2"dia. SSF2-199-SC A: 3" 2"dia. SSF2-199-SC A: 3-3/8" 304 Grade Polished Stainless S State | |


2″ dia. **S83-199-CH** A: 3-3/8" B: 3-3/8"

Ball Side Outlet Elbow



| Polished Brass | | | | | |
|---|-------------|------------------|--------------------|--|--|
| 1-1/2" dia. | S82-205-BR | A: 2-13/16" | B: 2-13/16" | | |
| 2″ dia. | S83-205-BR | A: 3-3/8" | B: 3-3/8" | | |
| 304 Grade (180 Grit) Satin Stainless Steel | | | | | |
| 1-1/2" dia. SSF1-205-SC A: 2-13/16" B: 2-13/16" | | | | | |
| 2″ dia. | SSF2-205-SC | A: 3-3/8" | B: 3-3/8" | | |
| 304 Grade Polished Stainless Steel | | | | | |
| 1-1/2" dia. | S82-205-CH | A: 2-13/16" | B: 2-13/16" | | |
| 2″ dia. | S83-205-CH | A: 3-3/8" | B: 3-3/8" | | |
| | | | | | |

Ball Side Outlet Tee




| Polished Brass | | | |
|----------------|------------|------------|------------------|
| 1-1/2" dia. | S82-206-BR | A: 3-1/4" | B: 3-1/4" |
| 2″ dia. | S83-206-BR | A: 3-7/16" | B: 3-7/16" |

304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF15-206-SC A: 3-1/8" B: 3-1/2" 2" dia. SSF2A-206-SC A: 3-3/8" B: 3-3/4"

304 Grade Polished Stainless Steel 1-1/2" dia. S82-206-CH A: 3-1/8" B: 3-1/2" 2" dia. S83-206-CH A: 3-3/8" B: 3-3/4"

135° Ball Elbow



Polished Brass 1-1/2" dia. S82-201-BR A: 2-13/16" B: 2-13/16" S83-201-BR **A:** 4″ B: 3-3/8" 2″ dia. 304 Grade (180 Grit) Satin Stainless Steel

A: 4″ 2″ dia. SSF1-201-SC **B:** 3-3/8" **304 Grade Polished Stainless Steel** 1-1/2" dia. **S82-201-CH** A: 2-13/16" B: 2-3/8"

A: 4″ 2" dia. **S83-201-CH** B: 3-9/16"



Finishes:



в

В



304 Grade (180 Grit) Satin Stainless 304 Grade Polished Stainless Steel (CH)

90° Ball Elbow

Steel (SC)

| | | Polished Brass | | | | |
|-----|-------------|--|------------------|--------------------|--|--|
| 1 | 1-1/2" dia. | S82-202-BR | A: 2-13/16" | B: 2-13/16" | | |
| | 2″ dia. | S83-202-BR | A: 3-3/8" | B: 3-3/8" | | |
| | 304 Gr | 304 Grade (180 Grit) Satin Stainless Steel | | | | |
| 1.1 | 1-1/2" dia. | SSF1-202-SC | A: 2-13/16" | B: 2-13/16" | | |
| - | 2″ dia. | SSF2-202-SC | A: 3-3/8" | B: 3-3/8" | | |
| | 304 | Grade Polishe | ed Stainless | Steel | | |
| | 1-1/2" dia. | S82-202-CH | A: 2-13/16" | B: 2-13/16" | | |
| | 2″ dia. | S83-202-CH | A: 3-3/8" | B: 3-3/8" | | |

Ball Tee

| | Polished Brass | | | |
|---|----------------|----------------|-------------------|--------------------|
| | 1-1/2" dia. | S82-203-BR | A: 2-15/16" | B: 3-1/4" |
| | 2″ dia. | S83-203-BR | A: 3-9/16" | B: 3-11/16" |
| | 304 Gra | ade (180 Grit) | Satin Stainl | ess Steel |
| 1 | 1-1/2" dia. | SSF1-203-SC | A: 3-1/8" | B: 3-1/2" |
| _ | 2″ dia. | SSF2-203-SC | A: 3-3/8" | B: 3-3/4" |
| | 304 | Grade Polishe | d Stainless | Steel |
| | 1-1/2" dia. | S82-203-CH | A: 3-1/8" | B: 3-1/2" |
| | 2″ dia. | S83-203-CH | A: 3-3/8" | B: 3-3/4" |
| | Dell Cue | | | |

Ball Cross

| Polished Brass | | | | | | |
|---|--|-------------------|-------------------|--|--|--|
| 1-1/2" dia. S82-204-BR A: 3-1/4" B: 3-1/4" | | | | | | |
| 2″ dia. | S83-204-BR | A: 3-7/16" | B: 3-7/16" | | | |
| 304 Gra | 304 Grade (180 Grit) Satin Stainless Steel | | | | | |
| 1-1/2" dia. | SSF1-204-SC | A: 3-7/16" | B: 3-7/16" | | | |
| 304 | 304 Grade Polished Stainless Steel | | | | | |
| 1-1/2" dia. S82-204-CH A: 3-7/16" B: 3-7/16" | | | | | | |
| 2″ dia. | S83-204-CH | A: 3-3/4" | B: 3-3/4" | | | |
| | | | | | | |



Flush Fittings

| Г | |
|-------------|---|
| I A I | 6 |
| | - |

| Flush 135° Elbow | | | | | |
|--|-------------|------------------|------------------|--|--|
| Oil Rubbed Bronze | | | | | |
| 2″ dia. | S83-208-ORB | A: 2-1/8" | B: 2-1/8" | | |
| | Polished | Brass | | | |
| 1-1/2" dia. | S82-208-BR | A: 1-1/2" | B: 2″ | | |
| 2″ dia. | S83-208-BR | A: 2″ | B: 2″ | | |
| | Matte B | lack | | | |
| 2″ dia. | S83-208-MB | A: 1-3/4" | B: 1-3/4" | | |
| 304 Grade (180 Grit) Satin Stainless Steel | | | | | |
| 1-1/2" dia. | SSF1-208-SC | A: 1-1/2" | B: 1-1/2" | | |
| 2″ dia. | SSF2-208-SC | A: 1-3/4" | B: 1-3/4" | | |
| 304 Grade Polished Stainless Steel | | | | | |
| 1-1/2" dia. | S82-208-CH | A: 1-1/2" | B: 1-1/2" | | |
| 2″ dia. | S83-208-CH | A: 1-3/4" | B: 1-3/4" | | |

Flush Side Outlet Elbow



| Polished Brass | | | | | | |
|--|-------------|-------------|-------------|--|--|--|
| 1-1/2" dia. S82-212-BR A: 2" B: 2" | | | | | | |
| 304 Grade (180 Grit) Satin Stainless Steel | | | | | | |
| 1-1/2" dia. | SSF1-212-SC | A: 1-15/16" | B: 1-15/16" | | | |

2" dia. SSF2-212-SC A: 2-3/16" B: 2-3/16" **304 Grade Polished Stainless Steel**

1-1/2" dia. **S82-212-CH A:** 1-15/16" **B:** 1-15/16"



Flush Cross

Polished Brass 1-1/2" dia. **S82-211-BR A:** 2-3/8" **B:** 2-3/8" 304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-211-SC A: 2-3/8" B: 2-3/8"



Flush Wall Return

304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. **SSF1-257-SC** A: 2-1/2" B: 3" 2"dia. SSF2-257-SC A: 2-3/4" B: 4"



Flush 147° Elbow

304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-730-SC A: 1-3/4" B: 1-3/4"





304 Grade Polished Stainless Steel 2" dia. S83-215-CH A: 3-1/2" B: 2-3/4"



Flush Wall Mount Tee

304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-457-SC A: 2-1/4" B: 3"







Bar Rail Fittings & Components

Matte Black Material: 304 Grade Stainless Steel (MB)

304 Grade (180 Grit) 304 Grade Polished Satin Stainless Steel (SC)

Stainless Steel (CH)

B: 2-1/2"

Flush 90° Elbow

| ^ |
|-------|
| В |
| ľ |
| _ |
| 1 |

| Polished Brass | | | | | | |
|--|--|---|---|--|--|--|
| 1-1/2" dia. S82-209-BR A: 2-5/16" B: 2-5/16" | | | | | | |
| 2″ dia. | S83-209-BR | A: 2-3/8" | B: 2-3/8" | | | |
| Matte Black | | | | | | |
| 2" dia. S83-209-MB A: 2-3/8" B: 2-3/8" | | | | | | |
| z ula. | 505 205 MB | | | | | |
| | ade (180 Grit) S | | | | | |
| 304 Gra | | atin Stainle | ess Steel | | | |
| 304 Gra 1-1/2" dia. | ade (180 Grit) S | atin Stainle A: 2-5/16" | ess Steel B: 2-5/16" | | | |
| 304 Gra 1-1/2" dia. 2" dia. | ade (180 Grit) S SSF1-209-SC | Satin Stainle A: 2-5/16" A: 2-5/8" | B: 2-5/16" B: 2-5/8" | | | |
| 304 Gra 1-1/2" dia. 2" dia. 304 | ade (180 Grit) S SSF1-209-SC SSF2-209-SC | Gatin Stainle A: 2-5/16" A: 2-5/8" d Stainless | ess Steel B: 2-5/16" B: 2-5/8" Steel | | | |


Oil Rubbed Bronze

2" dia. S83-209-ORB A: 2-1/2"

90° Flush "X" Elbow

| | Polished Brass | | | | | |
|-------|--|-------------|--------------|------------------|--|--|
| | 1-1/2" dia. | S82-214-BR | A: 3″ | B: 2-1/4" | | |
| 1 | 2″ dia. | S83-214-BR | A: 3″ | B: 2-1/2" | | |
| B | 304 Grade (180 Grit) Satin Stainless Steel | | | | | |
| в | 1-1/2" dia. | SSF1-214-SC | A: 3″ | B: 2-1/4" | | |
| | 2″ dia. | SSF2-214-SC | A: 3″ | B: 2-1/2" | | |
| | 304 Grade Polished Stainless Steel | | | | | |
| | 1-1/2" dia. | S82-214-CH | A: 3″ | B: 2-1/4" | | |

Flush Tee



Flush Wall Return

| | Diass | Polished Brass | | | | |
|--|--|---|--|--|--|--|
| 82-243-BR | A: 3-1/8" | B: 3-1/8" | | | | |
| 83-243-BR | A: 3-1/16" | B: 3-1/16" | | | | |
| (180 Grit) S | atin Stainle | ss Steel | | | | |
| 1-1/2" dia. SSF1-243-SC A: 2-15/16" B: 3-1/16" | | | | | | |
| F2-243-SC | A: 3-1/8" | B: 3-3/8" | | | | |
| | | | | | | |
| | 83-243-BR (180 Grit) S F1-243-SC | 82-243-BR A: 3-1/8" 83-243-BR A: 3-1/16" (180 Grit) Satin Stainle F1-243-SC A: 2-15/16" F2-243-SC A: 3-1/8" | | | | |

Flush Radius Elbow

Polished Brass 1-1/2" dia. S82-190-BR A: 2-11/16" B: 2-11/16" 2" dia. S83-190-BR A: 3-1/16" B: 3-1/16"

304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-190-SC A: 2-1/2" B: 2-1/2" 2" dia. SSF2-190-SC A: 3-15/16" B: 3-15/16"

304 Grade Polished Stainless Steel 1-1/2" dia. **S82-190-CH** A: 2-1/2" B: 2-1/2" 2" dia. S83-190-CH A: 3-15/16" B: 3-15/16"

Phone:1-800-631-8375 • Fax:1-800-888-3315

2" dia. S83-230-CH A: 7-5/16"

B: 6-1/8'

Floor Mount & Handrail Brackets Finishes: **COMBINATION BRACKET Oil Rubbed Bronze** Matte Black 304 Grade (180 Grit) 304 Grade Polished Oil Rubbed Bronze Polished 2" dia. S83-228-ORB A: 7" **B:** 7″ Material: Brass (ORB) Brass (BR) Material: 304 Grade Satin Stainless Stainless Steel Stainless Steel (MB) Steel (SC) (CH) **Antique Brass** Note: 7" x 7" 2" dia. S83-228-ABRS **B:** 7″ A: 7" measurements **Antique Bronze** are nominal 2" dia. S83-228-ABRZ **B:** 7″ A: 7" Antique Copper Antique Brass Antique Bronze Antique Copper (ABRS) (ABRZ) (ACOP) **B:** 7″ 2" dia. S83-228-ACOP A: 7" **Polished Brass** 1-1/2" dia. S82-228-BR A: 6-1/4" **B:** 6-1/64" 2" dia. S83-228-BR B: 7" A: 7 **ELBOW RAIL** Matte Black 2" dia. S83-228-MB **B:** 7″ BRACKET A: 7" 304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-228-SC A: 5-5/16" B: 6-5/8" **Polished Brass** 2" dia. S83-C228-SC A: 7" B: 7" 1-1/2" dia. S82-231-BR A: 6-11/16" **B:** N/A 2″ dia S83-231-BR A: 7-3/32" B: N/A **304 Grade Polished Stainless Steel** 1-1/2" dia. **S82-228-CH** A: 5-5/16" B: 6-5/8" **304 Grade Polished Stainless Steel** 2″ dia. S83-228-CH A: 7" B: 7" 1-1/2" dia. **S82-231-CH** A: 7-3/32" B: N/A **VICTORIAN FOOTRAIL FOOTRAIL FLOOR** 9-7/8" **BAR MOUNT BRACKET MOUNT BRACKET** <u>م</u> **Polished Brass Polished Brass S83-254-BR** A: 8-5/16" B: 4-7/16" 2" dia. S83-247-BR A: 6-3/16" B: 6-3/16" 2″ dia. FOOTRAIL FLOOR MOUNT BRACKET -**FOOTRAIL BAR MOUNT** B **Oil Rubbed Bronze Oil Rubbed Bronze** 2″ dia. **S83-229-ORB** A: 8-1/2" **B:** 4-1/2" 2″ dia. **S83-230-ORB** A: 6-3/4" B: 7" Polished Brass **Polished Brass** 1-1/2" dia. S82-229-BR A: 7-1/16" B: 6-1/8" 1-1/2" dia. S82-230-BR A: 6-3/4" B: 5-3/8" 2" dia. **S83-229-BR** A: 7-7/8" B: 6-5/16" **S83-230-BR** A: 6-15/16" B: 6-15/16" 2" dia. Matte Black Matte Black 2″ dia. **S83-229-MB** A: 8-1/8" B: 6-11/16" 2" dia. S83-230-MB A: 7-5/16" **B:** 6-1/8" 304 Grade (180 Grit) Satin Stainless Steel 304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-229-SC A: 6-15/16" B: 6-1/8" 1-1/2" dia. SSF1-230-SC A: 6-3/8" B: 6" 2″ dia SSF2-230-SC A: 7-5/16" B: 6-1/8" 2″ dia. SSF2-229-SC A: 8-1/8" B: 6-11/16" **304 Grade Polished Stainless Steel 304 Grade Polished Stainless Steel** 1-1/2" dia. **S82-230-CH** A: 6-3/8" **B:** 6″ 1-1/2" dia. **S82-229-CH** A: 6-15/16" B: 6-1/8"

OUTWATER INDUSTRIES, INC. • www.outwater.com

2" dia. S83-229-CH A: 8-1/8" B: 6-11/16"

Floor Mount & Handrail Brackets

Handrail Bracket

| | | Oil Rubbed | Bronze | | | |
|-----|-------------|----------------|------------------|------------------|--|--|
| - 1 | 2″ dia. | S83-232-ORB | A: 3-1/2" | B: 2-3/8" | | |
| 14 | | Polished Brass | | | | |
| | 1-1/2" dia. | S82-232-BR | A: 3-1/4" | B: 3-1/4" | | |
| | 2″ dia. | S83-232-BR | A: 3-1/4" | B: 3-1/2" | | |
| | | Matte B | lack | | | |

2″ dia **S83-232-MB** A: 3-1/4" B: 3-1/2"

304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-232-SC A: 3-1/4" B: 2-3/4" SSF2-232-SC A: 3-1/4" B: 3-1/2" 2″ dia.

304 Grade Polished Stainless Steel 1-1/2" dia. S82-232-CH A: 3-1/4" B: 2-3/4" **S83-232-CH** A: 3-1/4" B: 3-3/8" 2″ dia.

Curved Handrail Brackets



| | Polished B | irass | |
|-------------|------------|------------------|--------------|
| 1-1/2" dia. | S82-245-BR | A: 6-1/2" | B: 6″ |
| 2″ dia. | S83-245-BR | A: 6-7/8" | B: 7″ |


Flat End Post

| Polished Brass | | | | |
|----------------|-------------|------------------|-------------------|--|
| 1-1/2" dia. | S82-227-BRF | A: 1-3/4" | B: 3-1/4″ | |
| 2″ dia. | S83-227-BRF | A: 2-1/4" | B: 4-5/16" | |

304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-227-SCF A: 1-3/4" B: 3-1/2" SSF2-227-SCF A: 2-1/4" B: 4-1/2" 2″ dia

304 Grade Polished Stainless Steel 1-1/2" dia. **S82-227-CHF** A: 1-3/4" B: 3-1/2" 2" dia. **S83-227-CHF** A: 2-1/4" **B:** 4-1/2"

Ball End Post



Finishes:





Satin Stainless Stainless Steel (MB)

Steel (SC)

304 Grade (180 Grit) 304 Grade Polished Stainless Steel (CH)



90° Handrail Bracket

Polished Brass 1-1/2" dia. S82-246-BR A: 3-5/8" **B:** 4" **S83-246-BR** A: 4-1/4" B: 4-1/4" 2″ dia.




Saddle Post

Polished Brass 1-1/2" dia. S82-253-BR A: 2-3/16" B: 2-1/4" 2"dia. **S83-253-BR** A: 2-5/8" B: 2-1/2"

304 Grade Polished Stainless Steel 1-1/2" dia. S82-253-CH A: 2-1/8" B: 2-1/4" Note: S83-253-BR does not have drilled holes at base

Flush Center Post




Ball Center Post

| | Polished Brass | | | | | |
|---|------------------------------------|------------|--------------------|------------------|--|--|
| | 1-1/2" dia. | S82-226-BR | A: 2-1/4" | B: 4-1/2" | | |
| | 2″ dia. | S83-226-BR | A: 3-1/4" | B: 4-1/4" | | |
| | 304 Grade Polished Stainless Steel | | | | | |
| _ | 2″ dia. | S83-226-CH | A: 2-11/16" | B: 4-1/4" | | |
| | | | | | | |

Handrail Mounting Brackets

Clean, strong and unobtrusive, the unique two-piece design of these handrail mounting brackets reduces the cost and improves the quality of railing installation.

Heavy gauge cast aluminum brackets feature matching serrated surfaces that lock together eliminating slippage. These brackets meet or exceed OSHA and ADA standards. Brackets should be mounted at a maximum spacing of 36 inches into studs or blocking.





- Stocked in rollbrite polished aluminum finish
- Hardware is included

WOOD HANDRAIL NOT INCLUDED

| Part # | Description | Size |
|--------|-------------|-----------------|
| HR-203 | For 7" Rail | 1-3/4" x 2-7/8" |
| HR-303 | For 5" Rail | 2-1/2" x 1-3/4" |

Phone:1-800-631-8375 • Fax:1-800-888-3315

Flanges

| · · · · · |
|-----------|
| |
| |


| Oil Rubbed Bronze | | | | | | | |
|-------------------------------------|------------|------------------|------------------|--|--|--|--|
| 2" dia. S83-221-ORB A: 2-3/4" B: 4" | | | | | | | |
| Polished Brass | | | | | | | |
| 1-1/2" dia. | S82-221-BR | A: 1-7/8" | B: 3″ | | | | |
| 2″ dia. | S83-221-BR | A: 2-3/8" | B: 3-7/8" | | | | |
| Matte Black | | | | | | | |
| 2″ dia. | S83-221-MB | A: 4″ | B: 2-3/4" | | | | |

304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-221-SC A: 3-5/16" B: 2-3/16" 2" dia. SSF2-221-SC A: 4" B: 2-3/4"

304 Grade Polished Stainless Steel 1-1/2" dia. S82-221-CH A: 3-5/16" B: 2-3/16" S83-221-CH 2″ dia. A: 4" B: 2-3/4"


Wall Flange

Narrow Flange



304 Grade (180 Grit) Satin Stainless Steel 1-1/2" dia. SSF1-219-SC A: 1-3/16" B: 2-15/16" SSF2-219-SC A: 1-3/16" B: 3-15/16" 2″ dia.

304 Grade Polished Stainless Steel 1-1/2" dia. S82-219-CH A: 1-3/16" B: 2-15/16" 2" dia. S83-219-CH A: 1-3/16" B: 3-15/16"



Half Flange

Polished Brass 1-1/2" dia. S82-248-BR A: 3" B: 1-1/4" 2" dia. S83-248-BR A: 4" B: 1-3/8"



90° - 147° Adjustable Flange

Polished Brass 2" dia. S83-251-BR A: 2-15/16" B: 4"





Polished Material: Brass (ORB) Brass (BR)

Matte Black Material: 304 Grade Stainless Steel (MB)

304 Grade (180 Grit) 304 Grade Polished Satin Stainless Stainless Steel Steel (SC) (CH)

Floor Flange





| 1-1/2″ dia. | S82-220-CH | A: 1-1/2" | B: 4″ |
|-------------|------------|------------------|--------------|
| 2″ dia. | S83-220-CH | A: 1-1/2" | B: 5″ |

Angle Flange

| Polished Brass | | | | |
|----------------|------------|-------------------|--------------------|--|
| 1-1/2" dia. | S82-250-BR | A: 2-3/16" | B: 2-15/16" | |

Floor Canopy



| | Polishe | d Brass | | |
|---------------------------------|----------------|-------------------|--------------------|--|
| 1-1/2″ dia | S82-218-BR | A: 1-9/16" | B: 4″ | |
| 2″ dia. | S83-218-BR | A: 1-9/16" | B: 4-15/16" | |
| 304 Gr | ade (180 Grit) | Satin Stainl | ess Steel | |
| 2″ dia. | SSF2-218-SC | A: 1-9/16" | B: 4-13/16" | |
| 304 | Grade Polishe | d Stainless | Steel | |
| -1/2″ dia | S82-218-CH | A: 1-9/16" | B: 4-1/16" | |
| 2″ dia. | S83-218-CH | A: 1-9/16" | B: 4-13/16" | |
| | | | | |
| | | | | |
| STEEL FLANGE FOR USE WITH CANOP | | | | |

• Provides extra support & strength.

1-1/2" dia. **S82-218SF-ST** A: 12" B: 3-1/2" **S83-218SF-ST** A: 12" B: 4-9/16" 2″ dia

Note: To be used with S82-218*, S83-218*, & SSF2-450*





304 Grade (180 Grit) 304 Grade Polished

Stainless Steel

(CH)

Finishes:

End Caps

| | | | | | 1.01 | |
|--------------|--|-----------------------|--------------|---|-------------------------------|----------------|
| | Flush End Cap | Oil Rubbed Bronze | Polished | Matte Black | 304 Grade (180 Grit |) 304 Grad |
| | Oil Rubbed Bronze | Material: Brass (ORB) | Brass (BR) | Material: 304 Grade Stainless Steel (MB) | Satin Stainless Steel (SC) | Stainl |
| _ | 2" dia. \$83-222-ORB A: 2" B: 1/8" | | eW) | New) | New D | (|
| — A — | Polished Brass | | 2 | New | Ner | |
| B | 1-1/2" dia. S82-222-BR A: 1-1/2" B: 1/8" | | | | | |
| | 2" dia. S83-222-BR A: 2" B: 3/16" | A | ntique Brass | Antique Bronze | Antique Copper | |
| 1 | Matte Black | | (ABRS) | (ABRZ) | (ACOP) | |
| | 2" dia. S83-222-MB A: 2" B: 3/16" | | | | | |
| | 304 Grade (180 Grit) Satin Stainless Steel | | | | | |
| | 1-1/2" dia. SSF1-222-SC A: 1-1/2" B: 1/8" | | Do | omed End Ca | p | |
| | 2" dia. SSF2-222-SC A: 2" B: 3/16" | | | | | |
| | 304 Grade Polished Stainless Steel | | 7-1 | Oil Rub | bed Bronze | |
| | 1-1/2" dia. S82-222-CH A: 1-1/2" B: 1/8" | | | "dia. \$83-223- | | B: 1″ |
| | 2" dia. S83-222-CH A: 2" B: 3/16" | | i i | Polis | hed Brass | |
| | | | 1-1 | /2" dia. \$82-223 | | B: 7/8″ |
| | | | 2 | 2″ dia. \$83-223 | -BR A: 2" | B: 1″ |
| A | | | | Ma | tte Black | |
| STUD | Ornate End Cap | | 2 | 2" dia. \$83-223 | -MB A: 2" | B: 1″ |
| - AND - | Polished Brass | | 3 | 04 Grade (180 Gi | rit) Satin Stainless | Steel |
| B | 1-1/2" dia. S82-244-BR A: 1-7/8" B: 1" | | 1-1 | /2" dia. SSF1-223 | B-SC A: 1-1/2" | B: 3/4″ |
| CHARLE T | 2" dia. S83-244-BR A: 2-3/8" B: 1-1/2" | | 2 | 2" dia. SSF2-223 | B-SC A: 2" | B: 1″ |
| and a second | | | | | shed Stainless St | |
| | | | | /2" dia. \$82-223 | | B: 3/4″ |
| | | | 2 | "dia. \$83-223 | -CH A: 2" | B: 1″ |
| | | | | | | |
| | Ball Top | _ | | | | |
| | | | | iter End Cap | | |
| | Oil Rubbed Bronze | Common and | N I — | | | |
| | 2" dia. S83-225-ORB A: 5-1/4" B: 3-1/8" | | B 2″(| | ed Brass A: 2-1/8" B: | 7/0// |
| Â | Polished Brass 1-1/2"dia. S82-225-BR A: 3-5/16" B: 2-7/16" | | 20 | | | 7/8″ |
| T | 2"dia. S83-225-BR A: 4-1/2" B: 3-1/8" | | | | B A: 2-1/8" B: | 7/8″ |
| - | 304 Grade Polished Stainless Steel | | 2 (| | | //0 |
| | 1-1/2" dia. S82-225-CH A: 3-5/16" B: 2-7/16" | | New 2" | Antiq dia. S83-249-ABI | ue Brass | 7/8″ |
| | 2" dia. S83-225-CH A: 4-1/2" B: 3-1/8" | | 2 (| | | //0 |
| | | | New 2" | Antiqu dia. S83-249-ABI | e Bronze | 7/8″ |
| | | | 2 (| | | //0 |
| | | | New 2" | Antiqu dia. S83-249-ACC | e Copper | 7/8″ |
| | End Caroll | 1 | 2 0 | ula. 303-249-ACC | A. 2-1/0 D : | //0 |



End Scroll

| Polished Brass | | | | |
|----------------|------------|--------------|------------------|--|
| 1-1/2" dia. | S82-224-BR | A: 2-13/16" | B: 3″ | |
| 2″ dia. | S83-224-BR | A: 3″ | B: 3-1/8" | |

Adjustable Saddle

R

| Polished Brass | | | | | |
|--|------------|-----------|--------------|--|--|
| 1-1/2" dia. S82-234-BR A: 3-1/2" B: 1-1/2" | | | | | |
| 2″ dia. | S83-234-BR | A: 4-3/8" | B: 2" | | |

Saddles & Collars



Perpendicular Collar **Polished Brass**

2″ dia. **S83-217-BR** A: 1-1/2" B: 1" 304 Grade (180 Grit) Satin Stainless Steel 2″ dia. **SSF2-217-SC** A: 1-1/2" B: 2-1/4"

304 Grade Polished Stainless Steel 2″ dia. **S83-217-CH A:** 1-1/2" **B:** 2-1/4"

Economic Adjustable Zamac Metal Glass Grips

- Rubber pads included to adjust for different panel thickness
- #6 screw and anchor included

| Brushed Stainless Steel | | | | | |
|-------------------------|------------|--------------|--------------|--------|--------|
| | Fits Glass | | | | |
| | Rail | Part # | Thickness | "H" | "W" |
| Α | Flat Style | SSFZ-618F-SC | 3/16" - 3/8" | 2-1/8″ | 2-1/8″ |
| в | 1-1/2″ | SSFZ1-618-SC | 3/16" - 3/8" | 2-1/8″ | 2-1/8″ |
| С | 2″ | SSFZ2-618-SC | 3/16" - 3/8" | 2-1/8″ | 2-1/8″ |

Glass Grips For Tubing

| Polished Brass | | | | | |
|---|--------------|------------------------------|--------------------|------------------|----------------------------------|
| | Fits | Glass | | | |
| | Rail | Thickness | "H" | "W" | Part # |
| ^ | 1-1/2″ | 1/4″ | 1-5/16" | 2-1/2" | S82-108-BR |
| Α | 2″ | 1/4″ | 1-3/8" | 2-1/2" | S83-108-BR |
| 304 Grade (180 Grit) Satin Stainless Steel | | | | | |
| | Fits | Glass | in Stannes | S SIEEI | |
| | Rail | Thickness | "H" | "W" | Part # |
| _ | | | | | |
| | 1_1/2" | 1/A'' - 5/16'' | 1-0/16" | 1_1/2" | SSE1-619ADLSC |
| В | 1-1/2″ 2″ | 1/4" - 5/16" 1/4" - 5/16" | 1-9/16″ 2-7/16″ | 1-1/2″ 1-3/4″ | SSF1-618ADJ-SC SSF2-618ADJ-SC |

| | 304 Grade Polished Stainless Steel | | | | | |
|---|---------------------------------------|-----------|---------|--------|------------|--|
| | Fits | Glass | | | | |
| | Rail | Thickness | "H" | "W" | Part # | |
| С | 2″ | 1/4″ | 1-7/16″ | 2-1/2" | S83-108-CH | |





W

Α.



- Rubber pads included to adjust for different panel thickness
 #6 screw and
 - #6 screw and anchor included

• 4 Screws included




4 Screws included

Glass Grips

| | Polish | ed Brass | | | |
|---|---|---|---|--|--|
| Glass Thickness | "H" | "W" | Part # | | |
| 1/4″ | 1-7/16″ | 2-1/2" | S83-108F-BR | | |
| 304 Grade (180 Grit) Satin Stainless Steel | | | | | |
| Glass | | | | | |
| Thickness "H" "W" Part # | | | | | |
| | | | | | |
| 1/4" - 3/8" | 2″ | 1-9/16″ | SSF-618FADJ-SC | | |
| 1/4" - 3/8" | - | Grade | | | |
| 1/4" - 3/8" Glass | - 304 | Grade | SSF-618FADJ-SC | | |
| | - 304 | Grade | | | |
| | Thickness 1/4" Glass Thickness | Glass Thickness "H" 1/4" 1-7/16" 304 Grad. Satin Stai Glass Thickness "H" | Thickness"H""W"1/4"1-7/16"2-1/2"304 Grade (180 Grit) Satin Stainless SteelGlassThickness"H""W" | | |


Glass Mount Handrail Bracket





Under Table & Bar Hooks


- Two black PVC 2-1/4" long x 1-7/8" wide hooks comes with four 1" long wood screws
- Rectangular plate: 1-3/4" x 1"
- It's easy to install and engineered for durability
- Increase customer convenience and security
- Ideal way to keep pocketbooks off the floor and out of the way
- These will avoid tripping hazards and keep the purse clean



Short Post Partition Series




• Recommended post spacing 36" to 48"



| | _ | Polished Brass | 304 Grade (180 Grit) Satin Stainless Steel | 304 Grade Polished Stainless Steel |
|---|-----------|----------------|---|---------------------------------------|
| | Fits Rail | Part # | Part # | Part # |
| Α | 1-1/2″ | S82-SEND-BR | SSF-SEND-SC | S82-SEND-CH |
| В | 1-1/2″ | S82-SCOR-BR | SSF-SCOR-SC | S82-SCOR-CH |
| С | 1-1/2″ | S82-SCEN-BR | SSF-SCEN-SC | S82-SCEN-CH |
| D | 1-1/2″ | S82-STEE-BR | SSF-STEE-SC | S82-STEE-CH |



- 1-1/2" or 2" Diameter
- Recommended post spacing 36" to 48"



*Custom finishes available, see below.

| | _ | Polished Brass | 304 Grade (180 Grit) Satin Stainless Steel | 304 Grade Polished Stainless Steel |
|---|-----------|----------------|---|---------------------------------------|
| | Fits Rail | Part # | Part # | Part # |
| • | 1-1/2″ | S82-DEND-BR | SSF-DEND-SC | S82-DEND-CH |
| Α | 2″ | S83-DEND-BR | SSF2-DEND-SC | S83-DEND-CH |
| в | 1-1/2″ | S82-DCOR-BR | SSF-DCOR-SC | S82-DCOR-CH |
| | 2″ | S83-DCOR-BR | SSF2-DCOR-SC | S83-DCOR-CH |
| ~ | 1-1/2″ | S82-DCEN-BR | SSF-DCEN-SC | S82-DCEN-CH |
| с | 2″ | S83-DCEN-BR | SSF2-DCEN-SC | S83-DCEN-CH |
| ~ | 1-1/2″ | S82-DTEE-BR | SSF-DTEE-SC | S82-DTEE-CH |
| D | 2″ | S83-DTEE-BR | SSF2-DTEE-SC | S83-DTEE-CH |

* Custom Finishes Available, Please Inquire





Waitress Station

14

4" Dia. Flange




*Custom finishes available, see below.




Phone:1-800-631-8375 • Fax:1-800-888-3315




Overhead Glass Racks



Custom Finishes Available: Please Inquire



Customize Your Rails



Bar Rail & Radius Corners

ALL PROFILES AVAILABLE IN READY TO STAIN RED OAK *ALSO AVAILABLE IN CHERRY & MAPLE



Architectural Products introduces a line of bar rails and radius corners in the most popular profiles at extraordinary prices. These rails and radius pieces coordinate beautifully with our full line of carvings, corbels and appliques.


Finished Top

Structural Top

Wood Bar rails are typically installed at a slight downward angle by offsetting the edges of the bars top layers.

This creates a bold beautifully finished edge, not to mention a comfortable place to rest your arm.















See Our Full Line of Brass Bar Rails & Fittings on pages V-3~13

Solid Wood Handrail & Fittings



- 1-1/2" diameter fittings are fabricated from SOLID STOCK
- 2" diameter fittings are fabricated from LAMINATED STOCK
- Stocked in Red Oak and select sizes in Maple
- All components are finish sanded to 120 grit



Handrail Kits



Interior & Exterior Handrail Kits






EACH KIT INCLUDES:

- Railing (3 x 47.25")
- Connecting Brackets (2)
- Standard Brackets (2)
- End Caps (2)
- Screws & Anchors (12 each)
- Allen Key (1)
- Installation Instructions (1)

Material: Steel/Stainless Steel

- Kits available for indoor and outdoor use
- Nominal 1-9/16" (40mm) Diameter Handrail
- Railing is field trimmable







S82-160-KIT12-SS Brushed Stainless Finish For Indoor/Outdoor Use

S82-160-KIT12-MB Matte Black Finish For Indoor Use

LED Handrails



- Material: 304 Grade Stainless Steel
- Finish: Satin Stainless
- Nominal 1-1/2" (39.9mm) Diameter
- Wide range of accessories available for use in many applications, see below.



OUTWATER INDUSTRIES, INC. • www.outwater.com